



Institute
and Faculty
of Actuaries

More than Just a Big Idea: How big data and deep learning is helping Japanese insurers to protect homeowners from Nat Cat risk?

Takeshi Okazaki & Oriol Gaspa Rebull
Aon Benfield

12 May 2017



Institute
and Faculty
of Actuaries

Agenda

Big Data Impact in Insurance

Deep Learning

Aon Benfield Motivation

Application and Products

Summary

12 May 2017

Data: The Raw Ingredient of Decision Making




12 May 2017

3

How Does More Data Impact Risk and Insurance?

- **Incomplete understanding creates opportunities for insurance markets**
- **Ignorance and certain knowledge generally rule out insurance**



Unknown,
ignorance,
no insurance

Partial knowledge,
uncertainty, risk,
insurance


Complete knowledge,
certainty,
managed, retained

12 May 2017

4

... What's The Impact of More Observations?

- More observations can create markets
- Risk measured by risk owners
- Measurement begets management
- Risk more quantifiable for insurers




Insurance gain
from decreased
ignorance

More data is a good thing:
Emerging Risks

... What's The Impact of More Parameters?

- More parameters may destroy markets in the long run
- More granular underwriting
- Less risk sharing
- Affordability and availability issues




Insurance loss
from greater
certainty

More data is a bad thing:
Existing Risks

How Does More Data Impact Risk and Insurance?

- Net growth impact on insurance risk indeterminate



- Different data models apply in different markets

**More data is :
Disruption**




Institute
and Faculty
of Actuaries

Agenda

- Big Data Impact in Insurance
- Deep Learning**
- Aon Benfield Motivation
- Application and Products
- Summary


Machine Learning (ML) and Deep Learning (DL)



12 May 2017

9


An Example of the Network of Deep Learning (DL)



12 May 2017

10

Convolutional Layer



- A pixel in gray scale shows the value between 0 and 255.
- A convolutional layer is a process of extracting image-features by a filter.
- DL is able to learn the appropriate pattern of the filter automatically.

Deep Learning Test Case

- The MNIST database of handwritten digits has a training set of 60,000 examples, and a test set of 10,000 examples.
- The digits have been size-normalized and centered in a fixed-size image.



THE MNIST DATABASE of handwritten digits
<http://yann.lecun.com/exdb/mnist/>

SVM was a traditional best method before deep learning appeared.

Classifier	Accuracy rate
Support Vector Machine (SVM)	89%
Convolutional Neural Network (Deep Learning)	98%



Institute
and Faculty
of Actuaries

Agenda

Big Data Impact in Insurance

Deep Learning

Aon Benfield Motivation

Application and Products

Summary

12 May 2017

Japan and Its Natural Catastrophes

1959 Vera typhoon



Source: Devastating Disasters

2004 Songa typhoon



Source: The BBC

2016 Kumamoto earthquake




Source: AGU

2016 Sakurajima volcano



Source: The BBC



2011 Tohoku-Oki earthquake



Source: Encyclopaedia Britannica

2015 Joso Flooding



Source: Aon Benfield

2014 Severe winter weather



Source: Wikipedia

1923 Kanto earthquake



Source: The Atlantic

Aon
Empower Results®




Institute
and Faculty
of Actuaries

12 May 2017

14

The Challenge ...

... is to improve our understanding of natural catastrophe risk to the highest resolution possible



Aon
Empower Results®

Institute
and Faculty
of Actuaries

12 May 2017

15



12 May 2017

The Challenge with Typhoon Modelling

- It is well known that a building roof is very vulnerable to strong wind caused by a typhoon.
- If the information on roof shape/condition is obtained, it is possible to estimate a typhoon risk more accurately.
- However, as roof-related information is typically not collected during insurance contract making, the development of database has been a longstanding problem.

Reference:
Takeshi Okazaki, "Application of Typhoon Model in the Non-Life Insurance Industry", Wind Engineers, JAWE, 2016, Vol. 41, No. 2, pp. 152-160
https://www.jstage.jst.go.jp/article/jawe/41/2/41_152/_article/-char/ja/



Aon
Empower Results®


Institute
and Faculty
of Actuaries

12 May 2017

17

Roof Shape Classification in Japan

The roof shape in Japan can be mainly classified into the following five types.



+ ← Vulnerability to strong wind → —

Aon
Empower Results®

Institute
and Faculty
of Actuaries

12 May 2017

18

Classify Roof Shape: Learning Process of DL





Figure 2: The overall structure of Network In Network. In this paper the NiNs include the stacking of three mipconv layers and one global average pooling layer.
Reference: "Network in Network", M Lin, Q Chen, S Yan, International Conference on Learning Representations



International patent application applied for in the US
12 May 2017



Classify Roof Shape: Adjusting Input Image




12 May 2017




Classify Roof Shape: Roof Condition

If a roof is not deteriorated, the peak value of the grey histogram tends to be high/sharp.



If a roof is deteriorated, the peak value of the grey histogram tends to be low/smooth.



12 May 2017

21


Classify Roof Shape: Roof Condition (2)

If the roof is not deteriorated, the value assigned is 1.



Deteriorated roof

If the roof is deteriorated, the value assigned is 0.



Not deteriorated roof

Classifier	Accuracy rate
The maximum value of image histogram in gray scale	80 - 85%

International patent application applied for in the US


Aon
Empower Results®

Institute
and Faculty
of Actuaries

12 May 2017

22

Summary Process of Roof Classification




12 May 2017

23



Typhoon Claim Loss Estimation

- After a typhoon passes through Japan, observed wind speed from JMA are available (1300 stations country wide). With this data we can estimate the number of claims by combining the building database with the wind speeds.



Using the building database, we can evaluate the prospective damaged buildings individually.

Vulnerability functions

Estimation Results
 - Total number of claims
 - Location of damaged buildings




12 May 2017


25

Updating of Damage Curves

Individual buildings reported claims for Typhoon 15 (95K)



Vulnerability = Chance of Loss + Damage Ratio



- The existing available damage curves were created based on aggregated data (postcode) from 1998 to 2006
- With the DL technique we can study individual buildings and their roof damage to create more accurate vulnerability models based on their Chance of Loss (CoL)
- CoL is the probability of a property being affected by a typhoon or not. Chance of loss is an integral part of damage curves




12 May 2017

26

Results

- Results using the typhoon damage prediction system were compared to actual payments (as of July 2015).
- Benchmarking was performed for three different typhoons in 2015 and we are now working on 2016 data
- The improvement on damage prediction is substantial for medium to large storms



Aon
Empower Results®

Institute
and Faculty
of Actuaries

12 May 2017

27




12 May 2017


Japan's Standard Fire Insurance

The tariff is classified by construction class (fire resistance) and prefecture

Several typhoons often make landfall in the Kyusyu region every year



A breakdown of pure premiums for residential insurance




AON
Empower Results®

Institute
and Faculty
of Actuaries

12 May 2017

29

The Concept of Building-level Insurance Rate



- Each building can be classified by a combination of:
 1. Construction characteristics (materials, height, roof type, year built ...)
 2. Geophysical characteristics (location, elevation, gradient ...)
 3. Risk characteristics (flood, earthquake, storm surge ...)


AON
Empower Results®

Institute
and Faculty
of Actuaries

12 May 2017

30

Potential Impact of Building-level Insurance Rate




12 May 2017

31

What Could Fire Insurance Cover in the Future?

The function of fire insurance is to financially safeguard victims from damaging events but could this change in the future as more disruption arises?



12 May 2017

32



Institute
and Faculty
of Actuaries

Agenda

Big Data Impact in Insurance

Deep Learning

Aon Benfield Motivation

Application and Products

Summary

24 May 2017

Summary

BIG
Data

The combination of Big Data and Machine learning (DL) is one of the key innovation areas across the insurance sector

Deep
Learning

Aon Benfield has used deep learning to identify roof characteristics across Japan and developed a building level exposure database including 65 million properties.

Innovation

The database can support the development of multiple insurance and non-insurance products

Risk

We believe disaster risks would be reduced by introducing a similar concept to the building-level rating in collaboration with local governments.

Aon
Empower Results®



Institute
and Faculty
of Actuaries

12 May 2017

34

Questions

Special thanks to **Takeshi Okazaki** who has been developing Aon Benfield's Deep Learning Database

The views expressed in this presentation are those of invited contributors and not necessarily those of the IFoA. The IFoA do not endorse any of the views stated, nor any claims or representations made in this [publication/presentation] and accept no responsibility or liability to any person for loss or damage suffered as a consequence of their placing reliance upon any view, claim or representation made in this presentation.

The information and expressions of opinion contained in this publication are not intended to be a comprehensive study, nor to provide actuarial advice or advice of any nature and should not be treated as a substitute for specific advice concerning individual situations. On no account may any part of this presentation be reproduced without the written permission of Aon Benfield.