




[New posts](#) [Search forums](#)

[Home](#) > [Forums](#) > [DIY](#) >

DIY utilibridge

Nugget · Feb 18, 2020

1 2 3 [Next](#)



Nugget

Well-Known Member

Joined: Nov 3, 2018

Messages: 450

Feb 18, 2020

#1

I ordered my amsteel last week and DIYed the bridge this afternoon. Takes about 20 minutes from start to finish and is surprisingly easy to do. The required amsteel can be orderd at amsteelblue.com or through customamsteelproducts.com.

You'll need:

8ft of 1/4" amsteel for the bridge

40in of 1/8" amsteel for the prusik or 44" of 3/16" amsteel. I prefer the 3/16".

The how to on YouTube is by Trevor Byrd at:

DIY Utilibridge



It's a great way to update your old 2019 saddle with 2020 technology.

Attachments



Screenshot_20200217-1931...

Last edited: May 10, 2020

**joesoup**

Active Member

Joined: Dec 30, 2019

Messages: 149

Location: Central GA

Feb 18, 2020

#2

Here's is a good video that shows a safe stopper knot for the non looped end. The knot is called an Estar Stopper knot. I am going to do two prussic loops and two stopper knots to DIY a clone of the Triad bridge.

Knots in Dyneema

**wayne r**

Well-Known Member

Joined: Dec 28, 2018

Messages: 250

Feb 21, 2020

#3


Real simple to do I am liking it so far, regards wayne

Share



3,292

imgur

**Nugget**

Well-Known Member

Joined: Nov 3, 2018


Messages: 450

Mar 4, 2020

#4

I recieved my Phantom yesterday and the Tethrd prusik is much thicker than the 1/8" amsteel I used. I'm sure they did some significant testing before going with the thicker material. I will continue to test and keep an eye on mine for wear. All others should do the same. Remove and go to a thicker amsteel If necessary.

+ Mingle and wayne r

**Cajunyankee**

Well-Known Member

Mar 5, 2020

#5

*Nugget said:

I recieved my Phantom yesterday and the Tethrd prusik is much thicker than the 1/8" amsteel I used. I'm sure they did some significant testing before going with the thicker material. I will continue to test and keep an eye on mine for wear. All others should do the same. Remove and go to a thicker amsteel If necessary.


I believe it is 3/16 that Tethrd uses.

Ex. 1075
Crüzr v. Tethrd

SH Member

Joined: Dec 5, 2017
Messages: 826

 **Nugget**

**Squirrels**

Well-Known Member
Joined: Oct 29, 2017
Messages: 2,017

Mar 5, 2020

#6

 **Calli-yawnee said:**

I believe it is 3/16 that Tethrd uses.

Correct

Sent from my iPhone using Tapatalk

 **Cajunyankee**

**Ontariofarmer**

Well-Known Member
SH Member
Joined: Dec 25, 2015
Messages: 5,261


Mar 5, 2020

#7



3/16 prussic on 1/4 bridge. On a recon sling It works well

Sent from my iPad using Tapatalk Pro

**Nugget**

Well-Known Member
Joined: Nov 3, 2018
Messages: 450


Mar 5, 2020

#8

 **Ontariofarmer said:**



How big of a 3/16" amsteel continuous loop did you need to make for the recon?

**Nugget**

Well-Known Member
Joined: Nov 3, 2018
Messages: 450

Mar 5, 2020

#9

 **Ontariofarmer said:**



How big of a 3/16" amsteel continuous loop did you need to make for the recon?

 **Squirrels said:**

Correct

Sent from my iPhone using Tapatalk

Any clue why tethrd went with 3/16 over 1/8? The 1/8 should be adequate.

**Ontariofarmer**

Well-Known Member

SH Member

Joined: Dec 25, 2015

Messages: 5,261

Mar 5, 2020

#10

Proquest said:


How big of a 3/16" amsteel continuous loop did you need to make for the recon?

Well I started with 40 inches on the first loop and made the second loop from a 48 inch loop. 40 inches was difficult to work with. 48 inches is loose. I think I would try 42 or 44 inches.
So an 11 inch loop would be good I expect. You can see the difference on this recon sling



Sent from my iPad using Tapatalk Pro

Kkokanovich

**Nugget**

Well-Known Member

Joined: Nov 3, 2018

Messages: 450

Mar 5, 2020

#11

Ontariofarmer said:

Well I started with 40 inches on the first loop and made the second loop from a 48 inch loop. 40 inches was difficult to work with. 48 inches is loose. I think I would try 42 or 44 inches.
So an 11 inch loop would be good I expect. You can see the difference on this recon sling



Click to expand...

Thanks bud. I put a utilibridge bridge on my recon yesterday and like it alot. I used 1/8" but plan on switching it out to 3/16 if there is excessive wear on the 1/8.

Ontariofarmer

**Ontariofarmer**

Well-Known Member

SH Member

Joined: Dec 25, 2015


Messages: 5,261

Mar 5, 2020

#12

The recon is interesting the way it can distribute weight

Sent from my iPad using Tapatalk Pro

**Nugget**

Well-Known Member

Joined: Nov 3, 2018

Messages: 450

Mar 5, 2020

#13

Ontariofarmer said:

The recon is interesting the way it can distribute weight

Sent from my iPad using Tapatalk Pro

It's also sweet to walk in. Ya don't even know it's there

**Jay_Ohio**

Well-Known Member
 Joined: Jan 31, 2019
 Messages: 234
 Location: Ohio

Mar 5, 2020

#14

Trevor is a good dude. Very helpful.

Sent from my iPhone using Tapatalk


**Razorbak66**

Well-Known Member
 Joined: Oct 17, 2019
 Messages: 1,682

Mar 5, 2020

#15

Where is the recon sling being sold?

**Nugget**

Well-Known Member
 Joined: Nov 3, 2018
 Messages: 450

Mar 5, 2020

#16

Where is the recon sling being sold?

Go to treehopperllc.com

**Ontariofarmer**

Well-Known Member
 SH Member
 Joined: Dec 25, 2015
 Messages: 5,261

Mar 5, 2020

#17

Where is the recon sling being sold?

Treehopper

www.treehopperllc.com

Sent from my iPhone using Tapatalk Pro

Razorbak66**Razorbak66**

Well-Known Member
 Joined: Oct 17, 2019
 Messages: 1,682

Mar 5, 2020

#18

Thank you sir

**Ehclusive**

Active Member
 Joined: Nov 17, 2019
 Messages: 146
 Location: Missouri

Mar 7, 2020

#19

With 8 feet of 1/4 how long did the bridge end up total? I like to run my bridge kinda long off my lineman loops on my TL ambush lite. Currently I have tubular webbing I've made as the bridge but was like the adjustability of the utility bridge. Thanks

**Ontariofarmer**

Well-Known Member
 SH Member
 Joined: Dec 25, 2015
 Messages: 5,261

Mar 7, 2020

#20

With 8 feet of 1/4 how long did the bridge end up total? I like to run my bridge kinda long off my lineman loops on my TL ambush lite. Currently I have tubular webbing I've made as the bridge but was like the adjustability of the utility bridge. Thanks

Between the stopper knots about 36 inches

Sent from my iPhone using Tapatalk Pro

Ehclusive

