



US007434723B1

(12) **United States Patent**
White et al.

(10) **Patent No.:** **US 7,434,723 B1**
(45) **Date of Patent:** **Oct. 14, 2008**

(54) **MOBILE PAYMENT AUTHORIZATION
SYSTEM AND METHOD**

(75) Inventors: **Brian H. White**, Leawood, KS (US);
Kevin Zhu, Overland Park, KS (US)

(73) Assignee: **Sprint Communications Company
L.P.**, Overland Park, KS (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 350 days.

(21) Appl. No.: **11/138,563**

(22) Filed: **May 26, 2005**

(51) **Int. Cl.**
G06F 17/00 (2006.01)

(52) **U.S. Cl.** **235/375**

(58) **Field of Classification Search** **235/375**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,223,291 B1 * 4/2001 Puhl et al. 726/28
2002/0116329 A1 * 8/2002 Serbetcioglu et al. 705/39

OTHER PUBLICATIONS

Savage, Terry, "New Visa card Gives parents teen control," Chicago
Sun-Times, Aug. 28, 2002, 2 pgs.
"Orbiscom Introduces Controlplay™ for Authorized User
Solution—New Payment Solution Lifts The Barriers To Increased

Card Usage Among Teens And Young Adults By Offering Parents
Enhanced Control, Convenience And Peace Of Mind; Solution Also
Supports MasterCard's Family Account™ Initiative," Apr. 9, 2003,
2 pgs.

"Smart Cards: The Future of Electronic Payments," A White Paper,
VeriFone, 18 pgs.

Zhu, Weiwen, "Over-the-Air Card Provisioning System and
Method," Filing Date—Dec. 23, 2003, U.S. Appl. No. 10/744,169,
Specification (41 pgs) and Drawings (10 sheets).

Zhu, Kevin, "Context-Based Card Selection Device," Filing
Date—Jul. 28, 2004, U.S. Appl. No. 10/901,630, Specification (22
pgs) and Drawings (2 sheets).

"Payments software enabling the purchase of premium
services™—Case studies: Japan," 3 pgs.


* cited by examiner

Primary Examiner—Jamara A Franklin

(57) **ABSTRACT**

A system and method of completing a pending purchase is
provided. The system and method comprises receiving purch-
ase information by a first communication device from a
point-of-sale device. The system and method also comprises
transmitting a subscriber approval request from the first com-
munication device to a second device, wherein the subscriber
approval request includes the purchase information. The sys-
tem and method further comprises providing payment infor-
mation from the first communication device to the point-of-
sale device to complete the pending purchase based on a
subscriber approval response.

15 Claims, 10 Drawing Sheets






Figure 1





Figure 2a






Figure 2c




Figure 3




Figure 4




Figure 5a




Figure 5b




Figure 6




Figure 7

1

**MOBILE PAYMENT AUTHORIZATION
SYSTEM AND METHOD****CROSS-REFERENCE TO RELATED
APPLICATIONS**

This application includes subject matter related to U.S. patent application Ser. No. 10/901,630, filed Jul. 28, 2004, entitled "Context-based card selection device," by Kevin Zhu, which is incorporated herein for reference for all purposes.

**STATEMENT REGARDING FEDERALLY
SPONSORED RESEARCH OR DEVELOPMENT**

Not applicable.

REFERENCE TO A MICROFICHE APPENDIX

Not applicable.

FIELD OF THE INVENTION

The present disclosure is directed to a payment approval system, and more particularly, but not by way of limitation, to a system and method for mobile payment approval.

BACKGROUND OF THE INVENTION

The convergence of wireless telephony technologies and the Internet has ignited an evolution of distributed information technology systems. Information technology systems include information services that enable users with a myriad of functions, such as the ability to purchase services and/or goods at anytime and at any place in the world.

SUMMARY OF THE INVENTION

An embodiment of the present disclosure is a method of completing a pending purchase. The method comprises receiving purchase information by a first communication device from a point-of-sale device. The method also comprises transmitting a subscriber approval request from the first communication device to a second device, wherein the subscriber approval request includes the purchase information. The method further comprises providing payment information from the first communication device to the point-of-sale device to complete the pending purchase based on a subscriber approval response.

In an embodiment, a system for subscriber payment approval is provided. The system comprises a first communication device operable to obtain purchase information from a point-of-sale system and to provide payment information to the point-of-sale system to complete a purchase. The system also comprises a second communication device in communication with the first communication device and operable to respond to a request from the first communication device to approve the first communication device to provide the payment information.

In an embodiment, an information technology system operable for supporting subscriber payment approval is provided. The information technology system comprises an information technology infrastructure operable to promote management of rules related to payment approval. The information technology system also comprises a first communication device in communication with the information technology infrastructure, wherein the first communication device is operable to obtain purchase information from a point-of-sale

2

system and to provide payment information to the point-of-sale system to complete a purchase. The information technology system further comprises a second communication device in communication with the first communication device, wherein the second communication device is operable to respond to a request from the first communication device to approve the first communication device to provide the payment information.

These and other features and advantages will be more clearly understood from the following detailed description taken in conjunction with the accompanying drawings and claims.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present disclosure and the advantages thereof, reference is now made to the following brief description, taken in connection with the accompanying drawings and detailed description, wherein like reference numerals represent like parts.

FIG. 1 is a block diagram of an embodiment of the present disclosure.

FIG. 2a is a flow diagram of one embodiment of a method for completing a pending purchase according to aspects of the present disclosure.

FIG. 2b is a flow diagram of an embodiment of a method for completing a pending purchase according to another aspect of the present disclosure.

FIG. 2c is a flow diagram of another embodiment of a method for completing a pending purchase according to an aspect of the present disclosure.

FIG. 3 illustrates one embodiment of a graphical user interface adapted for completing a pending purchase according to another aspect of the present disclosure.

FIG. 4 illustrates an exemplary system suitable for implementing the several embodiments of the present disclosure.

FIG. 5a is a block diagram of an embodiment of the present disclosure.

FIG. 5b illustrates an exemplary system suitable for implementing an embodiment of the present disclosure.

FIG. 6 illustrates an exemplary system suitable for implementing the several embodiments of the present disclosure.

FIG. 7 illustrates an exemplary general-purpose computer system suitable for implementing the several embodiments of the present disclosure.

**DETAILED DESCRIPTION OF THE PREFERRED
EMBODIMENTS**

It should be understood at the outset that although an exemplary implementation of one embodiment of the present disclosure is illustrated below, the present system may be implemented using any number of techniques, whether currently known or in existence. The present disclosure should in no way be limited to the exemplary implementations, drawings, and techniques illustrated below, including the exemplary design and implementation illustrated and described herein.

As used herein, the term data store may refer to various computer-based storage systems, protocols, lightweight directory access protocol (LDAP), and/or applications such as relational databases, directories, and other storage systems. The term application may refer to various computer-based systems and protocols, such as operating systems, spreadsheets, databases, functional programs, a software routine, and/or a collection of functions, at least one request for service, and/or other computer-based entities. It is to be further understood that the term application is not limited to the

3

entities discussed, but may include other computer-based entities. The term response can mean both a response and a lack of a response, as for instance when no response is received from an entity to which a request has been sent and a time-out occurs and the lack of a response is interpreted as a rejection of the request.

Currently, the owner of a credit card can block or limit available credit to an authorized user of a credit card. The owner may limit an authorized user of the credit card to specific type of purchases and/or types of point-of-sale. The limitations are applied by the credit card company when a point-of-sale entity attempts to authorize payment from the credit card. The limitations may be defined by the credit card owner. However, the credit card owner may not readily revise the limitations at any time and/or on a purchase-by-purchase basis. Some of the embodiments discussed below contemplate a system and method for completing a pending purchase at a point-of-sale involving a purchase-by-purchase approval by the owner or controller of the credit card or other financial account, for example by a remote device or individual controlling the remote device. The system and method include one or more communication devices, wherein a first communication device participates in a transaction with a point-of-sale. A second communication device communicates with the first communication device to provide approval of the transaction with the point-of-sale system. The second communication device and/or the first communication device may also communicate with a proxy server wherein one or more rules may be stored. The rules may determine approval of transactions with a point-of-sale on behalf of the first communication device. Following approval, authorization is requested from the credit card company by the point-of-sale system, typically through normal means. The rules may also be resident in the second communication device and/or the first communication device. In an embodiment, the first communications device may be a mobile device such as a wireless handset. Following this approval, authorization is requested from the credit card company by the point-of-sale system, typically through normal means.

It is also understood that the embodiments discussed below may be implemented within a network of one or more wireless and/or wired computer-based entities. The embodiments discussed below are also not limited to only computer-based operation, but rather may also require interaction between multiple users and one or more computer-based entity.

Turning now to FIG. 1, a system 100 for subscriber payment approval is depicted. The system 100 includes a point-of-sale (POS) device 102, a network 110, a first communication device 120, a second communication device 130, and a proxy subscriber approval server 140. The network 110 interconnects the first communication device 120, the second communication device 130, and the proxy subscriber approval server 140 through wired and/or wireless communication.

The POS device 102 records sales and mediates payment for products or services. In credit card transactions, the POS device 102 may communicate with a credit card payment system to obtain payment or payment authorization. The POS device 102 may mediate payment from an electronic purse, a debit card, or other payment methods. The POS device 102 communicates with the first communication device 120 to provide purchase information and to receive, typically after the subscriber payment approval has been granted, payment information, such as credit card numbers. The POS device 102 may communicate with the first communication device 120 using a cord and plug, contact points, for example a docking station, or by non-contact means including radio

4

frequency signals, infrared signals, audio frequency signals, and/or other non-contact methods.

The network 110 includes one or more systems that are adapted for routing information and/or enabling communication between one or more entities. The network 110 may also include the Internet, a telecommunication wired/wireless network, and/or other computer-based networked systems. The network 110 further includes wired and/or wireless routing systems such as wireless base stations adapted for transmitting information over wireless radio frequency.

The first communication device 120 and the second communication device 130 may be computer-based entities, such as personal digital assistants (PDAs), mobile phones, personal computers (PC), laptop computers, or traditional wireless or wire-line telephones. In the preferred embodiment, the first communication device 120 is a mobile communication device, such as a mobile telephone or mobile device. The first communication device 120 communicates with the second communication device 130 through the network 110.

In one embodiment, the first communication device 120 and the second communication device 130 may communicate through voice-based telephony, video conferencing, internet protocol, multimedia messaging service (MMS), short messaging service (SMS), email, instant text messaging, and/or other means of communication. The first and second communication devices 120 and 130 may be different types of devices using different means of communication. For example, the first communication device 120 may be a mobile telephone that sends the request for approval to the second communication device 130, which may be a personal computer that receives and responds to the request via email, instant messaging, or otherwise. When the second communication device 130 is a standard telephone, the user may key in an approval code on the key-pad. The first communication device 120 and the second communication device 130 may also include one or more data stores having information that may be required for determining subscriber payment approval. For example, the first communication device 120 and/or the second communication device 130 may include information such as a credit card number, a debit card number, other account information, and rules on which to base decisions.

The first communication device 120 is presented to the POS device 102. The POS device 102 communicates purchasing information to the first communication device 120 that may include purchase price, identity of the purchased item, identity of the vendor and/or location of the POS device 102. The first communication device 120 initiates a subscriber payment approval process that may involve the first communication device 120 communicating with the second communication device 130 to provide purchasing information to the second communication device 130 and the second communication device 130 determining approval and communicating approval to the first communication device 120. The first communication device 120 then provides credit card information, debit card information, or electronic purse information to the POS device 102 to complete the payment transaction.

In the event that the second communication device 130 does not acknowledge the communication of the first communication device 120, such as when the second communication device 130 is unavailable, the first communication device 120 may direct an approval request to the proxy subscriber approval server 140. The proxy subscriber approval server 140 performs the approval that otherwise the second communication device 130 would provide. This behavior may be considered a fall-back or optional response by the first

5

communication device **120**. In another embodiment, the first communication device **120** interprets the lack of response as equivalent to a response rejecting the request for approval and no approval request is directed to the proxy subscriber approval server **140**.

In an embodiment, the first communication device **120** may include one or more adapters for communicating with the POS device **102**. For example, the adapter may include a contactless chip operable to provide a communication link with a compatible device using contactless communication. The adapter may include a retractable magnetic tape card, which may be swiped through a magnetic tape card reader. The retractable magnetic tape card may be re-writable by the first communication device such that one or more account numbers may be placed onto the retractable magnetic tape card. Of course, other adapters may include a wireless adapter, an infrared communication adapter, and/or other adapters. For subject matter related to communication link alternatives, see related U.S. patent application Ser. No. 10/901,630, filed Jul. 28, 2004, entitled "Context-based card selection device," by Kevin Zhu, which is incorporated herein for reference for all purposes.

The POS device **102** would acknowledge the presence of the account number provided by the adapter, and the first communication device **120** may simultaneously request approval of the pending purchase from the second communication device **130** and/or the proxy subscriber approval server **140**. The adapter may also include other physical interfaces that provide compatibility with the POS device **102**.

In one embodiment, the first communication device **120** includes a subscriber approval client **122**. The subscriber approval client **122** may be enabled as a software program, an application, or a function. The subscriber approval client **122** may operate to collect pending purchase information from the POS device **102**. For example, pending purchase information may include a description of a product and/or service, unit value, total cost of pending purchase, and/or other information. The subscriber approval client **122** also includes information for completing the pending purchase, such as account numbers, credit card numbers, and/or other information. The subscriber approval client **122** may also operate to communicate with the second communication device **130** and/or the proxy subscriber approval server **140** through the network **110**.

Alternatively, the subscriber approval client **122** may operate to complete the pending purchase. For example, in one embodiment the subscriber approval client **122** may communicate with the proxy subscriber approval server **140**. The proxy subscriber approval server **140** may include one or more applications and/or data stores having rules for approving the pending purchase, such rules may be modifiable by the second communication device **130**. The rules of approval may also be resident on the first communication device **120**.

The second communication device **130** also includes a subscriber approval local server **132**. The subscriber approval local server **132** may be enabled as a software program, an application, or a function. The subscriber approval local server **132** may operate to collect pending purchase information from the POS device **102**, the first communication device **120** and/or the proxy subscriber approval server **140**. The subscriber approval local server **132** may include one or more applications and/or data stores having rules for approving a pending purchase. For example, a user of the second communication device **130** may create one or more rules dictating approval for specific types of transactions associated with the first communication device **120**. The rules may approve the first communication device **120** to complete a purchase, and

6

may approve the first communication device **120** based upon a description of a product and/or service, unit value, total cost of pending purchase, and/or other information. The rules may be formed utilizing a keyboard, voice commands to a microphone, and/or text keypad input on the second communication device **130**. Alternatively, the rules may be formed utilizing a remote general-purpose computer through a web browser and/or other graphical user interface.

For purposes of illustration, the operation of the system **100** for subscriber payment approval may be employed for parental control of child spending at the POS device **102**, in an embodiment. For example, a parent having the second communication device **130** may establish one or more rules for limiting the available funds of a child having the first communication device **120**. The subscriber approval local server **132** may include one or more payment information associated with a credit card number, a debit card number, and/or other monetary account information. The subscriber approval local server **132** may also include the rules linked to the first communication device **120** and/or the proxy subscriber approval server **140**. The rules established within the subscriber approval local server **132** may be invoked when the first communication device **120** interacts with the POS device **102**. The subscriber approval local server **132** may apply the rules to approve payment via the subscriber approval client **122** without the intervention of the parent. Alternatively, the proxy subscriber approval server **140** may apply the rules to approve payment via the subscriber approval client **122**. Thus, in one embodiment parental spending control of the child may be accomplished without having the second communication device **130** powered on or otherwise connected to the network **110**. In the preferred mode an attempt is made to communicate to the second communication device **130** before the rules are invoked as a fall-back procedure. In an alternate embodiment, certain rules may allow for immediate approval while other rules require an attempt to communicate with the second communication device **130** before exercising the rule to determine approval as a fall-back procedure.

In one embodiment, the parent having the second communication device **130** may be alerted through voice, video, and/or text messaging, for example, when the first communication device **120** initiates the pending purchase with the POS device **102**. The alert to the parent may include real-time pending purchase information. The parent may have the option of approving or rejecting the pending purchase. The approval or rejection may be acknowledged by keyboard, voice, video, and/or keypad input, for example, into the second communication device **130**. For example, if the parent rejects the pending purchase, the first communication device **120** receives a rejection notification through the subscriber approval client **122**. In one embodiment, the child may subsequently communicate with the parent to further describe and discuss the pending purchase with the parent, which may be referred to as disputing the rejection of the pending purchase. This communication link may be established using a push-to-talk button on the first communication device, by the system **100** automatically establishing a mobile phone call, or using a text message. If the parent agrees to allow the child to complete the pending purchase, the parent may provide input to the subscriber approval local server **132**. The subscriber approval local server **132** subsequently allows the subscriber approval client **122** to complete the pending purchase with the POS device **102**.

In another embodiment, a user of the second communication device **130** may include an employer (i.e., a boss or manager of a business) while, the first communication device

7

120 may be operated by an employee. The employer may in real-time control the pending purchase(s) made on behalf of the employee.

The proxy subscriber approval server 140 includes one or more computer-based entities, such as a general-purpose computer system. The proxy subscriber approval server 140 may also include one or more applications and/or functions operating in a computer-based entity. The proxy subscriber approval server 140 communicates with first communication device 120 and the second communication device 130 through the network 110. In one embodiment, the proxy subscriber approval server 140 operates to apply rules established by the second communication device 130. The rules may be applied by the subscriber approval client 122 without the intervention of the subscriber approval local server 132.

Turning now to FIG. 2a, a flow diagram depicts a process 200 for completing a pending purchase. In block 202, the subscriber approval local server 132 of the second communication device 130 receives pending purchase information. The pending purchase information includes information such as service and/or product description, sale price, description of the POS device 102, and/or other information. The pending purchase information may be collected by the subscriber approval client 122 of the first communication device 120.

The process flows to block 204 to decide whether to approve the pending purchase by the subscriber approval local server 132. The subscriber approval local server 132 may allow the second communication device 130 to view pending purchase information, and may operate to allow a user of the second communication device 130 to approve the pending purchase, in one embodiment. For example, the user of the second communication device 130 may approve the pending purchase through a keyboard, touch pad interface, video, and/or voice command. Alternatively, the pending purchase may be approved by one or more approval rules associated with the subscriber approval local server 132.

In block 206, if the pending purchase is approved, an approval notification is sent to the subscriber approval client 122, thereby allowing the pending purchase to be finalized. The POS device 102 receives payment information from the subscriber approval client 122, submits this payment information to an authorization entity, such as a financial institution, and receives a response back from the authorization entity. The process then exits.

In block 208, if the pending purchase is rejected a notice of rejection is sent to the subscriber approval client 122. The rejection may include a text message, a voice message, video, and/or graphical image expressing the rejection of the pending purchase. The user of the first communication device 120 is subsequently not allowed to complete the pending purchase with the POS device 102. The process then exits.

Turning now to FIG. 2b, a flow diagram depicts a process 210 for completing a pending purchase. The process 210 for completing a pending purchase depicted in FIG. 2b is substantially similar to the process 200 depicted in FIG. 2a, with the exception that a decision to determine an approval entity is generated in block 212. For example, if the subscriber approval local server 132 is unable to respond to a request for approval from the subscriber approval client 122 after a predetermined time the process 210 may proceed to block 214 or to block 216.

In block 214 and block 216, the subscriber approval client 122 of the first communication device 120 may be selected to approve the pending purchase. The subscriber approval client 122 may be selected based upon one or more approval rules associated with the subscriber approval local server 132, in

8

one embodiment. Alternatively, the proxy subscriber approval server 140 may be selected to approve the pending purchase.

Turning now to FIG. 2c, a flow diagram depicts a process 220 for completing a pending purchase. The process 220 for completing a pending purchase depicted in FIG. 2c is substantially similar to the process 200, 210 depicted in FIGS. 2a and 2b, with the exception that a decision to dispute the rejection of the pending purchase is performed by the user of the first communication device 120 is generated in block 222. For example, the first communication device 120 may communicate directly with the second communication device 130 to dispute the rejection of the pending purchase. The communication may include text, email, voice, multimedia, instant messaging, and/or other forms of communication. If the dispute between the user of first communication device 120 and the user of the second communication device 130 results in a decision to approve the pending purchase the process 220 flows to block 204. If the dispute between the user of first communication device 120 and the user of the second communication device 130 continues to result in the denial of the pending purchase, the process 220 then exits.

The subscriber approval client 122, the subscriber approval local server 132, and the proxy subscriber approval server 140 described above may be operated with a graphical user interface (GUI) 300 as illustrated in FIG. 3. The GUI 300 may operate on the first communication device 120, the second communication device 130, and/or a general-purpose computer. The GUI 300 may also be adapted for viewing and/or editing one or more approval rules adapted for completing a pending purchase. The GUI 300 includes buttons 310a, 310b, 310c, 310d, 310e, . . . 310N, approval rules 320, and supplemental information 330.

The buttons 310a, 310b, 310c, 310d, 310e, . . . 310N may be adapted for sending approval, cut and paste of information, saving information, and/or other functions. The buttons 310a, 310b, 310c, 310d, 310e, . . . 310N may include a touch-pad and/or may be located within a display (e.g., liquid crystal display), in one embodiment.

The approval rules 320 include one or more fields 322a, 322b, 322c, 322d, 322e, 322f, 322g, . . . 322N. The fields 322a, 322b, 322c, 322d, 322e, 322f, 322g, . . . 322N may include categories of information such as user, account number, transaction (i.e. description of pending purchase), amount, limit, approval, and/or other categories of information. The fields 322a, 322b, 322c, 322d, 322e, 322f, 322g, . . . 322N also each include one or more field associated information 324a, 324b, 324c, 324d, 324e, 324g, . . . 324N.

The supplemental information 330 includes other information associated with the approval rules 320. For example, the supplemental information 330 may include a log depicting times and dates when one or more of the approval rules 320 are invoked. Of course, the supplemental information 330 may also include other information that may be associated with the activity of the subscriber approval client 122, the subscriber approval local server 130, and/or the proxy subscriber approval server 140.

Referring now to FIG. 4, a block diagram depicts a computer-readable medium 400 constructed according to aspects of the present disclosure. The medium 400 includes one or more executable computer programs. The medium 400 includes a subscriber approval client component 410, a subscriber approval local server component 420, and a proxy subscriber approval server component 430. In one embodiment, the subscriber approval client component 410, the subscriber approval local server component 420, and the proxy subscriber approval server component 430 may be substan-

tially similar in operation to the subscriber approval client **122**, the subscriber approval local server **132**, and the proxy subscriber approval server **140** of the system **100** of FIG. **1**.

The subscriber approval client component **410** may operate according to one or more software routines, which may invoke responses from the subscriber approval local server component **420**, and/or the proxy subscriber approval server component **430**.

The subscriber approval local server component **420** may operate according to one or more software routines, which may provide approval of pending purchase information associated with the subscriber approval client component **410**. The subscriber approval local server component **420** may reside within the same computer-readable medium or may be located on remote computer-readable medium, in one embodiment.

The proxy subscriber approval server component **430** may operate according to one or more software routines, which may provide approval of pending purchase information associated with the subscriber approval client component **410**. The subscriber approval local server component **420** may be located on remote computer-readable medium or may be located on the same computer-readable medium of the subscriber approval local server **420**.

The subscriber approval client **122**, the subscriber approval local server **132**, and/or the proxy subscriber approval server **140** described above may be implemented on any communication device such as is well known to those skilled in the art. An exemplary communication device **500** for implementing one or more embodiments of the subscriber approval client **122**, the subscriber approval local server **132**, and/or the proxy subscriber approval server **140** disclosed herein is illustrated in FIG. **5a**. The system **500** includes a processor **502** (which may be referred to as a central processor unit or CPU) that is coupled to memory devices including a read only memory (ROM) **504**, a random access memory (RAM) **506**, a first transceiver **508** that is coupled to a first antenna **510**, an optional second transceiver **512** that is coupled to an optional second antenna **514** to support an optional multiple-input/multiple-output (MIMO) physical layer operation mode, and an input/output (I/O) device **516**. The processor **502** may be implemented as one or more CPU chips.

The ROM **504** is used to store instructions and perhaps data, which are read during program execution. ROM **504** is a non-volatile memory device. The RAM **506** is used to store volatile data and perhaps to store instructions. The ROM **504** may include flash memories or electrically erasable programmable memory to support updating the stored instructions remotely, for example through an over-the-air interface via the transceivers **508** and/or **512** and the antennas **510** and/or **514**.

The transceivers **508**, **512** and the antennas **510**, **514** support wireless, or other types of communications. The I/O device **516** may be a keypad and a visual display such as a liquid crystal display to permit entering numbers and selecting functions. Alternatively, the I/O device **516** may be a keyboard and a touch pad, such as a keyboard and a touch pad of a laptop computer. The processor **502** executes instructions, codes, computer programs scripts, which it accesses from ROM **504** or RAM **506**.

Referring now to FIG. **5b**, a sketch illustrates a system **520** for completing a pending purchase. The system **520** includes a mobile device **530** and a POS interface **540**. The mobile device **530** may be substantially similar to the first communication device **120** and/or the second communication device **130** of the system **100** of FIG. **1**. The mobile device **530** may also include the embodiments of the system **500** as described

above. The mobile device **530** includes a display **532**, a touch pad **534**, a keypad **536**, and a contactless chip **538**. The mobile device **530** may interact with the POS interface **540** using the contactless chip **538**. The POS interface **540** may also be substantially similar to the POS **102** of the system **100** of FIG. **1**. In one embodiment, the contactless chip **538** may be configurable or programmable by the mobile device **530**. The second communication device **130** and/or the proxy subscriber approval server **140** may configure or program the contactless chip **538** with one or more account numbers. In another embodiment, an alternate communication means may be employed to establish a communication link between the POS interface **540** and the mobile device **530**, including contact points such as a docking station.

Turning now to FIG. **6**, an information technology (IT) system **600** operable to support subscriber payment approval is depicted. The IT system **600** supports subscriber payment approval and is not limited to payment approval through the subscriber approval client **122**, subscriber approval local server **132**, and/or proxy subscriber approval server **140** as discussed earlier. The IT system **600** includes an information technology (IT) infrastructure **602**, and wireless mobile device **620**, and **630**. The wireless mobile device **620**, **630** is in communication with the IT infrastructure **602** through a wireless network **640**, **650**. The wireless mobile device **620** contains a subscriber approval client **622**. The wireless mobile device **630** contains a subscriber approval local server **632**. The wireless network **640**, **650** is in communication with a network **610**. In an embodiment, the network **610** may include the Internet, a public switched telephone network (PSTN), and/or other networked systems.

The subscriber approval client **622** and the subscriber approval local server **632** may be a computer program or application, which may execute on a general-purpose computer system. The subscriber approval client **622** and the subscriber approval local server **632**, in one embodiment may be substantially similar to the subscriber approval client **122** and the subscriber approval local server **132** of the system **100** of FIG. **1**.

The wireless network **640**, **650** and the network **610** provide the communications link between the subscriber approval client **622** and the subscriber approval local server **632**. It is contemplated that the system **600** may be employed to implement approval of pending purchase transactions associated with the wireless mobile device **620** in real-time through the wireless mobile device **630**. In one embodiment, the IT infrastructure **602** may be operable for real-time transaction approval without the wireless mobile device **630**. For example, a pending purchase transaction may be approved by a proxy subscriber approval server **660**. The proxy subscriber approval server **660**, in one embodiment, may be substantially similar to the proxy subscriber approval server **140** of the system **100** of FIG. **1**. The proxy subscriber approval server **660** may also communicate with the network **610** through a wireless and/or wireless network.

The wireless network **640**, **650** may comprise a transceiver in wireless radio communication with the wireless mobile device **620**, **630**, a bridge node linking to the network **610**, such that the transceiver is in communication with the bridge node. The bridge node may link the wireless network to a packet data network (PDN), the PDN may be in communication with the subscriber approval client **622**, the subscriber approval local server **632**, and/or the proxy subscriber approval server **660** may be in communication via the wireless network **640**, **650** and the PDN.

In one embodiment, a base transceiver station (BTS) **642**, **652** is in radio communication with the wireless mobile

11

device **620, 630**, a mobile switching center (MSC) **646, 656** bridges the wireless network **640, 650** to the network **610**, and a base station controller (BSC) **644, 654** links the BTS **642, 652** with the MSC **646, 656**.

In another embodiment, the BTS **642, 652** is in radio communication with the wireless mobile device **620, 630**, a gateway global packet radio system support node (GGSN) bridges the wireless network **640, 650** to the PDN, a base station controller (BSC) **644, 654** links the BTS **642, 652** to a serving global packet radio system support node (SGSN), and the SGSN is in communication with the GGSN.

Other wireless network topologies are also possible. The construction of information technology systems is well understood by those skilled in the art. The IT system **600** employs the IT infrastructure **602** merely as a link between the wireless mobile device **620** and **630**.

Portions of the system **100** and the IT system **600** described above may be implemented on one or more general-purpose computers with sufficient processing power, memory resources, and network throughput capability to handle the necessary workload placed upon it. FIG. 7 illustrates a typical, general-purpose computer system suitable for implementing one or more embodiments disclosed herein. The computer system **700** includes a processor **702** (which may be referred to as a central processor unit or CPU) that is in communication with memory devices including secondary storage **704**, read only memory (ROM) **706**, random access memory (RAM) **708**, input/output (I/O) devices **710**, and network connectivity devices **712**. The processor **702** may be implemented as one or more CPU chips.

The secondary storage **704** is typically comprised of one or more disk drives or tape drives and is used for non-volatile storage of data and as an over-flow data storage device if RAM **708** is not large enough to hold all working data. Secondary storage **704** may be used to store programs, which are loaded into RAM **708** when such programs are selected for execution. The ROM **706** is used to store instructions and perhaps data, which are read during program execution. ROM **706** is a non-volatile memory device, which typically has a small memory capacity relative to the larger memory capacity of secondary storage. The RAM **708** is used to store volatile data and perhaps to store instructions. Access to both ROM **706** and RAM **708** is typically faster than to secondary storage **704**.

I/O devices **710** may include printers, video monitors, liquid crystal displays (LCDs), touch screen displays, keyboards, keypads, switches, dials, mice, track balls, voice recognizers, card readers, paper tape readers, or other well-known input devices. The network connectivity devices **712** may take the form of modems, modem banks, ethernet cards, universal serial bus (USB) interface cards, serial interfaces, token ring cards, fiber distributed data interface (FDDI) cards, wireless local area network (WLAN) cards, radio transceiver cards such as Code Division Multiple Access (CDMA) and/or Global System for Mobile Communications (GSM) radio transceiver cards, and other well-known network devices. These network connectivity devices **712** may enable the processor **702** to communicate with an Internet or one or more intranets. With such a network connection, it is contemplated that the processor **702** might receive information from the network, or might output information to the network in the course of performing the above-described method steps. Such information, which is often represented as a sequence of instructions to be executed using processor **702**, may be received from and outputted to the network, for example, in the form of a computer data signal embodied in a carrier wave.

12

Such information, which may include data or instructions to be executed using processor **702** for example, may be received from and outputted to the network, for example, in the form of a computer data baseband signal or signal embodied in a carrier wave. The baseband signal or signal embodied in the carrier wave generated by the network connectivity devices **712** may propagate in or on the surface of electrical conductors, in coaxial cables, in waveguides, in optical media, for example optical fiber, or in the air or free space. The information contained in the baseband signal or signal embedded in the carrier wave may be ordered according to different sequences, as may be desirable for either processing or generating the information or transmitting or receiving the information. The baseband signal or signal embedded in the carrier wave, or other types of signals currently used or hereafter developed, referred to herein as the transmission medium, may be generated according to several methods well known to one skilled in the art.

The processor **702** executes instructions, codes, computer programs, scripts which it accesses from hard disk, floppy disk, optical disk (these various disk based systems may all be considered secondary storage **704**), ROM **706**, RAM **708**, or the network connectivity devices **712**.

While several embodiments have been provided in the present disclosure, it should be understood that the disclosed systems and methods may be embodied in many other specific forms without departing from the spirit or scope of the present disclosure. The present examples are to be considered as illustrative and not restrictive, and the intention is not to be limited to the details given herein, but may be modified within the scope of the appended claims along with their full scope of equivalents. For example, the various elements or components may be combined or integrated in another system or certain features may be omitted, or not implemented.

Also, techniques, systems, subsystems and methods described and illustrated in the various embodiments as discrete or separate may be combined or integrated with other systems, modules, techniques, or methods without departing from the scope of the present disclosure. Other items shown or discussed as directly coupled or communicating with each other may be coupled through some interface or device, such that the items may no longer be considered directly coupled to each other but may still be indirectly coupled and in communication, whether electrically, mechanically, or otherwise with one another. Other examples of changes, substitutions, and alterations are ascertainable by one skilled in the art and could be made without departing from the spirit and scope disclosed herein.

What is claimed is:

1. A method of completing a pending purchase, comprising:
 - receiving a purchase information by a first communication device from a point-of-sale device;
 - transmitting a subscriber approval request from the first communication device to a second device, the subscriber approval request including the purchase information;
 - providing a payment information from the first communication device to the point-of-sale device to complete the pending purchase upon receiving a subscriber approval response from the second device; and
 - transmitting the payment information from the point-of-sale device to an authorization entity to authorize charging for the pending purchase.
2. The method of claim 1, further comprising:
 - receiving the subscriber approval request;
 - alerting a user of the subscriber approval request;

13

receiving an approval response input from the user;
transmitting the subscriber approval response based on the
approval response input; and
receiving the subscriber approval response, the subscriber
approval response including a decision about the sub-
scriber approval request.

3. The method of claim 1, wherein determining the sub-
scriber approval response is performed by the second device,
and wherein the second device is further defined as a server
provided with rules that responds to a request from the first
communication device based on the rules.

4. The method of claim 1, further including determining the
subscriber approval response, the determining performed by
the first communication device after expiration of a time
period of no reply from the second device.

5. The method of claim 1, wherein the second device is
further defined as a second communication device, and fur-
ther including determining the subscriber approval response,
the determining performed by a proxy server after expiration
of a time period of no reply from the second communication
device.

6. The method of claim 1, wherein the second device is
further defined as a second communication device, and
wherein the receiving the information about the pending pur-
chase is performed by a first communication device, the trans-
mitting the subscriber approval is performed by the first com-
munication device to a second communication device, and
the determining the subscriber approval response is per-
formed by one or more approval rules.

7. The method of claim 6, wherein the one or more approval
rules are located in an entity selected from the group com-
prising of the first communication device, the second com-
munication device, and a proxy server.

8. The method of claim 1, wherein the payment informa-
tion is not provided from the first communication device to
the point-of-sale device to complete the pending purchase
when a subscriber rejection response is received from the
second device.

9. The method of claim 8, wherein determining the sub-
scriber approval response is based on one or more approval
rules and wherein the one or more approval rules are associ-
ated with monetary limits promulgated by a user.

10. The method of claim 8, wherein the one or more
approval rules are configurable by the second device that
approves the first communication device to complete the
pending purchase.

14

11. An information technology system operable for sup-
porting subscriber payment approval, comprising:

an information technology infrastructure that promotes
management of rules related to payment approval;
an authorization entity that authorizes charging payment to
an account;

a point-of-sale system that receives payment information
and requests the authorization entity to authorize charg-
ing payment to the account;

a first mobile communication device in communication
with the information technology infrastructure, the first
mobile communication device obtains purchase infor-
mation from the point-of-sale system and provides the
payment information to the point-of-sale system to com-
plete a purchase; and

a second mobile communication device in communication
with the first mobile communication device and the
information technology infrastructure, the second
mobile communication device responds to a request
from the first mobile communication device to approve
the first mobile communication device to provide the
payment information to the point-of-sale system.

12. The system of claim 11, wherein the information tech-
nology system further comprises a proxy subscriber approval
server that responds to a request from the first mobile com-
munication device to approve the first mobile communication
device to provide the payment information.

13. The system of claim 12, wherein the second mobile
communication device communicates with the first mobile
communication device through the proxy subscriber approval
server and wherein the proxy subscriber approval server is
approves the first mobile communication device to provide
the payment information based on rules when the second
communication device does not reply to the proxy subscriber
approval server.

14. The system of claim 12, where in the first mobile
communication device communicates directly to the second
mobile communication device to dispute an approval rejec-
tion by the second mobile communication device.

15. The system of claim 12, wherein the first mobile com-
munication device sends a request to the proxy subscriber
approval server to approve the first mobile communication
device to provide the payment information when the second
mobile communication device does not respond to the first
mobile communication device.

* * * * *