

14 Weeks of GlucoVantage Dihydroberberine Extends GLP-1 and Weight Loss Results in Preclinical Trial

 blog.priceplow.com/supplement-research/dihydroberberine/glp1-weight-loss

PricePLOW Staff

February 9, 2026



New 14-week preclinical data on **GlucoVantage®** dihydroberberine shows **165% GLP-1 increase at week 14** and **33.3% body weight reduction** by week 13. Benefits intensified over time rather than plateauing. Natural metabolic support for the post-GLP-1 window.

New long-term preclinical research on **GlucoVantage®** dihydroberberine from *NNB Nutrition* demonstrates that the natural compound's remarkable effects on GLP-1 production and body composition don't just appear quickly, they keep getting better over time. In a 14-week animal study, GlucoVantage achieved **peak GLP-1 increases of 165% at the 14-week mark**, while delivering **33.3% body weight reduction** by week 13 compared to high-fat diet controls.

This extended preclinical research validates [last year's groundbreaking 8-week animal findings](#) while revealing something industry watchers had hoped to see: GlucoVantage's metabolic benefits *intensify* with consistent supplementation rather than plateauing. With the entire industry searching for natural alternatives (and "post cycle therapy" options) for pharmaceutical GLP-1 drugs, these results come at a great time.

The research also aligns with a critical market shift: With **76% of GLP-1 drug users staying on medication for less than a year** and FDA enforcement actions looming against supplement companies making drug replacement claims, the need for a legitimate "post-GLP-

1 window" solution has never been clearer. GlucoVantage offers metabolic support for the massive population transitioning off GLP-1 medications without the legal exposure of positioning products as pharmaceutical substitutes.

Before we explore the new data, subscribe for updates on NNB Nutrition's continued innovation:

Subscribe to PricePlow's Newsletter and Alerts on These Topics

Topic	Blog Posts	YouTube Videos	Instagram Posts
Dihydroberberine			
GlucoVantage			
NNB Nutrition			

Your Email:




SUBSCRIBE ON YouTube

The 14-Week Timeline: How GlucoVantage's Benefits Evolve

The preclinical study tracked multiple metabolic markers across 14 weeks, showing data that challenges assumptions about natural compounds and their maximum effectiveness over time. GlucoVantage showed consistent, often *increasing* benefits in the animal model:

a

Week-9: Taking DHB 1h before glucose loading



At nine weeks, dihydroberberine supplementation triggered a notable spike in GLP-1 secretion 15 minutes after glucose administration in the animal model, while control groups showed minimal response.

GLP-1 Enhancement Over Time:

- Week 9: 100% increase in GLP-1 area under the curve versus high-fat diet group
- Week 10: 25% increase maintained
- Week 14: **165% increase** at the peak 15-minute post-glucose measurement

Progressive Weight Loss:

- Week 1: 6.9% body weight reduction
- Week 7: 14.9% reduction
- Week 13: **33.3% total reduction** versus high-fat diet group ($p < 0.0001$)

Sustained Glucose Control:

- Week 13: 16.7% decrease in fasting blood glucose ($p < 0.001$)
- OGTT (glucose tolerance): 11.2% improvement in area under curve
- ITT (insulin sensitivity): 34% improvement ($p = 0.0549$)

The data pattern suggests GlucoVantage doesn't just work, it works *better* the longer it's used. This stands in contrast to many compounds where tolerance development diminishes effects over time.

The Post-GLP-1 Window: A Legal and Effective Category

The supplement industry faces a dilemma. Consumer interest in GLP-1 effects has never been higher, but the FDA has made clear that products claiming to replace GLP-1 drugs will face enforcement action. Meanwhile, **6% of the U.S. population currently takes GLP-1 medications**, yet most discontinue within a year.

Research from FMCG Gurus shows the opportunity:


- 60% of consumers would pay \$50+ for a supplement delivering 30%+ effectiveness
- 27% would pay up to \$100
- 76% of GLP-1 users stay on medication less than a year

This creates demand for what NNB Nutrition calls "post-GLP-1 recovery" or "GLP-1 reset support", a positioning that acknowledges the pharmaceutical's effects while offering metabolic support during the transition period *after* discontinuation. It's not claiming to replace the drug. It's supporting the body's metabolic function when users come off medication. (We colloquially call it "post cycle therapy", although that's deemed for other areas...)

GlucoVantage fits this positioning perfectly. At 200mg daily (the human equivalent dose from the preclinical study), it delivers **5 times the bioavailable berberine** compared to standard berberine supplements. The compound enhances the body's *own* GLP-1 production through natural mechanisms rather than flooding the system with synthetic hormone analogs.

As we covered in [NNB Nutrition's Mimetics Platform: When Science Imitates Life](#), GlucoVantage works by activating the same molecular pathways that make GLP-1 signaling

effective, including PKA pathway activation, AMPK signaling, and direct stimulation of GLP-1 secretion from intestinal L-cells.



Measuring total GLP-1 exposure at week 9 reveals dihydroberberine doubled incretin hormone output compared to high-fat diet controls in preclinical testing.

Multiple Metabolic Benefits in One Compound


The 14-week preclinical research reinforces that GlucoVantage addresses metabolic health through multiple complementary pathways in animal models:

Blood Sugar Management:

- Fasting blood glucose reduced by 16.7% at week 13
- Improved glucose tolerance (11.2% OGTT improvement)
- Enhanced insulin sensitivity (34% ITT improvement)

C

Week-10: Taking DHB 1h before glucose loading



One week later, dihydroberberine continued driving elevated GLP-1 secretion with peak concentration occurring at the 15-minute mark post-glucose challenge.

- 33.3% reduction in body weight versus high-fat diet controls
- Effects maintained and increased over 13 weeks
- No lean mass loss concerns reported


Appetite and Incretin Support:

- GLP-1 production increased up to 165%
- Sustained incretin enhancement across study duration
- Natural appetite regulation support

The Bioavailability Advantage:

Glucovantage's effectiveness at just 200mg daily stems from a fundamental advantage over standard berberine: it's already in the form your body can absorb. Standard berberine must be converted to dihydroberberine by gut bacteria before absorption, creating a bottleneck that limits bioavailability. Glucovantage bypasses this conversion, achieving plasma concentrations roughly **5 times higher** than equivalent berberine doses.

d



This translates to practical benefits beyond just efficacy. Lower dosing means fewer capsules, better compliance, reduced risk of gastrointestinal issues, and ultimately more cost-effective supplementation despite higher per-gram ingredient costs. For detailed coverage of the bioavailability research, see [5x More Bioavailable: Why Dihydroberberine is "The Better Berberine" and GlucoVantage Dihydroberberine Beats Berberine in Human Trial.](#)

Total incretin exposure remained elevated at week 10, with dihydroberberine maintaining a 25% advantage over high-fat diet animals in the preclinical model.


Strategic Implications: Natural Metabolic Support Without Legal Exposure

The 14-week preclinical data comes as the supplement industry is dealing with ever-changing regulatory concerns regarding GLP-1 positioning. Companies that position products as drug replacements face enforcement risk. Those that ignore the massive consumer interest in GLP-1 effects miss a significant market opportunity.

The "post-GLP-1 window" approach offers a solution. It acknowledges that millions of consumers will use -- yet discontinue -- GLP-1 medications over the next year and recognizes they'll need metabolic support *during and after* that transition. Products positioned for post-pharmaceutical metabolic maintenance don't claim to replace drugs, they support the body's natural functions after pharmaceutical use ends.

The new GlucoVantage animal model at a higher

Week-14: 15min after glucose loading



At the study's conclusion, dihydroberberine achieved its strongest incretin response, with peak 15-minute GLP-1 concentrations reaching 165% above high-fat diet controls.

e supports this stance. The progressive improvement over time in preclinical models suggests potential benefits for sustained use during the months-long transition period after discontinuing GLP-1 medications. The natural mechanism of enhancing endogenous GLP-1 production rather than delivering synthetic hormones creates clear differentiation from pharmaceutical approaches.

For brands and formulators, this creates an opportunity to serve a growing consumer segment with legitimate science backing a legal positioning strategy. The data supports benefits, the

mechanism provides differentiation, and the category framework avoids regulatory exposure.

NNB Nutrition's "Pure, Potent, Precise" Platform

The GlucoVantage preclinical research exemplifies NNB Nutrition's broader platform approach. Through precision fermentation and advanced manufacturing, the company produces ingredients that deliver clinical benefits at practical doses while meeting the quality standards increasingly demanded by educated consumers.

Summary of results

GlucoVantage® vs HFD	Week-1	Week-7	Week-9	Week-10	Week-13	Week-14
AUC of GLP-1			100% ↑ *	25% ↑ *	-	-
Body weight	6.9% ↓**	14.9% ↓****	-	-	33.3% ↓****	-
Fasting blood Glucose			-	-	16.7% ↓***	-
OGTT			-	-	11.2% ↑*	-
ITT			-	-	-	34% ↑
15min-GLP-1			-	-	-	165% ↑ ***

Note:

1. ↓ represents reduction, ↑ represents increase or improvement.
2. * represents a significant difference compared with HFD, * represents $p < 0.05$, *** represents $p < 0.001$, **** represents $p < 0.0001$.


Complete timeline of metabolic outcomes shows dihydroberberine's effects intensifying over time, with body weight reductions reaching 33.3% and insulin sensitivity improving 34% by study end.

This strategy has driven retail success across NNB's portfolio. MitoBurn (L-BAIBA), CaloriBurn (grains of paradise), and GlucoVantage now appear in dozens of finished products on supplement store shelves, proof that retailers and consumers recognize the value proposition of ingredient innovation backed by research.

The 14-week GlucoVantage study continues that pattern. You can learn more about NNB's *Pure, Potent, Precise* campaign in [Episode #192 of the PricePlow Podcast](#).

Looking Forward: The Natural GLP-1 Revolution Continues

Glucovantage's 14-week preclinical results validate what the initial animal research suggested: **dihydroberberine delivers *sustained* metabolic benefits through natural enhancement of the body's own GLP-1 production and insulin sensitivity pathways.** These findings preview potential outcomes from a pending human clinical study, offering formulators early insights into long-term supplementation patterns.



[Glucovantage®](#) dihydroberberine redefines metabolic health by boosting GLP-1 levels by 95% in new research. Its superior bioavailability and multi-faceted benefits—like better body composition, lipid profiles, and oxidative stress reduction—position it as a groundbreaking natural alternative to GLP-1 drugs.

eutical GLP-1 medications over the coming year, ingredients like GlucoVantage offer science-backed metabolic support without the legal complications of claiming to replace prescription drugs. The preclinical data demonstrates the mechanistic foundation, while existing human research on dihydroberberine's bioavailability and glucose metabolism effects provides additional validation.

The safe opportunity lies in serving this emerging "post-GLP-1" consumer segment, and market data shows consumer willingness to pay premium prices for effective natural alternatives. The regulatory environment demands positioning that doesn't cross into drug replacement claims, and this supports how brands can avoid such claims altogether.

NNB continues leading ingredient innovation, bar none. This preclinical study shows their commitment to backing bold ingredient positioning with research that can withstand scrutiny.

For more on how GlucoVantage fits into NNB's broader platform of mimetic ingredients that activate exercise, fasting, and metabolic pathways, see our previous coverage: [NNB Nutrition's Mimetics Platform: When Science Imitates Life](#). For the previous GLP-1 research announcement, see [Natural GLP-1 Revolution: GlucoVantage Dihydroberberine Shows Unprecedented Results](#).

Subscribe below for continued updates on GlucoVantage and NNB Nutrition's ingredient innovations:

Subscribe to PricePlow's Newsletter and Alerts on These Topics

Topic	Blog Posts	YouTube Videos	Instagram Posts
Dihydroberberine			
GlucoVantage			
NNB Nutrition			

Your Email:

| Posted in [Supplement Ingredients](#), [Supplement News](#), [Supplement Research](#) | Tagged [AMPK](#), [Berberine](#), [Dihydroberberine](#), [Fat Burners](#), [FDA](#), [GLP-1](#), [GlucoVantage](#), [Insulin Sensitivity](#), [NNB Nutrition](#), [Weight Loss](#).

Dihydroberberine: A Better Berberine

blog.priceplow.com/supplement-research/dihydroberberine

Mike Roberto


August 7, 2021

One of the most popular dietary supplement ingredients on the planet -- *especially* in terms of metabolic health -- is [berberine](#). Today we discuss a new ingredient that actually makes berberine *obsolete*.

Berberine is a powerful plant alkaloid that improves the body's insulin response, with large amounts of scientific research showing significant improvements to insulin sensitivity, fasting glucose levels, HbA1c reduction, nutrient partitioning, and far more. It's even outperformed pharmaceutical drugs.

We've covered berberine in detail in the article linked above, ultimately finding that while it's the most impressive ingredient in *any* blood sugar supplement or glucose disposal agent, it has drawbacks, which include high doses required and GI distress. Both of those problems are solved with one of its derivatives that we specifically cover in this article:

dihydroberberine.



Dihydroberberine: A Better Berberine. This article focuses *specifically* on the higher-bioavailability berberine metabolite, but you can always go back and read our original [berberine](#) article to learn more about the mechanisms.

Think berberine is good? Take a look at ***dihydroberberine***

Research suggests that dihydroberberine is up to *six* times better than standard berberine, bringing incredible effects at lower doses -- and fewer side effects.

In this article, we assume you have knowledge of berberine's effects (if not, you can see our berberine article linked above), but jump *directly* into discussion of this dihydro form. It's sold as [Glucovantage](#) from *NNB Nutrition*, one of the supplement industry's most promising novel ingredient developers.

In addition, we have a podcast episode and video with *Shawn Wells*, NNB Nutrition's Chief Science Officer who is a co-patent holder for dihydroberberine,^[1] which you can watch as

well. Finally, you can try the ingredient on its own by looking at the PricePLOW's dihydroberberine price comparisons below, and signing up for our NNB Nutrition news alerts:

Dihydroberberine Supplements and NNB Nutrition News

Get Price Alerts

No spam, no scams.

Disclosure: PricePLOW relies on pricing from stores with which we have a business relationship. We work hard to keep pricing current, but you may find a better offer.

Posts are sponsored in part by the retailers and/or brands listed on this page.



SUBSCRIBE ON YouTube

Audio Podcast Version and Free Subscription Options

Audio Player

00:00

00:00

[Use Up/Down Arrow keys to increase or decrease volume.](#)

Podcast: [Play in new window](#) | [Download](#) (Duration: 41:36 — 38.2MB)

Subscribe to the [PricePlow Podcast](#) on Your Favorite Service ([RSS](#))



Listen on
 Podcasts

Apple Podcasts



Listen on
Spotify

Spotify




Watch & Listen On
YouTube

YouTube

Burn fat, not sugar

The world of diet and fat loss can be overwhelming, but one quick rule to live by is this: **when you're burning sugar, you're not burning fat**. In fact, we've known for *decades* that when either blood glucose levels *or* insulin levels are elevated, fat oxidation significantly slows.^[2,3] If these levels remain elevated for too long, we introduce *insulin resistance* and *hyperinsulinemia*, which brings with it a *myriad* of diseases.^[4]

**DIETARY CARBOHYDRATES TRANSIENTLY RAISE
GLUCOSE, DISPLACING FAT OXIDATION...**



**...BUT YOUR LIVER ALREADY MAKES ALL OF THE
GLUCOSE YOU NEED VIA GLUCONEOGENESIS.**

Every time you eat carbohydrates, you *stop burning fat*! So why are you wasting time *not* driving the carbs into muscles? Improve insulin sensitivity and get back to **burning fat, not sugar**! Image courtesy @TedNaiman

This isn't to say that we're against foods like carbohydrates that raise blood sugar (and insulin) levels, because we're not. Instead, it means that **we need to get our carbs to where we want them (muscle tissue!) and get back to a fat-metabolizing state as soon as possible**. Berberine, and to a greater extent, *dihydroberberine*, make that happen better and faster.


We of course still recommend a healthy diet low in refined carbs and void of industrial processed seed oils high in omega-6. But with the above supplemental strategy (which is highlighted in our main *berberine* article), we can remain more *insulin-sensitive*, and less likely to be as toxic with sugar and insulin in our blood stream wreaking havoc.

With that goal in mind, we can talk about a new, more-efficient way to achieve it, all while avoiding the *massive doses* (1.5 grams per

day!)[⁵] and *gastrointestinal distress*^[5,6] that can be brought by standard, low-bioavailability^[7,8] berberine:

What is dihydroberberine?

Dihydroberberine (DHB) is one of the 17 *metabolites* of berberine, and a major part of the greater berberine life cycle as the body metabolizes it.^[9] Structurally, it's a *hydrogenated* metabolite of berberine,^[10] which itself has markedly better oral bioavailability than berberine itself.^[9,11]



Dihydroberberine gets absorbed better and faster and *then* converts back to berberine in plasma anyway!

The berberine end-around play


The concern, at this point, is that if you take the more-bioavailable dihydroberberine, do you miss out on the 16 other metabolites that may have been providing some of berberine's benefits? The answer is *no*, because of the way berberine is absorbed in the first place! **After dihydroberberine's relatively easy absorption in the intestine, it's oxidized *back* into berberine, which gets sent into the plasma!**^[9]

This means that dihydroberberine is literally an *end-around* to berberine's problem of low bioavailability -- you take it, but ultimately end up with a *higher* amount of berberine in the plasma than had you taken berberine in the first place!

Dihydroberberine: Five times more bioavailable

Now that we understand how it gets in, let's see *how* much better it is. In 2015, researchers compared oral dihydroberberine to standard berberine. *In vitro*, they discovered that **dihydroberberine's internal absorption rate was *five times* greater than berberine's.**^[9] They then tested them on mice, noting that DHB was absorbed significantly better than berberine - *especially* in mice whose intestinal bacteria couldn't break down berberine as well.

The above study points out something significant: dihydroberberine is less limited by poor gut health, which is very frequently a symptom of those who need it most! Taking an ingredient like GlucoVantage has fewer limiting factors than taking berberine itself.




Simply put by the researchers: "DhBBR [Dihydroberberine] has a better intestinal absorption than BBR."^[9]

Comparing the insulin effects of DHB against berberine

In 2008, researchers put dihydroberberine to the test against berberine in mice, giving the berberine group 560mg/kg daily while the DHB group received 100mg/kg each day.^[12] The results indicated that **dihydroberberine had significantly better improvements in adiposity, triglyceride build-up, and insulin sensitivity (a 44% increase) than berberine** - all at a fraction of the dose!^[12] They concluded that the effect was simply likely due to enhanced oral bioavailability of dihydroberberine.

Better results and fewer side effects at a lower dose



Amazingly, dihydroberberine converts *back* into berberine, and you ultimately end up with *more*.^[9]

thanks to lower dosing *and* better absorption.

Further research has shown that dihydroberberine can improve reduced atherosclerotic plaque size and improve plaque stability, where berberine cannot.^[11] has better effects and fewer negative effects than berberine in terms of fatty acid absorption.^[13]

In terms of side effect profile, GI distress is the major concern for berberine,^[5,6] and thus something worth investigating for dihydroberberine. Multiple studies have found that **DHB causes fewer stomach problems than berberine**.^[9,12] Although we can't guarantee zero stomach discomfort with DHB, it's far less likely

Anti-inflammatory action: DHB is often stronger, but it depends

While berberine is most frequently used for metabolic health, it also has anti-inflammatory properties that have been compared to dihydroberberine.^[14] In *most* tests performed on mice, but not *all*, DHB outperforms berberine.^[14] In terms of cardiovascular inflammation, dihydroberberine is the clear winner.^[11] However, there are some corner cases where berberine did work better, so it's worth investigating the mechanisms that pertain to your approach.^[14]

In general, we look closer to ingredients like curcumin and *its* metabolites such as **tetrahydrocurcumin** for more powerful anti-inflammatory effects, but dihydroberberine could make a potent differentiator in an anti-inflammatory supplement stack, *especially* if the inflammation is metabolic in nature.

Transdermal use is possible

Meanwhile, dihydroberberine has also been tested for efficacy *transdermally*, with greater success than berberine.^[15] However, it's still not as active as orally ingested DHB, and *supplements* are taken by mouth (legally speaking, they supplement the *diet*). However, there could be effects for skin care companies, which is out of the scope of this article.



There's no better GDA ingredient than berberine, and there's no better form of berberine than *dihydroberberine* in NNB's GlucoVantage!

GlucoVantage® - the industry's *first* dihydroberberine ingredient!

Shawn Wells, one of the co-inventors on the dihydroberberine patent, has teamed up with NNB Nutrition, one of the world's leading novel ingredient developers. As the company's Chief

Science Officer, Wells has helped create [GlucoVantage](#), the industry's first commercially-available dihydroberberine ingredient!

Created from *Berberis aristata*, GlucoVantage is a pure, non-GMO dihydroberberine that's created from pure berberine. It's lab-tested and free of any "spiking" or adulteration, and formulators at supplement brands have access to lab tests demonstrating purity. With a lower dosage required, GlucoVantage fits incredibly well into *any* blood sugar supplement or glucose disposal agent.

GlucoVantage in one minute

You can learn about GlucoVantage in *one* minute in the following video:



The data is clear: if you want a lower-dosed, better-absorbing, and longer-lasting form of berberine that yields fewer side effects, *dihydroberberine* -- and thus **GlucoVantage** -- is the ingredient to use.

How To Use



1 – 3

Servings per day

Take prior to meals

May have synergy when co-administered with probiotics

May have greater effect prior to carbohydrate containing meals

100 – 200 mg

Per serving

The effective Dihydroberberine Dosage is 30% the dose of standard berberine, giving it far more applications and less GI discomfort!

Dosing

Looking at the available data, a serving of GlucoVantage is best put at **100-200mg**, with **one to three servings per day**. It's always best to take GlucoVantage before your most insulinogenic, blood-sugar spiking meal, which is generally one that's high in carbohydrates. Doses on the lower end can also be given to low-carb dieters to keep blood sugars low and continue fat burning.

Stacking

There are *several* other glucose disposal agent ingredients that can play on GlucoVantage's supporting cast. An example of one incredible version is [Unbound's SLYN](#), which is one of the strongest blood sugar modulating supplements we've ever seen. With 3rd-party lab tests provided and manufactured in NutraBio's world-class facility, SLYN is an insanely powerful supplement that's made possible with GlucoVantage - you likely don't even need a full dose!



Supplement Facts

Serving size: 6 Capsules

Servings per container: 30

	Amount Per Serving	% DV
Chromium (as Chromax® chromium picolinate)	200 mcg	570%
Momordicin® [<i>Momordica charantia</i> extract (fruit) (std. to minimim 15% bitter principles and 0.5% charantin HPLC)(bitter melon)]	1,500 mg	†
Banaba Extract [<i>Lagerstroemia speciosa</i> (2% corosolic acid) (leaf)]	600 mg	†
Agmatine Sulfate	500 mg	†
GS4 PLUS® [<i>Gymnema sylvestre</i> extract (75% gymnemic acid) (leaf)]	300 mg	†
Ceylon Cinnamon (<i>Cinnamomum verum</i>) (bark)	300 mg	†
GlucoVantage® Dihydroberberine	200 mg	†
Na-R-ALA (R-alpha lipoic acid sodium)	200 mg	†
BioPerine® [black pepper extract (<i>Piper nigrum</i>) (fruit)]	5 mg	†

† Daily value (DV) not established.

Carb-Lovers are going to go nuts over SLYN. But you better bring *bigtime* carbs to the table if you take all six caps at once!

In terms of *stimulant*-based fat burners that contain dihydroberberine, [Core BLAZE](#) is an extremely unique thermogenic option that has incredible thermogenic and appetite-suppressing effects.

Dihydroberberine is the better berberine

With the ongoing metabolic crisis, it's more important than ever that we maintain insulin sensitivity and keep our bodies primed for fat burning - not sugar burning! Carbs are great to employ around workouts, but we don't want to be in a state of low fat oxidation all day long - and we don't want them pumped into the liver to be packaged into triglycerides either.

What we *do* want is to take advantage of our carbohydrates to get them into *muscle tissue* - something berberine is *very* good at making our bodies do. However, berberine has some major drawbacks -- a high dose needed, low bioavailability, and GI upset. *Dihydroberberine* solves those problems, and NNB Nutrition's GlucoVantage is the end result.



Berberine *used* to be our preferred glucose disposal agent ingredient. But now the answer is clear - *dihydroberberine* is the future.

GlucoVantage from NNB Nutrition is a *pure* form of Dihydroberberine (DHB) and is known as "The Super Berberine".

Dihydroberberine Supplements and NNB Nutrition News

Get Price Alerts

No spam, no scams.

Disclosure: PricePlow relies on pricing from stores with which we have a business relationship. We work hard to keep pricing current, but you may find a better offer.

Posts are sponsored in part by the retailers and/or brands listed on this page.

All posts mentioning Dihydroberberine

- [Ben Hartman on Morphogen's Comeback, Nick Walker's Equity, and the 10g Tyrosine Return | Episode #221](#) Posted on: June 11, 2026
- [Longevity Science Forgot About Women. These Ingredients Didn't.](#) Posted on: May 28, 2026
- [NNB Nutrition Launches the Clean & Clear Series: Plant Protein Built for the Beverage Era](#) Posted on: April 22, 2026
- [Robert Samborsky: The Full Apollon Nutrition Origin Story, Hooligan, and the 2026 Roadmap | Episode #211](#) Posted on: April 2, 2026
- [NNB Nutrition at Expo West 2026: PeptiClear Steals the Show While a Full Pipeline Takes Shape](#) Posted on: March 18, 2026
- [14 Weeks of GlucoVantage Dihydroberberine Extends GLP-1 and Weight Loss Results in Preclinical Trial](#) Posted on: February 9, 2026
- [NNB Nutrition Announces New 2026 Ingredient Launches: Icariin D2, 4-Hydroxy-L-Isoleucine, and 6-Paradol Continue Pure, Potent, Precise Campaign](#) Posted on: January 6, 2026

- [NNB Nutrition's Pure, Potent, Precise Revolution: Shawn Wells & Dustin Elliott at SupplySide Global 2025 | Episode #192](#) Posted on: November 23, 2025
- [NNB Nutrition Dominates SupplySide Global 2025: OnSwitch, Purest Creatine, and the Pure-Potent-Precise Revolution](#) Posted on: November 5, 2025
- [NNB Nutrition's Longevity Platform: Extending Your Youth Span with Science-Backed Ingredients](#) Posted on: September 11, 2025
- [NNB Nutrition's Mimetics Platform: When Science Imitates Life](#) Posted on: July 24, 2025
- [How Educated Consumers Are Transforming Retail Supplement Shelves: The NNB Nutrition Revolution](#) Posted on: July 2, 2025
- [Nutrex Burn30 GLP1+: Harnessing GLP-1 Activation for Advanced Weight Management](#) Posted on: April 25, 2025
- [The NNB Nutrition Story: Supplement Ingredient Solutions for the New Decade](#) Posted on: January 6, 2025
- [Natural GLP-1 Revolution: GlucoVantage Dihydroberberine Shows Unprecedented Results in Blood Sugar and Body Composition Research](#) Posted on: December 9, 2024
- [Formulator's Corner #14: A Holiday Glucose Disposal Agent with NNB Nutrition](#) Posted on: November 20, 2024
- [NNB Nutrition Shines at SupplySide West 2024: Trends in Energy, Focus, GLP-1, and Natural Sweeteners](#) Posted on: November 8, 2024
- [Shawn Wells and Dustin Elliott: NNB Nutrition Takes on GLP-1, MPS, and Collaborative Energy | Episode #152](#) Posted on: October 9, 2024
- [Combat Aging with GlucoVantage Dihydroberberine: Anti-Glycation Powerhouse](#) Posted on: August 19, 2024
- [Chad Kerkick: Researching Dileucine, Dihydroberberine, & GLP-1 \(2 of 2\) | Episode #142](#) Posted on: July 10, 2024
- [NOW Foods Tests and Fails 30 of 33 of Berberine Supplements from Amazon](#) Posted on: January 27, 2024
- [AstroFlav GlucoDrive: Novel Glucose Disposal Agent for the New Year](#) Posted on: December 26, 2023
- [GlucoVantage Dihydroberberine Beats Berberine in Human Trial](#) Posted on: November 30, 2023
- [Is Berberine Nature's Ozempic? A Look at GLP-1 Agonists](#) Posted on: August 1, 2023
- [Healthgevity Ignite: Healthcare-Centric Metabolic Optimizer](#) Posted on: November 21, 2022
- [5x More Bioavailable: Why Dihydroberberine is "The Better Berberine"](#) Posted on: September 30, 2022
- [Formulator's Corner #06: Modern Immunity Supplement](#) Posted on: December 29, 2021
- [TRANSFER Into a Better Body with Cutler Nutrition's GlucoVantage-Powered GDA](#) Posted on: October 26, 2021
- [Season 2 Kickoff - Ben and Mike | PPP #051](#) Posted on: October 1, 2021

- [Dihydroberberine: A Better Berberine](#) Posted on: August 7, 2021
- [Core BLAZE: Appetite-Attacking Fat Burner](#) Posted on: June 22, 2021
- [Formulator's Corner #02: An NNB Nutrition Powered Fat Burner](#) Posted on: April 20, 2021
- [The ENERGY Formula by Shawn Wells: Book Review](#) Posted on: April 6, 2021
- [Shawn Wells Talks Energy-Boosting Supplements on Ben Greenfield's Show](#) Posted on: February 28, 2021
- [Alpha Lion Gains Candy GlucoVantage Optimizes Nutrient Partitioning and Gains](#) Posted on: June 5, 2020
- [Berberine: The Best Glucose Disposal Ingredient Just Got Better](#) Posted on: January 26, 2020
- [GlucoVantage: Dihydroberberine for Superior Insulin Sensitivity](#) Posted on: January 15, 2020



GlucoVantage from NNB Nutrition is a *pure* form of Dihydroberberine (DHB) and is known as "The Super Berberine".

Recommended for you



[Watch on YouTube](#)

[Dihydroberberine: The Better Berberine \(Shawn Wells Podcast\)](#)



[Watch on YouTube](#)

[BETTER Than Berberine! GlucoVantage Dihydroberberine Human Data](#)

| Posted in [Podcast](#), [Supplement Ingredients](#), [Supplement News](#), [Supplement Research](#) |

Tagged [Berberine](#), [Dihydroberberine](#), [Glucose Disposal Agents](#), [GlucoVantage](#), [Insulin](#), [Insulin Resistance](#), [Insulin Sensitivity](#), [Metabolism](#), [Shawn Wells](#).

References

1. Wells, Shawn, et al; "Administration of berberine metabolites"; United States Patent US10278961B2; April 19, 2016; <https://patents.google.com/patent/US10278961B2/en>
2. Sidossis, L, et al; "Glucose and insulin-induced inhibition of fatty acid oxidation: the glucose-fatty acid cycle reversed"; American Journal of Physiology; 270(4 Pt 1):E733-8; April 1996; <https://www.ncbi.nlm.nih.gov/pubmed/8928782>
3. Bonadonna, R; "Dose-dependent effect of insulin on plasma free fatty acid turnover and oxidation in humans"; The American Journal of Physiology; 259(5 Pt 1):E736-50; November 1990; <https://www.ncbi.nlm.nih.gov/pubmed/2240211>
4. Kelly, CT, et al; "Hyperinsulinemic syndrome: the metabolic syndrome is broader than you think"; Surgery; 156(2):405-11; August 2014; <https://pubmed.ncbi.nlm.nih.gov/24962189>
5. Yin, Jun et al; "Efficacy of berberine in patients with type 2 diabetes mellitus."; Metabolism: clinical and experimental; vol. 57,5; 2008; 712-7; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2410097/>

6. Dong, Hui et al; "Berberine in the treatment of type 2 diabetes mellitus: a systemic review and meta-analysis."; Evidence-based complementary and alternative medicine : eCAM; vol. 2012; 2012; 591654; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3478874/>
7. Wang, S. D., et al. "[Determination of Berberine in Decocted Liquid from Shenshu Granules with Water by Reversed-Phase Liquid Chromatography]." Se Pu = Chinese Journal of Chromatography, vol. 18, no. 3, 1 May 2000, pp. 261–262; <https://pubmed.ncbi.nlm.nih.gov/12541570/>
8. Hua, Wenyan, et al. "Determination of Berberine in Human Plasma by Liquid Chromatography-Electrospray Ionization-Mass Spectrometry." Journal of Pharmaceutical and Biomedical Analysis, vol. 44, no. 4, 15 Aug. 2007, pp. 931–937, 10.1016/j.jpba.2007.03.022; <https://pubmed.ncbi.nlm.nih.gov/17531424/>
9. Feng, Ru, et al; "Transforming Berberine into Its Intestine-Absorbable Form by the Gut Microbiota."; Nature News; Nature Publishing Group; 15 July 2015; <https://www.nature.com/articles/srep12155>
10. Pingali, S., et al. "Weak C—H···X (X = O, N) Hydrogen Bonds in the Crystal Structure of Dihydroberberine." Acta Crystallographica Section C: Structural Chemistry, vol. 70, no. 4, 15 Apr. 2014, pp. 388–391, 10.1107/S2053229614003751; <https://scripts.iucr.org/cgi-bin/paper?S2053229614003751>
11. Chen, Junwen, et al. "Berberine Derivatives Reduce Atherosclerotic Plaque Size and Vulnerability in ApoE^{-/-} Mice." Journal of Translational Medicine, vol. 12, no. 1, 26 Nov. 2014, 10.1186/s12967-014-0326-7; <https://translational-medicine.biomedcentral.com/articles/10.1186/s12967-014-0326-7>
12. Turner, Nigel, et al; "Berberine and Its More Biologically Available Derivative, Dihydroberberine, Inhibit Mitochondrial Respiratory Complex I: a Mechanism for the Action of Berberine to Activate AMP-Activated Protein Kinase and Improve Insulin Action."; Diabetes; U.S. National Library of Medicine; May 2008; <https://www.ncbi.nlm.nih.gov/pubmed/18285556>
13. Mohammad, Mohammad, et al; "Inhibition of pancreatic lipase by berberine and dihydroberberine: An investigation by docking simulation and experimental validation."; Medicinal Chemistry Research; 22(5); April 2013; 2273-2278; https://www.researchgate.net/publication/255979651_Inhibition_of_pancreatic_lipase_by_berberine_and_dihydroberberine_An_investigation_by_docking_simulation_and_experimental_validation
14. Tan, Lihua, et al. "Dihydroberberine, a Hydrogenated Derivative of Berberine Firstly Identified in Phellodendri Chinese Cortex, Exerts Anti-Inflammatory Effect via Dual Modulation of NF-KB and MAPK Signaling Pathways." International Immunopharmacology, vol. 75, 1 Oct. 2019, p. 105802, 10.1016/j.intimp.2019.105802; <https://pubmed.ncbi.nlm.nih.gov/31401380/>

15. Buchanan, Beth et al; "Comparative pharmacokinetics and safety assessment of transdermal berberine and dihydroberberine."; PloS one; vol. 13,3; e0194979; 26 Mar. 2018; <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5868852/>

Nutricost Berberine HCl

 priceplow.com/nutricost/berberine-hci

Ingredients

Serving Size: 2 Capsules

Servings Per Container: 60

Amount Per Serving	% DV *	
Berberine HCl (Berberis aristata)(bark)	1,200mg	*
Ceylon Cinnamon Bark Powder (Cinnamomum verum)(bark)	200mg	*

* % Daily Value (DV) is based on a 2,000 calorie diet. Your daily values may be higher or lower based on your calorie needs. † Daily Value (DV) not established.

Other Ingredients:

Made and quality tested in the USA with globally sourced ingredients.

Hypromellose (cellulose) capsule, stearic acid (vegetable source), magnesium stearate (vegetable source), silica.

Directions:

As a dietary supplement, take 2 capsules daily with 8-12 oz of water or as directed by your healthcare professional.

Warnings:

Store in a cool, dry place.

For healthy individuals 18 years and older. Consult a healthcare professional prior to use if you are pregnant or nursing, taking medication, or have a medical condition. Keep out of reach of children. Do not use if safety seal is broken or missing.

Price History



Description

- Dietary Supplement
- Nutricost Quality Guaranteed
- Animal-Free Product
- Vegan
- GMP Compliant Facility
- Non-GMO Product
- Third-Party Tested
- Gluten Free

Dynamic Combination: Harness the synergistic benefits of Berberine HCl and Ceylon Cinnamon in one convenient capsule, crafted to support your holistic wellness goals.

Expiration Date

01/01/2029 00:00:00

UPC

810139571285

Ingredients

Hypromellose (cellulose) capsule, stearic acid (vegetable source), magnesium stearate (vegetable source), silica.

Made and quality tested in the USA with globally sourced ingredients.

Suggested Use

As a dietary supplement, take 2 capsules daily with 8-12 oz of water or as directed by your healthcare professional.

Warnings

For healthy individuals 18 years and older. Consult a healthcare professional prior to use if you are pregnant or nursing, taking medication, or have a medical condition. Keep out of reach of children. Do not use if safety seal is broken or missing.

Store in a cool, dry place.

Supplement Facts		
Serving Size: 2 Capsules		
Servings Per Container: 60		
Amount Per Serving	%DV	
Berberine HCl(Berberis aristata)(bark)	1,200 mg	*
Ceylon Cinnamon Bark Powder(Cinnamomum verum)(bark)	200 mg	*
*Daily Value (DV) not established.		

[↓ Read more ↓](#)

Price Comparisons

Select a Size:

120 Capsules

\$23.70

\$24.95

as of 07/03/2026 00:36 CST – Details

\$24.95

\$24.95

- Search for Nutricost Berberine HCl on Amazon.com
- [Search for Nutricost Berberine HCl on eBay](#)

Statement of Disclosure

PricePlow relies on pricing from stores with which we have a business relationship. We work hard to keep pricing current, but it is possible that you might find a better offer on your own. Additional shipping and taxes may apply. Data may be mismatched or out of date. Prices may be converted from non-USD currencies (denoted by †) and may not reflect current exchange rates. Prices may reflect coupon-based pricing (denoted by the icon).

If you run an online retail store with a diverse product list, contact us to learn how to get listed.

Looking for a lower price? Sign up for price drops We'll notify you as soon as the price drops.

Price History

**Note: Amazon Data is not used in PricePlow's price history graphs.*



Historic Prices

Size	Current	Lowest	Average
120 Capsules	\$23.70 Jun 27 2026	\$18.96 Dec 2 2025	\$23.04