US011106744B2

(12) **United States Patent**
Shriber et al.

(10) **Patent No.: US 11,106,744 B2**
(45) **Date of Patent: Aug. 31, 2021**

(54) **SEARCH ENGINE**

(71) Applicant: **NEWSPLUG, INC.**, New York, NY (US)

(72) Inventors: **John S. Shriber**, New York, NY (US); **Roman Zaks**, New York, NY (US)

(73) Assignee: **NEWSPLUG, INC.**, New York, NY (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 179 days.

(21) Appl. No.: **16/247,361**

(22) Filed: **Jan. 14, 2019**

(65) **Prior Publication Data**

US 2019/0146959 A1 May 16, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/142,479, filed on Apr. 29, 2016, now Pat. No. 10,180,952, which is a (Continued)

(51) **Int. Cl.**
G06F 7/00 (2006.01)
G06F 16/951 (2019.01)
(Continued)

(52) **U.S. Cl.**
CPC ***G06F 16/951*** (2019.01); ***G06F 3/0482*** (2013.01); ***G06F 3/04842*** (2013.01); ***G06F 16/22*** (2019.01); ***G06F 16/248*** (2019.01); ***G06F 16/24578*** (2019.01); ***G06F 16/9535*** (2019.01); ***G06F 40/35*** (2020.01); ***G06Q 10/10*** (2013.01); ***H04L 67/02*** (2013.01); ***H04L 67/10*** (2013.01)

(58) **Field of Classification Search**
CPC G06F 16/22; G06F 16/248; G06F 16/951; G06F 16/9535; G06F 16/24578
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,199,081 B1 3/2001 Meyerzon et al.
6,718,365 B1 4/2004 Dutta
(Continued)

OTHER PUBLICATIONS

Search Engine, U.S. Appl. No. 13/420,503, filed Mar. 14, 2012, John Shriber, et al, U.S. Pat. No. 9,338,215, May 10, 2016.
(Continued)

Primary Examiner — Mohammed R Uddin
(74) *Attorney, Agent, or Firm* — Greenberg Traurig

(57) **ABSTRACT**

A search engine to index web content with user content. A server computer receives, from a first client computer operated by a first user, an identification of first web content displayed by a web browser of the first client computer in a main browser window. The identification of the first web content is transmitted by the first user to the server computer via a user interface separate from the main browser window. The server computer then indexes the first web content. In response to receiving a search query from a web browser of a second client computer operated by a second user, the server computer transmits search results to the web browser of the second client computer. The search results include the first web content identified by the first user in a position relative to identifications of other web content received from other users.

20 Claims, 17 Drawing Sheets





Related U.S. Application Data

continuation of application No. 13/420,503, filed on Mar. 14, 2012, now Pat. No. 9,338,215.

(60) Provisional application No. 61/452,595, filed on Mar. 14, 2011.

(51) **Int. Cl.**

G06Q 10/10	(2012.01)
G06F 16/22	(2019.01)
G06F 16/248	(2019.01)
G06F 16/9535	(2019.01)
G06F 16/2457	(2019.01)
G06F 40/35	(2020.01)
G06F 3/0482	(2013.01)
G06F 3/0484	(2013.01)
H04L 29/08	(2006.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,807,558 B1 10/2004 Hassett et al.
7,117,432 B1 * 10/2006 Shanahan G06F 16/353 715/210
7,174,346 B1 * 2/2007 Gharachorloo G06F 16/951
7,216,290 B2 * 5/2007 Goldstein G06F 16/9577 715/234
7,613,769 B1 11/2009 Hess
7,617,190 B2 11/2009 Wright et al.
7,634,535 B2 12/2009 Watson
7,640,184 B1 12/2009 Lunt
7,669,123 B2 2/2010 Zuckerberg et al.
7,685,209 B1 * 3/2010 Norton G06F 16/907 707/803
7,734,610 B2 * 6/2010 Rakowski G06F 16/951 707/706
7,801,885 B1 * 9/2010 Verma G06F 16/9535 707/713
7,957,723 B2 6/2011 Punaganti Venkata et al.
7,958,115 B2 * 6/2011 Kraft G06Q 10/10 707/723
7,971,147 B2 6/2011 Subbarao et al.
7,984,056 B1 7/2011 Kane
8,020,106 B2 9/2011 Diab et al.
8,037,093 B2 10/2011 Tiu, Jr. et al.
8,082,242 B1 * 12/2011 Mysen G06F 16/9562 707/711
8,082,288 B1 12/2011 Yeh et al.
8,176,055 B1 * 5/2012 Datar G06Q 10/10 707/749
8,190,997 B2 5/2012 Shellen et al.
8,276,079 B2 9/2012 Davar et al.
8,290,926 B2 10/2012 Ozzie et al.
8,374,975 B1 * 2/2013 Cierniak G06F 16/355 706/12
8,386,915 B2 2/2013 Howes et al.
8,578,261 B1 * 11/2013 Gupta G06F 16/957 715/208
8,589,391 B1 * 11/2013 Reynar G06Q 30/02 707/732
8,589,418 B1 11/2013 Kane
8,601,055 B2 12/2013 Smith et al.
8,606,845 B2 12/2013 Dickinson et al.
8,667,385 B1 3/2014 Mui et al.
8,832,083 B1 * 9/2014 Chen G06F 16/951 707/723
8,874,541 B1 10/2014 Vandehey et al.
8,874,591 B2 * 10/2014 Dai G06F 16/9535 707/751
8,996,625 B1 * 3/2015 Singleton H04L 29/06 709/206
9,058,391 B2 6/2015 Shriber et al.
9,338,215 B2 5/2016 Shriber et al.
9,645,700 B2 5/2017 Tsai
9,740,794 B2 8/2017 Bhumkar et al.
9,977,800 B2 5/2018 Shriber et al.
10,180,952 B2 1/2019 Shriber et al.
10,387,391 B2 8/2019 Shriber et al.
2002/0046203 A1 * 4/2002 Siegel G06F 16/9535
2002/0194611 A1 * 12/2002 Hodgkinson H04N 21/4221 725/109
2003/0233422 A1 12/2003 Csaszar et al.
2004/0019611 A1 * 1/2004 Pearse G06F 16/9566
2004/0030697 A1 2/2004 Cochran et al.
2004/0249800 A1 * 12/2004 Lu G06F 16/951
2005/0165615 A1 7/2005 Minar
2005/0216457 A1 * 9/2005 Walther G06F 16/9558
2005/0257128 A1 11/2005 Pasquali et al.
2005/0267973 A1 12/2005 Carlson et al.
2005/0289468 A1 12/2005 Kahn et al.
2006/0073812 A1 4/2006 Punaganti Venkata et al.
2006/0095507 A1 5/2006 Watson
2006/0167860 A1 7/2006 Eliashberg et al.
2006/0173985 A1 8/2006 Moore
2006/0184617 A1 8/2006 Nicholas et al.
2006/0190616 A1 8/2006 Mayerhofer et al.
2006/0217126 A1 9/2006 Sohm et al.
2006/0230021 A1 10/2006 Diab et al.
2006/0230061 A1 10/2006 Sample et al.
2006/0253458 A1 * 11/2006 Dixon G06Q 30/02
2007/0033517 A1 2/2007 O'shaughnessy et al.
2007/0043617 A1 2/2007 Stein et al.
2007/0083520 A1 4/2007 Shellen et al.
2007/0083536 A1 4/2007 Darnell et al.
2007/0118794 A1 5/2007 Hollander et al.
2007/0156636 A1 * 7/2007 Norton G06F 16/907
2007/0156809 A1 7/2007 Dickinson et al.
2007/0174389 A1 7/2007 Armstrong et al.
2007/0192313 A1 * 8/2007 Finley G06F 16/9535
2007/0198526 A1 8/2007 Pitkow
2007/0203887 A1 * 8/2007 Dynin G06F 16/9535
2007/0225047 A1 9/2007 Bakos
2007/0266338 A1 * 11/2007 Shirai G06F 16/957 715/808
2007/0271246 A1 * 11/2007 Repasi G06F 16/951
2008/0005761 A1 * 1/2008 Repasi H04H 60/66 725/13
2008/0021880 A1 1/2008 Ren et al.
2008/0028181 A1 1/2008 Tong et al.
2008/0059444 A1 * 3/2008 Singh G06F 16/2272
2008/0059453 A1 * 3/2008 Laderman G06F 16/3326
2008/0065649 A1 * 3/2008 Smiler G06F 16/972
2008/0071929 A1 * 3/2008 Motte H04L 67/02 709/246
2008/0082904 A1 * 4/2008 Martinez G06Q 30/02 715/205
2008/0114861 A1 5/2008 Gildred
2008/0126476 A1 5/2008 Nicholas et al.
2008/0215589 A1 9/2008 Elhaik
2008/0235594 A1 9/2008 Bhumkar et al.
2008/0256443 A1 10/2008 Li et al.
2008/0281810 A1 * 11/2008 Smyth G06F 16/951
2008/0294632 A1 11/2008 Chang et al.
2008/0313215 A1 12/2008 Beker et al.
2009/0132949 A1 5/2009 Bosarge
2009/0144272 A1 6/2009 Adarsh et al.
2009/0157490 A1 * 6/2009 Lawyer G06F 16/23 705/59
2009/0164446 A1 * 6/2009 Holt G06F 16/3326
2009/0217196 A1 * 8/2009 Neff G06F 16/9535 715/799
2009/0271388 A1 * 10/2009 Murdock G06F 16/748
2009/0299824 A1 * 12/2009 Barnes, Jr. G06Q 30/0207 705/7.39
2010/0011282 A1 1/2010 Dollard et al.
2010/0023506 A1 1/2010 Sahni et al.
2010/0057677 A1 * 3/2010 Rapp G06F 16/25 707/E17.014
2010/0088170 A1 4/2010 Glore, Jr.
2010/0125541 A1 5/2010 Wendel et al.
2010/0199340 A1 8/2010 Jonas et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2010/0257184 A1* 10/2010 Uy G06F 16/951 707/748
2010/0262597 A1 10/2010 Han
2010/0280860 A1* 11/2010 Iskold G06Q 50/01 705/319
2010/0299326 A1* 11/2010 Germaise G06F 16/9535 707/728
2010/0306249 A1* 12/2010 Hill G06Q 50/01 707/769
2010/0312771 A1 12/2010 Richardson et al.
2010/0313252 A1 12/2010 Trouw
2011/0040787 A1* 2/2011 Cierniak G06F 16/22 707/770
2011/0043652 A1 2/2011 King et al.
2011/0087649 A1* 4/2011 Sarukkai G06F 16/735 707/710
2011/0161413 A1* 6/2011 Cierniak G06F 16/958 709/203
2011/0179020 A1 7/2011 Ozzie et al.
2011/0184960 A1* 7/2011 Delpha G06F 40/169 707/754
2011/0208822 A1* 8/2011 Rathod G06F 16/9535 709/206
2011/0213655 A1* 9/2011 Henkin G06Q 30/0251 705/14.49
2011/0238508 A1 9/2011 Koningstein
2011/0252041 A1* 10/2011 Broman G06F 16/313 707/748
2011/0258526 A1* 10/2011 Supakkul G06F 40/169 715/230
2012/0102048 A1 4/2012 Heer
2012/0158753 A1 6/2012 He et al.
2012/0159635 A1 6/2012 He et al.
2012/0166284 A1* 6/2012 Tseng G06Q 30/0273 705/14.58
2012/0166453 A1 6/2012 Broder
2012/0239639 A1 9/2012 Shriber et al.
2012/0240030 A1 9/2012 Shriber et al.
2012/0240053 A1 9/2012 Shriber et al.
2013/0066710 A1* 3/2013 Zimak G06Q 30/0241 705/14.43
2013/0132814 A1 5/2013 Mangini et al.
2015/0169749 A1* 6/2015 Camelo G06F 16/951 707/706
2015/0256591 A1 9/2015 Shriber et al.
2015/0370417 A9 12/2015 Tsai
2016/0239526 A1 8/2016 Shriber et al.
2018/0268006 A1 9/2018 Shriber et al.
2019/0332589 A1 10/2019 Shriber et al.

OTHER PUBLICATIONS

Systems and Methods for Enabling a User to Operate on Displayed Web Content via a Web Browser Plug-in, U.S. Appl. No. 13/420,507, filed Mar. 14, 2012, John Shriber, et al, U.S. Pat. No. 9,977,800, May 22, 2018.
System and Method for Transmitting a Feed Related to a First User to a Second User, U.S. Appl. No. 13/420,508, filed Mar. 14, 2012, John Shriber, et al, U.S. Pat. No. 9,058,391, Jun. 16, 2015.
System and Method for Transmitting Submissions Associated with Web Content, U.S. Appl. No. 14/717,984, filed May 20, 2015, John Shriber, et al, Allowed—Notice of Allowance Not Yet Mailed, dated Mar. 23, 2019.
Search Engine, U.S. Appl. No. 15/142,479, filed Apr. 29, 2016, John Shriber, et al, U.S. Pat. No. 1,018,0952, Jan. 15, 2019.
Systems and Methods for Enabling a User to Operate on Displayed Web Content via a Web Browser Plug-in, U.S. Appl. No. 15/984,163, filed May 18, 2018, John Shriber, et al, Docketed New Case—Ready for Examination, Jun. 21, 2018.
System and Method for Transmitting Submissions Associated with Web Content, U.S. Appl. No. 16/509,425, John Shriber, et al, Application Undergoing Preexam Processing, Jul. 11, 2019.

* cited by examiner


Server computer 110
Plug-in module 140
165
Network 115
Plug-in module 140
User content 165
Plug-in module 140
Web browser 120
Client computer 105
Plug-in module 140
User interface 150
Portion of the web content 155
Buttons to enable user to operate on web content 160
Main browser window 130
Web content 135

Fig. 1A


170
Display, by a web browser of a client computer, web content in a main window
175
Transmit, by a server computer, a plug-in module to the client computer for the web browser
180
Receive, by the client computer, the plug-in module
185
Receive, by the client computer, activation of the plug-in module
190
Upon activation, causing the web browser to display a user interface, the user interface separate from the main window and displaying at least some of the web content
195
Receive, via the user interface, a rating for the web content or a comment on the web content

Fig. 1B


Server computer 110
Search results including identification of web content and associated user content 290
282
165
Identification of web content 235
Network 115
Web content 135
290
Search query 282
Second client computer 210
Web browser 230
User content 165
Identification of web content 235
Web browser 220
First client computer 205

Fig. 2A


255
Receive, from a first client computer, identification of web content
260
Index the web content
265
Receive, from the first client computer, a rating for the web content
270
Receive ratings for other web content from other users
275
Ranking the web content from its rating in relation to the ratings of the other web content
280
Receive, from a second client computer, a search query
285
Transmit, to the second client computer, search results, the search results including identification of the web content

Fig. 2B


305
315
BBC News - Syria 'Suicide attacks 'kill 30 - Internet Explorer, Optimized for Bing and MSN
BBC http://www.bbc.co.uk/news/world-rr
BBC BBC News -Syria' suicide att..
SW
Syria suicide attacks kill
0 comments
0 likes 0 dislikes
1st
BBC News
NEWS MIDDLE EAST
Home US & Canada Latin America
Syria 'suicide attack
310
SLANGWHO
320
Syria suicide attacks kill 40
325
GET REAL-TIME DATA, CHANGE SEARCH RESULTS
AND BE HEARD
Keep me logged in
Forgot your password?
Email
330
Password
335
Login
Sign Up

Fig. 3A


340
BBC News - Syria 'Suicide attacks 'kill 30 - Internet Explorer, Optimized for Bing and MSN
BBC http://www.bbc.co.uk/news/world-rr
BBC BBC News -Syria' suicide att..
SW
Syria suicide attacks kill
0 comments
0 likes 0 dislikes
1st
BBC News
NEWS MIDDLE EAST
Home US & Canada Latin America
Syria 'suicide attack
310
SLANGWHO
346
22
348
3
347
222
349
Syria suicide attacks kill 40
345
At least 40 people are killed in Syria as two suicide car bombings target security service bases in the capital, Damascus, media and officials say.
1 of 25
No thumbnail take domain screenshot
325
http://www.bbc.co.uk/news/world-middle-east-16316701
syria
suicide
attack
kills
bombings
Anonymize
Like
Dislike
= Neutral
Share

Fig. 3B


350
BBC News - Syria 'Suicide attacks 'kill 30 - Internet Explorer, Optimized for Bing and MSN
BBC http://www.bbc.co.uk/news/world-rr
BBC BBC News -Syria' suicide att..
SW
Syria suicide attacks kill
1 comments
1 likes 0 dislikes
1st
BBC News
NEWS MIDDLE EAST
Home US & Canada Latin America
Syria 'suicide attack
SLANGWHO
22
3
222
325
Syria suicide attacks kill 40
345
At least 40 people are killed in Syria as two suicide car bombings target security service bases in the capital, Damascus, media and officials say.
http://www.bbc.co.uk/news/world-middle-east-16316701
1 comment
1 like 0 dislikes
355
Wan Di
Dec 19, 12:45 AM
awesome! i cannot believe it! i love it soooo much
ADDED TO S
SLANGWHO SEARCH:
Like
Dislike
= Neutral
Share
#syria
#suicide
#attack
#kills
#bombings

Fig. 3C


360
BBC News - Syria 'Suicide attacks 'kill 30 - Internet Explorer, Optimized for Bing and MSN
BBC http://www.bbc.co.uk/news/world-rr
BBC BBC News -Syria' suicide att..
SW
Syria suicide attacks kill
2 comments
1 likes 1 dislikes
Check- in
BBC News
NEWS MIDDLE EAST
Home US & Canada Latin America
Syria 'suicide attack
SLANGWHO
22
3
222
Syria suicide attacks kill 40
At least 40 people are killed in Syria as two suicide car bombings target security service bases in the capital, Damascus, media and officials say.
http://www.bbc.co.uk/news/world-middle-east-16316701
345
325
2 comment
1 like 1 dislikes
Wan Di
Dec 19, 12:45 AM
awesome! i cannot believe it! love it soooo much
355
John Shriber
Dec 20, 9:34 PM
this is really too bad
365
#syria
#suicide
#attack
#kills
#bombings
ADDED TO S
SLANGWHO SEARCH:
Like
Dislike
= Neutral
Share

Fig. 3D


370
BBC News - Syria 'Suicide attacks 'kill 30 - Internet Explorer, Optimized for Bing and MSN
BBC http://www.bbc.co.uk/news/world-rr
BBC BBC News -Syria' suicide att..
SW
Syria suicide attacks kill
2 comments
1 likes 1 dislikes
Check- in
BBC News
NEWS MIDDLE EAST
Home US & Canada Latin America
Syria 'suicide attack
SLANGWHO
Syria suicide attacks kill 40
325
Search recipients
To: 2 users, 0 lists, 0 groups.
Users Lists Groups
Add David Warshak
Add Roman Zaks
Add Zane Johnston
Add Sasha Tcherebkoff
Add John Shriber
375
Roman Zaks Remove
Wan Di Remove
Send
Cancel

Fig. 3E


380
BBC News - Syria 'Suicide attacks 'kill 30 - Internet Explorer, Optimized for Bing and MSN
BBC http://www.bbc.co.uk/news/world-rr
BBC BBC News -Syria' suicide att..
SW
Syria suicide attacks kill
1 comments
1 likes 1 dislikes
Check- in
BBC News
NEWS MIDDLE EAST
Home US & Canada Latin America
Syria 'suicide attack
SLANGWHO
Syria suicide attacks kill 40
325
Search recipients
To: 2 users, 0 lists, 0 groups.
Users Lists Groups
Roman Zaks Remove
Wan Di Remove
Add David Warshak
Add Roman Zaks
Add Zane Johnston
Add Sasha Tcherebkoff
Add John Shriber
385
YOU JUST SHARED THIS PAGE WITH 2 PEOPLE!
Send
Cancel

Fig. 3F


405
415
roommate search service, roommate finder, roommates wanted - Internet Explorer, opimized for Bing and MSN
BBC http://www.roomster.com/
roommate search service, ro... X
SW
Roomster.com
0 comments
0 likes
0 dislikes
1st
410
Roomster
Roomster - the best service since
features & largest community on Shares, Apartments & Sublets.
A
every minute!
Check out our blog!
sign up for a free account or sign in
Post your vacancies for free
Are you an apartment manager, broker, owner or sub-lessor?
Post your rentals for Free.
Add, Edit or Delete them with 24hr access
Sign up for a free account or sign in
SLANGWHO
420
@roomster.com
425
GET REAL-TIME DATA, CHANGE SEARCH RESULTS AND BE HEARD
Keep me logged in
Forgot your password?
Email
430
Password
435
Login
Sign Up

Fig. 4A


440
roommate search service, roommate finder, roommates wanted - Internet Explorer, opimized for Bing and MSN
BBC http://www.roomster.com/
roommate search service, ro... X
SW
Roomster.com
0 comments
0 likes 0 dislikes
1st
Roomster
410
Roomster - the best service since
features & largest community on Shares, Apartments & Sublets.
A
every minute!
Check out our blog!
sign up for a free account
or sign in
Post your vacancies for free
Are you an apartment manager, broker, owner or sub-lessor?
Post your rentals for Free.
Add, Edit or Delete them with 24hr access
Sign up for a free account or sign in
SLANGWHO
@roomster.com
Welcome to Roomster Reviews. Find reviews, comments, and updates about Roomster and Roommates. We are the world's larget online social network, the largest community
445
425
http://www.roomster.com/
Anonymize
Like
Dislike
= Neutral
Share
syria
suicide
attack
kills
bombings

Fig. 4B


450
roommate search service, roommate finder, roommates wanted - Internet Explorer, opimized for Bing and MSN
BBC http://www.roomster.com/
roommate search service, ro... X
SW
Roomster.com
1 comments
1 likes 0 dislikes
1st
Roomster
Roomster - the best service since
features & largest community on Shares, Apartments & Sublets.
A
every minute!
Check out our blog!
sign up for a free account
or sign in
Post your vacancies for free
Are you an apartment manager, broker, owner or sub-lessor?
Post your rentals for Free.
Add, Edit or Delete them with 24hr access
Sign up for a free account or sign in
SLANGWHO
@roomster.com
Welcome to Roomster Reviews. Find reviews, comments, and updates about Roomster and Roommates. We are the world's larget online social network, the largest community
http://www.roomster.com/
445
425
1 comment
1 like 0 dislikes
Wan Di
Dec 19, 12:45 AM
awesome! i cannot believe it! i love it soooooo much
455
ADDED TO S
SLANGWHO SEARCH:
Like
Dislike
= Neutral
Share
#syria
#suicide
#attack
#kills
#bombings

Fig. 4C


460
roommate search service, roommate finder, roommates wanted - Internet Explorer, opimized for Bing and MSN
BBC http://www.roomster.com/
roommate search service, ro... X
SW
Roomster.com
2 comments
1 likes 1 dislikes
Check- in
Roomster
Roomster - the best service since
features & largest community on Shares, Apartments & Sublets.
A
every minute!
Check out our blog!
sign up for a free account or sign in
Post your vacancies for free
Are you an apartment manager, broker, owner or sub-lessor?
Post your rentals for Free.
Add, Edit or Delete them with 24hr access
Sign up for a free account or sign in
SLANGWHO
@roomster.com
Welcome to Roomster Reviews. Find reviews, comments, and updates about Roomster and Roommates. We are the world's larget online social network, the largest community
http://www.roomster.com/
425
2 comment
1 like 1 dislikes
455
Wan Di
Dec 19, 12:45 AM
awesome! i cannot believe it i love it soooo much
465
John Shriber
Dec 20, 9:34 PM
this is really too bad
#syria
#suicide
#attack
#kills
#bombings
ADDED TO S
SLANGWHO SEARCH:
Like
Dislike
= Neutral
Share

Fig. 4D


470
roommate search service, roommate finder, roommates wanted - Internet Explorer, opimized for Bing and MSN
BBC http://www.roomster.com/
roommate search service, ro... X
SW
Roomster.com
2 comments
1 likes 1 dislikes
Check- in
Roomster
Roomster - the best service since
features & largest community on Shares, Apartments & Sublets.
A
every minute!
Check out our blog!
sign up for a free account
or sign in
Post your vacancies for free
Are you an apartment manager, broker, owner or sub-lessor?
Post your rentals for Free.
Ad,d Edit or Delete them with 24hr access
Sign up for a free account or sign in
SLANGWHO
@roomster.com
Search recipients
To: 2 users, 0 lists, 0 groups.
Roman Zaks Remove
Wan Di Remove
425
Users Lists Groups
Add David Warshak
Add Roman Zaks
Add Zane Johnston
Add Sasha Tcherebkoff
Add John Shriber
475
Send Cancel

Fig. 4E


480
roommate search service, roommate finder, roommates wanted - Internet Explorer, opimized for Bing and MSN
BBC http://www.roomster.com/
roommate search service, ro... X
SW
Roomster.com
2 comments
1 likes 1 dislikes
Check- in
Roomster
Roomster - the best service since
features & largest community on Shares, Apartments & Sublets.
A
every minute!
Check out our blog!
sign up for a free account
or sign in
Post your vacancies for free
Are you an apartment manager, broker, owner or sub-lessor?
Post your rentals for Free.
Add, Edit or Delete them with 24hr access
Sign up for a free account or sign in
SLANGWHO
@roomster.com
425
Search recipients
To: 2 users, 0 lists, 0 groups.
Users
Lists
Groups
Roman Zaks Remove
Wan Di Remove
Add David Warshak
Add Roman Zaks
Add Zane Johnston
Add Sasha Tcherebkoff
Add John Shriber
485
YOU JUST SHARED THIS PAGE WITH 2 PEOPLE!
Send
Cancel

Fig. 4F


500
Processing Unit(s) 512
Network Interface 514
Keyboard Interface 516
Pointing Device Interface 518
CD/DVD Drive Interface 520
Misc. Other Interface(s) 522
Computer Bus(es) 502
Memory 504
Storage Medium / Media 506
Media Disk Interface 508
Display Interface 510

Fig. 5

SEARCH ENGINE

RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 15/142,479, filed on Apr. 29, 2016 and entitled "Search Engine", which is a continuation of, and claims priority to, U.S. patent application Ser. No. 13/420,503, filed on Mar. 14, 2012 and entitled "Search Engine", which issued on May 10, 2016 as U.S. Pat. No. 9,338,215, which claims the benefit of U.S. Provisional Application Ser. No. 61/452,595, filed Mar. 14, 2011, the entire disclosure of which applications are incorporated herein by reference.

FIELD

The present disclosure relates to web content, and more specifically to a search engine.

BACKGROUND

Web content accessible via the Internet includes web pages, videos, photographs, blogs, news, media, songs, etc. Searching the web for web content is performed by search engines. Search engines, such as GOOGLE® and BING®, typically use bots or web crawlers to follow links in web pages to discover content, index the content, and then sort the indexed content through an algorithm.

SUMMARY

The process employed by typical search engines to generate search results may not accurately reflect the interest of users on the web. A conventional search engine follows links in web pages to locate web content, indexes the content, and then sorts the indexed content through a complex algorithm which may indirectly take into account the interest of the web users.

In one aspect, a server computer receives, from a first client computer operated by a first user, an identification of first web content displayed by a web browser of the first client computer in a main browser window. The identification of the first web content is transmitted by the first user to the server computer via a user interface separate from the main browser window. The server computer then indexes the first web content. In response to receiving a search query from a web browser of a second client computer operated by a second user, the server computer transmits search results to the web browser of the second client computer. The search results include the first web content identified by the first user in a position relative to identifications of other web content received from other users.

In one embodiment, the receiving of the identification of first web content includes receiving, by the server computer, a rating (e.g., a score or an indication of like, dislike, or neutral) associated with the first web content from the first user. In one embodiment, the receiving of the identification of first web content further includes receiving ratings associated with the other web content from the other users. In one embodiment, the server computer ranks the first web content from the rating in relation to the ratings of the other web content received from the other users. In one embodiment, the indexing of the first web content includes receiving keywords for the first web content. In one embodiment, the receiving of the identification of the first web content further includes receiving, by the server computer from the first client computer, a comment on the first web content. The first web content can be the same as or different than the other web content.

These and other aspects and embodiments will be apparent to those of ordinary skill in the art by reference to the following detailed description and the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

In the drawing figures, which are not to scale, and where like reference numerals indicate like elements throughout the several views:

FIG. **1**A is a block diagram of a client computer communicating with a server computer over a network in accordance with an embodiment of the present disclosure;

FIG. **1**B is a flowchart illustrating operations performed by the server computer and the client computer to enable a user of the client computer to operate on web content displayed by the client computer in accordance with an embodiment of the present disclosure;

FIG. **2**A is a block diagram of a first client computer and a second client computer communicating with the server computer in accordance with an embodiment of the present disclosure;

FIG. **2**B is a flowchart illustrating operations performed by the server computer to enable a human powered search in accordance with an embodiment of the present disclosure;

FIGS. **3**A-**3**F are exemplary screen shots of a user interface and a plug-in module when a web page is added to the server computer via the plug-in module in accordance with an embodiment of the present disclosure;

FIGS. **4**A-**4**F are exemplary screen shots of the user interface and the plug-in module when a web site is added to the server computer via the plug-in module in accordance with an embodiment of the present disclosure; and

FIG. **5** is a block diagram illustrating an internal architecture of a computer in accordance with an embodiment of the present disclosure.

DESCRIPTION OF EMBODIMENTS

Embodiments are now discussed in more detail referring to the drawings that accompany the present application. In the accompanying drawings, like and/or corresponding elements are referred to by like reference numbers.

Various embodiments are disclosed herein; however, it is to be understood that the disclosed embodiments are merely illustrative of the disclosure that can be embodied in various forms. In addition, each of the examples given in connection with the various embodiments is intended to be illustrative, and not restrictive. Further, the figures are not necessarily to scale, some features may be exaggerated to show details of particular components (and any size, material and similar details shown in the figures are intended to be illustrative and not restrictive). Therefore, specific structural and functional details disclosed herein are not to be interpreted as limiting, but merely as a representative basis for teaching one skilled in the art to variously employ the disclosed embodiments.

The present disclosure is described below with reference to block diagrams and operational illustrations of methods and devices to select and present media related to a specific topic. It is understood that each block of the block diagrams or operational illustrations, and combinations of blocks in the block diagrams or operational illustrations, can be implemented by means of analog or digital hardware and com-

puter program instructions. These computer program instructions can be provided to a processor of a general purpose computer, special purpose computer, ASIC, or other programmable data processing apparatus, such that the instructions, which execute via the processor of the computer or other programmable data processing apparatus, implements the functions/acts specified in the block diagrams or operational block or blocks.

In some alternate implementations, the functions/acts noted in the blocks can occur out of the order noted in the operational illustrations. For example, two blocks shown in succession can in fact be executed substantially concurrently or the blocks can sometimes be executed in the reverse order, depending upon the functionality/acts involved. Furthermore, the embodiments of methods presented and described as flowcharts in this disclosure are provided by way of example in order to provide a more complete understanding of the technology. The disclosed methods are not limited to the operations and logical flow presented herein. Alternative embodiments are contemplated in which the order of the various operations is altered and in which sub-operations described as being part of a larger operation are performed independently.

Throughout the specification and claims, terms may have nuanced meanings suggested or implied in context beyond an explicitly stated meaning. Likewise, the phrase "in one embodiment" as used herein does not necessarily refer to the same embodiment and the phrase "in another embodiment" as used herein does not necessarily refer to a different embodiment. It is intended, for example, that claimed subject matter include combinations of example embodiments in whole or in part.

In general, terminology may be understood at least in part from usage in context. Fore example, terms, such as "and", "or", or "and/or," as used herein may include a variety of meanings that may depend at least in part upon the context in which such terms are used. Typically, "or" if used to associate a list, such as A, B, or C, is intended to mean A, B, and C, here used in the inclusive sense, as well as A, B, or C, here used in the exclusive sense. In addition, the term "one or more" as used herein, depending at least in part upon context, may be used to describe any feature, structure, or characteristic in a singular sense or may be used to describe combinations of features, structures or characteristics in a plural sense. Similarly, terms, such as "a," "an," or "the," again, may be understood to convey a singular usage or to convey a plural usage, depending at least in part upon context. In addition, the term "based on" may be understood as not necessarily intended to convey an exclusive set of factors and may, instead, allow for existence of additional factors not necessarily expressly described, again, depending at least in part on context.

FIG. **1**A is a block diagram of an embodiment of a client computer **105** communicating with a server computer **110** over a network **115** such as the Internet. A user uses a web browser **120** on the client computer **105** to access the Internet. In one embodiment, a web page is transmitted via the network **115** to the client computer **105** for display by the web browser **120** in a main browser window **130**. The web browser **120** displays web content **135** in the main window **130** of the web browser **120**. The web content **135** is generally received from a third party server different from the server computer **110** without going through the server computer **110**. The third party server is generally independent from the server computer **110**; and the presentation of the web content from the third party server to the web browser **120** is made without a reference to the server computer **110**. However, the techniques described herein also apply to the scenario in which the web content **135** is from the server computer **110**.

In one embodiment, the client computer **105** submits a request to the server computer **110** (e.g., via the web content **135**) for a plug-in module **140**. The plug-in module **140** may be associated with the web content **135**, may be associated with another web page, and/or may be associated with a displayed advertisement. The server computer **110** transmits the plug-in module **140** to the browser **120** (to install the plug-in module **140** on the browser **120**). In one embodiment, the plug-in module **140** is installed on the browser to present a user interface element such as a button on a toolbar of the web browser **120** (e.g., the browser toolbar or a third party toolbar) or a menu item in the browser **120**, etc.

The user of the client computer **105** can activate the plug-in module **140** by, for example, selecting the button for the plug-in module **140** (e.g., via a mouse cursor, touching the button, speaking a command, etc.). In one embodiment, upon activation, the plug-in module **140** causes the web browser **120** to display a user interface **150** separate from the main browser window **130** (e.g., a pop-up window). In one embodiment, the user interface **150** displays at least a portion of the web content **155** to the user and enables the user to operate on the displayed web content **155** (and, e.g., generate user content associated with the web content **135**, such as a rating, comment, etc. as described below). In one embodiment, the user interface **150** includes one or more buttons **160** to enable the user to operate on the portion of the web content **155**. In one embodiment, the plug-in module **140** transmits user content **165** to the server computer **110** (e.g., for indexing).

For purposes of this disclosure, a computer such as the client computer **105** includes a processor and memory for storing and executing program code, data and software. Computers can be provided with operating systems that allow the execution of software applications in order to manipulate data. Client computer **105** can be any device that can display a website and that can be used by a user. Personal computers, servers, personal digital assistants (PDAs), wireless devices, smartphones, cellular telephones, tablet computers, internet appliances, media players, home theater systems, and media centers are several non-limiting examples of computers.

For the purposes of this disclosure, the term "server" should be understood to refer to a service point which provides processing, database, and communication facilities. By way of example, and not limitation, the term "server" can refer to a single, physical processor with associated communications and data storage and database facilities, or it can refer to a networked or clustered complex of processors and associated network and storage devices, as well as operating software and one or more database systems and applications software which support the services provided by the server. A number of program modules and data files can be stored on a computer readable medium of the server. They can include an operating system suitable for controlling the operation of a networked server computer, such as the WINDOWS 7, WINDOWS VISTA, or WINDOWS XP operating system published by Microsoft Corporation of Redmond, Wash., or the Ubuntu operating system distributed by Canonical Ltd. of Douglas, Isle of Man.

In one embodiment, the server computer **110** is a group of servers, such as one server to receive the submitted user content transmitted from the plug-in module **140** and a second server configured to download/install the plug-in

module **140** into the user's web browser **120**. In another embodiment, server computer **110** performs both of these functions. In one embodiment, a third server may be present in FIG. **1**A representing a third party web server on the Internet (e.g., an online newspaper site, a blog, etc.) that is separate and distinct from server computer **110**.

FIG. **1**B is a flowchart illustrating an embodiment of operations performed by the server computer **110** and the client computer **105** to enable a user of the client computer **105** to operate on web content displayed by the browser **120**. The user uses the web browser **120** to view and/or listen to web content **135**, such as a web page, an audio file, a video, a post, a media file, etc., in main browser window **130** (Operation **170**). In one embodiment, the plug-in module **140** is installed prior to and independent from the web content **135**; the installation of the plug-in module **140** and its operation requires no prior arrangement made in the web content **135**; and thus, the plug-in module **140** can work with any web content **135** found in the web. Alternatively, the web content **135** (e.g., a web page associated with the server computer **110**) enables the user to install plug-in module **140**. In another embodiment, the web content **135** (e.g., a web page) is a third party web page that includes an advertisement to install the plug-in module **140**.

The server computer **110** transmits the plug-in module **140** to the web browser **120** of the client computer **105** (Operation **175**) and the client computer **105** receives the plug-in module **140** (Operation **180**). In one embodiment, the plug-in module **140** allows the user to remotely log into the server computer **110**. Upon activation of the plug-in module **140** (Operation **185**), the plug-in module **140** causes the web browser **120** to display user interface **150** separate from the main window **130**. In one embodiment, the user interface **150** displays at least a portion of the web content **155** that the web browser **120** is displaying in its main window **130** (Operation **190**). For example, the user interface **150** can display representative information of the web content **135**, such as a picture, an icon, a sentence, and/or a paragraph in the portion of the web content **155**. In one embodiment, the user interface **150** displays notifications, comments, or reviews from other users who have downloaded the plug-in module **140**.

In one embodiment, the user interface **150** automatically selects for display the portion of the web content **155** from the received web content **135**. Further, in one embodiment the user of the client computer **105** can provide settings as to what the user interface **150** will display when web content **135** is displayed in the web browser **120** (e.g., display the first few sentences of the web content **135**, display the first graphic and first few sentences of web content **135**, display the entire web content **135** (e.g., a web page), etc.)

The plug-in module **140** enables the user to operate on the web content **155**. For example, the user can submit a rating for the web content **155** or a comment on the web content **155** (Operation **195**) (e.g., user content **165**). In one embodiment, the user interface **150** enables the user to post the portion of the web content **155** to a social networking site (e.g., FACEBOOK®). In one embodiment, the user interface **150** displays current discussions related to the web content **155** and enables the user to add the web content **135** to a search engine associated with the server computer **110**. In one embodiment, the user can use the user interface **150** to adjust (e.g., add web content to or remove web content from) the portion of the web content **155** displayed by the user interface **150**. For example, the plug-in module **140** can transmit the URL of the web content **135** to the server computer **110**. The server computer **110** can update what is displayed by or the amount of web content **155** displayed by the user interface **150**. In one embodiment, the plug-in module **140** prompts the user to add the web content **135** (e.g., a web page) to the server computer's index so that the web content **135** (e.g., a web page) will be present in future search results. The plug-in module **140** may transmit the URL of the web content **135** (e.g., a web page) to the server computer **110** (which can then extract the web content **135**), may transmit the entire web content **135** (e.g., a web page) to the server computer **110**, or may transmit a portion of the web content **135** (e.g., a web page) to the server computer **110**. In one embodiment, the server computer **110** (or the plug-in module **140**) grabs the web page's meta-tags, thumbnail, title, and/or text of the web content **135** (e.g., a web page). In one embodiment, the plug-in module **140** allows the user to add web content **135** (e.g., a web page) to the server computer **110**, such as via the user interface **150**, a pop-up window, a menu option, right-clicking the webpage itself, via the browser **120**, etc. In one embodiment, the plug-in module **140** enables the user to change the web content's tags in case the meta-tags are inaccurate.

Thus, the user interface **150** enables the user to provide information/content about a third party web content **135** (e.g., a web page) to a web page associated with the plug-in module **140** (and server computer **110**) while the third party web content **135** (e.g., a web page) is displayed in web browser **120**. This information/user content **165** can include one or more comments, tips, a rating for the web content **155** (e.g., a score for the web content **155**), an indication that the user likes or dislikes the web content **155**, a recommendation for or on the web content **155**, and/or a tag for the web content **155**. Further, the user interface **150** can enable the user to attach content to the web content **155**, share the web content **155** with others, etc.

The plug-in module **140** allows the user to act on any web page that is currently being viewed by the user and, in one embodiment, transmits the user-created content (e.g., comments and ratings) in association with an identification of the web content to the server computer **110**. After the plug-in module **140** is installed on the web browser **120** (e.g., via an installation web page that directs the user to download the plug-in module **140** for installation), the user can visit any third party web site and click a button associated with the plug-in module **140** to create user content in association with the third party web site and submit the user content to the server computer **110**. The user does not have to visit the web site through the plug-in module **140** or user interface **150** but rather can navigate to the web site using the user's web browser **120**. In one embodiment, the plug-in module **140** can be implemented as a built-in module of the web browser **120** (e.g., shipped by Microsoft Corporation as a built-in component of INTERNET EXPLORER®).

Thus, when a user is looking at a web page (e.g., a news article or a blog entry), and if the user is interested in acting upon it (e.g., to share it, to submit it to the server computer **110** for indexing, or to rank or comment on it), the user can click on the plug-in module button and then work on the user interface **150** that, in one embodiment, populates some of the fields automatically by automatically taking those contents (e.g., snippets) from the web content **135** (e.g., a web page) that the user is currently looking at (e.g., thumbnail image, the lead sentence, etc.). There is no need for any prior arrangement between the web page being acted upon and the plug-in module **140**/server computer **110**.

For example, a blog-related service may use such a plug-in module **140** to assist the blog author that blogs on news articles. When looking at the news article, the user

clicks the plug-in button and the user interface **150** shows the blog template that has many fields pre-populated with content from the news article (e.g., a thumbnail icon image, a lead sentence, etc.). Thus, the user does not have to perform the copy and paste manually. The user can work on the user interface **150** to compose the remaining part of the blog entry about the news article, such as rating, comments, etc.

In one embodiment, the user interface **150** displays advertisements to the user, such as for one or more products. In one embodiment, the advertisements are transmitted to the browser **120** by the server computer **110**. Alternatively, a third party advertisement server can transmit advertisements to the user interface **150** for display. In one embodiment, the advertisements may be related to the portion of the web content **155** displayed by the user interface **150**. The user interface **150** can also display statistics. For example, the user interface **150** can display statistics associated with the portion of the web content **155**, statistics associated with the user (e.g., number of days since the user has downloaded the plug-in module **140**, amount of web content that the user has commented on, amount of web content that the user has shared, amount of web content that the user has rated or ranked, number of and/or which other users the user has followed, number of and/or which other users have followed the user, etc.), statistics about the user interface **150**, statistics about the plug-in module **140**, statistics about other users associated with the plug-in module **140** (e.g., the number of users who have downloaded the plug-in module **140** and/or the number of users who have downloaded the plug-in module **140** and who have currently activated the plug-in module **140** to view a corresponding user interface), and/or statistics about any other information.

In one embodiment, the user interface **150** displays advertisements that are posted by other users who have downloaded the plug-in module **140**. The advertisements can be, for example, an advertisement for a roommate, an advertisement to sell or buy a product, a classified jobs section, a dating section, etc. Thus, in one embodiment, a product manager at company XYZ can post a job position that is available at XYZ to the users of the plug-in module **140**. As another example, suppose one user is using his web browser **120** to search for a new television set. In one embodiment, the plug-in module **140** can detect the user's searching and post an advertisement for a TV that another user in the community (e.g., another user who has downloaded the plug-in module **140**) is selling.

FIG. **2**A is a block diagram of an embodiment of a first client computer **205** and a second client computer **210** communicating with the server computer **110** over network **115**. FIG. **2**B is a flowchart of an embodiment of operations performed by the server computer **110**. As described above, in one embodiment the plug-in module is transmitted to web browser **220** of the first client computer **205** and web browser **230** of the second client computer **210**. Each web browser **220**, **230** is displaying web content **135** as described above. In one embodiment, the user of the first client computer **205** activates the plug-in module, which in turn results in the corresponding user interface being displayed. As described above, the user of the first client computer **205** can act upon the web content displayed by the web browser **220** of the first client computer **205**.

In one embodiment, the user of the first client computer **205** submits an identification of web content **235** to the server computer **110**. In one embodiment, the submitting of this identification of web content **235** occurs when the user submits (via the user interface **150**) a URL of the web page being displayed in the main window of the web browser **220** to the server computer **110**. In one embodiment, the submitting of this identification of web content **235** occurs when the user submits user content **165** as described above, such as the user submitting a rating or ranking of the web content displayed by the web browser **220** in its main window **130**, a user submitting a thumbnail version of a picture from the web content, a sentence from the web content, and/or a link to the web content. The first client computer **205** transmits the identification of web content **235** to the server computer **110**.

In one embodiment, the server computer **110** receives, from the first client computer **205**, the identification of web content **235** (Operation **255**). The server computer **110** indexes the web content (Operation **260**) for, for example, inclusion in search results. In one embodiment, the server computer **110** receives a rating for the web content from the first client computer **205** (Operation **265**), such as receiving a rating that has been provided by the user in the user interface displayed by the plug-in module. The server computer **110** also receives ratings from other users for other web content displayed by other user interfaces (Operation **270**). In one embodiment, if operation **260** has already been completed (i.e., the web content has already been indexed by the server computer **110**, the first client computer **205** can comment on, provide ratings for, submit, etc. the web content. In one embodiment, the server computer **110** then ranks the web content from its rating in relation to the ratings of the other web content received from other users (Operation **275**). In one embodiment, the user of the second client computer **210** transmits a search query **282** to the server computer **110**. The server computer **210** receives the search query **282** (Operation **280**) and transmits search results **290** to the second client computer **210**. In one embodiment, the search results **290** include identification of web content (e.g., a link to the web content) and associated user content (Operation **285**). In one embodiment, the search results **290** include web content in an order associated with the ranking and/or ratings associated with the web content received by the server computer **110**. Thus, unlike other search engines, such as GOOGLE® and BING®, which use bots/web crawlers to follow links in web pages to discover content and then sort the indexed content through an algorithm, the ranking of the web content in the search results **290** is based on human input (e.g., human ratings, such as like, dislike, or neutral). Thus, the human input affects the search results in real time. In one embodiment, the more people recommend a web page, the higher it shows up on a related search.

For example, the search results may be a page similar to GOOGLE® search result, where a list of results are shown, each having a snippet of the respective web content, the aggregated user rating, links to respective web content and the user comments, etc.

In one embodiment, the human user may specify a few keywords for the content identified by the user, and the content is indexed using the human identified keywords. Human users may comment on the content, which augments the original content. In one embodiment, the user interface allows a user to search for web pages and/or user added content via tags. Search results can be presented according to categories of the content and/or sorted according to some criteria. In one embodiment, the search results **290** are displayed to the user by the plug-in module in the user interface.

Thus, the search results **290** may change in real time, as they depend off of human input (e.g., rating, recommending,

tipping, commenting, sharing, adding user content such as pictures, etc.) and not on links or a web crawler.

For example, in one embodiment the web content **135** comes from NYTimes.com or CNN.com which has no relation with server computer **110**. When a user is browsing a CNN.com page and finds an interesting article at CNN-.com/xyz.html, shown as the web content **135** in the main window **130** of the browser **220** in a typical browsing experience, the user may click the plug-in icon to call the plug-in module **140** into action. The plug-in module **140** gets the address of the web content **135**—CNN.com/xyz.html—from the browser **220**. The plug-in module **140** then gets the article either from the main browser window **130**, or directly from CNN web server, or sends the address back to the server computer **110** to ask the server computer **110** to get the article from CNN.com/xyz.html. The address is used to obtain a snippet of the web content **155** (e.g., a thumbnail version of a picture from the article, a sentence or two from the article, a few keywords, etc.). The snippet **155** is populated into the user interface **150** to help the user create a "blog-entry" like submission to the server computer **110** to index the article with user content **165** (e.g., user selected keywords, rating, comments). The user does not have to do a copy/paste to create the submission. Once the article is indexed in the server computer **110**, other users can search to find the article and view the user content **165** and add more user content **165** (e.g., their ratings and comments).

In one embodiment, once a web page has been added into the system (e.g., indexed by the server computer **110**), it has no "positive rating" or "negative rating" by default. In this state, it has zero score. In one embodiment, ratings increase the score of a webpage. For example, a positive rating increases the score of a webpage by 1; and a negative rating increases the score of a webpage by 0.2. Other scores can also be used to differentiate the positive rating and negative rating. In one embodiment, items with more score are ranked higher up on the search results **290**. These scores can be adjusted to improve search accuracy. In one embodiment, if two web pages have an equal score, the server computer **110** decides which web page shows up higher based on a number of factors, such as tags, keywords, word combinations, frequency, etc. In one embodiment, by letting users control what articles they like, the server computer **110** delivers a more social search experience as well as cut down on spam.

For each web item (web content) (e.g., a web site, a video, a web page) hosted on the web/internet (typically not on the server computer **110**), the server computer **110** allows its users to create user content **165**, which typically includes a snippet or portion of the web content **155** (such as one or sentences from the web content **135**, one or more thumbnail images of the web content **135**, etc.). The snippet **155** is not generated until a user submits it to the server via the plug-in module **140**. The user content **165** may further include a set of tags/keywords. The plug-in module **140** and/or the server **110** may automatically select the snippet and the tags/keywords **155** for the user, by processing the web content **135** in an automated way. The snippet and/or the tags/keywords **155** suggested by the plug-in module **140** and/or the server computer **110** may be modified by the user via the user interface **150** of the plug-in module **140**. The snippet **155** is stored on the server computer **110** (as part of the user content **165** associated with the web content **135**); and in one embodiment the user content **165** has a link to the web content **135**, which allows the users of the server computer **110** to follow the link to see the actual/current version of the web content **135** that is on the web (typically not on the server computer **110**). One or more users can add additional contents to the "user content" **165** associated with the web content **135**, such as a vote/rating, and a comment. The first user submitting the snippet and/or tags/keywords can submit this information with his/her rating/vote and comment.

In one embodiment, if a second user uses the second client computer **210** that has the plug-in installed to visit the web content that has an associated user content (e.g., a snippet, a set of votes by different users and comments) in the server computer **110**, the browser plug-in module shows the availability of the user content (e.g., the numbers of comments the server computer **110** stores for the web content displayed in the main window and the counts of up votes and down votes) and the second user can click on the browser plug-in module to activate a user interface to view the user content and/or provide additional user content. The second user may use a search page of the server computer and/or the user interface of the plug-in module to search, based on the tags, to discover the web content and then view the user content using the plug-in module.

FIGS. **3**A-**3**F are exemplary screen shots of the user interface and the plug-in module when a web page is added to the server computer **110** (e.g., added to be indexed for search results) via the plug-in module. In FIG. **3**A, screen shot **305** shows web content **310** being displayed by web browser **315**. The user has activated the plug-in module via plug-in module button **320**, which results in user interface **325** being displayed. Screen shot **305** shows the user interface **325** enabling the user to log in via log-in input areas **330**, **335**. FIG. **3**B shows a screen shot **340** illustrating the user interface **325** that includes a portion of the web content **345** associated with web content **310**. The user in screen shot **340** can enter in a comment relating to the portion of the web content **345**. FIG. **3**C shows a screen shot **350** that includes user interface **325** having a comment **355** from the user about the portion of the web content **345**. The user has indicated that he/she "likes" the web content **345**. FIG. **3**D is a screen shot **360** of user interface **325** displaying two comments, the like comment **355** and a dislike comment **365**. FIG. **3**E shows a screen shot **370** with user interface **325** displaying contacts **375** that the user can share the web content **345** with. FIG. **3**F shows a screen shot **380** with user interface **325** indicating via notification **385** that the user has shared the web content **345** with two people.

FIGS. **4**A-**4**F are exemplary screen shots of the user interface and the plug-in module when a web site is added to the server computer **110** (e.g., added to be indexed for search results) via the plug-in module. In FIG. **4**A, screen shot **405** shows web site **410** being displayed by web browser **415**. The user has activated the plug-in module via plug-in module button **420**, which results in user interface **425** being displayed. Screen shot **405** shows the user interface **425** enabling the user to log in via log-in input areas **430**, **435**. FIG. **4**B shows a screen shot **440** illustrating the user interface **425** that includes a portion of the web site content **445** associated with web site **410**. The user in screen shot **440** can enter in a comment relating to the portion of the web content **445**. FIG. **4**C shows a screen shot **450** that includes user interface **425** having a comment **455** from the user about the portion of the web site content **445**. The user has indicated that he/she "likes" the web site content **445**. FIG. **4**D is a screen shot **460** of user interface **425** displaying two comments, the like comment **455** and a dislike comment **465**. FIG. **4**E shows a screen shot **470** with user interface **425** displaying contacts **475** that the user can share the web site content **445** with. FIG. **4**F shows a screen shot **480** with user interface **425** indicating via notification **485** that the user has shared the web site content **445** with two people.

FIG. **5** is a block diagram illustrating an internal architecture of an example of a computer, such as server computer **110** and/or client computer **105**, in accordance with one or more embodiments of the present disclosure. A computer as referred to herein refers to any device with a processor capable of executing logic or coded instructions, and could be a server, personal computer, set top box, smart phone, pad computer or media device, to name a few such devices. As shown in the example of FIG. **5**, internal architecture **500** includes one or more processing units (also referred to herein as CPUs) **512**, which interface with at least one computer bus **502**. Also interfacing with computer bus **502** are persistent storage medium/media **506**, network interface **514**, memory **504**, e.g., random access memory (RAM), run-time transient memory, read only memory (ROM), etc., media disk drive interface **508** as an interface for a drive that can read and/or write to media including removable media such as floppy, CD-ROM, DVD, etc. media, display interface **510** as interface for a monitor or other display device, keyboard interface **516** as interface for a keyboard, pointing device interface **518** as an interface for a mouse or other pointing device, and miscellaneous other interfaces not shown individually, such as parallel and serial port interfaces, a universal serial bus (USB) interface, and the like.

Memory **504** interfaces with computer bus **502** so as to provide information stored in memory **504** to CPU **512** during execution of software programs such as an operating system, application programs, device drivers, and software modules that comprise program code, and/or computer-executable process operations, incorporating functionality described herein, e.g., one or more of process flows described herein. CPU **512** first loads computer-executable process operations from storage, e.g., memory **504**, storage medium/media **506**, removable media drive, and/or other storage device. CPU **512** can then execute the stored process operations in order to execute the loaded computer-executable process operations. Stored data, e.g., data stored by a storage device, can be accessed by CPU **512** during the execution of computer-executable process operations.

Persistent storage medium/media **506** is a computer readable storage medium(s) that can be used to store software and data, e.g., an operating system and one or more application programs. Persistent storage medium/media **506** can also be used to store device drivers, such as one or more of a digital camera driver, monitor driver, printer driver, scanner driver, or other device drivers, web pages, content files, playlists and other files. Persistent storage medium/media **506** can further include program modules and data files used to implement one or more embodiments of the present disclosure.

For the purposes of this disclosure a computer readable medium stores computer data, which data can include computer program code that is executable by a computer, in machine readable form. By way of example, and not limitation, a computer readable medium may comprise computer readable storage media, for tangible or fixed storage of data, or communication media for transient interpretation of code-containing signals. Computer readable storage media, as used herein, refers to physical or tangible storage (as opposed to signals) and includes without limitation volatile and non-volatile, removable and non-removable media implemented in any method or technology for the tangible storage of information such as computer-readable instructions, data structures, program modules or other data. Computer readable storage media includes, but is not limited to, RAM, ROM, EPROM, EEPROM, flash memory or other solid state memory technology, CD-ROM, DVD, or other optical storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other physical or material medium which can be used to tangibly store the desired information or data or instructions and which can be accessed by a computer or processor.

For the purposes of this disclosure a module is a software, hardware, or firmware (or combinations thereof) system, process or functionality, or component thereof, that performs or facilitates the processes, features, and/or functions described herein (with or without human interaction or augmentation). A module can include sub-modules. Software components of a module may be stored on a computer readable medium. Modules may be integral to one or more servers, or be loaded and executed by one or more servers. One or more modules may be grouped into an engine or an application.

Those skilled in the art will recognize that the methods and systems of the present disclosure may be implemented in many manners and as such are not to be limited by the foregoing exemplary embodiments and examples. In other words, functional elements being performed by single or multiple components, in various combinations of hardware and software or firmware, and individual functions, may be distributed among software applications at either the user device or server or both. In this regard, any number of the features of the different embodiments described herein may be combined into single or multiple embodiments, and alternate embodiments having fewer than, or more than, all of the features described herein are possible. Functionality may also be, in whole or in part, distributed among multiple components, in manners now known or to become known. Thus, myriad software/hardware/firmware combinations are possible in achieving the functions, features, interfaces and preferences described herein. Moreover, the scope of the present disclosure covers conventionally known manners for carrying out the described features and functions and interfaces, as well as those variations and modifications that may be made to the hardware or software or firmware components described herein as would be understood by those skilled in the art now and hereafter.

While the system and method have been described in terms of one or more embodiments, it is to be understood that the disclosure need not be limited to the disclosed embodiments. It is intended to cover various modifications and similar arrangements included within the spirit and scope of the claims, the scope of which should be accorded the broadest interpretation so as to encompass all such modifications and similar structures. The present disclosure includes any and all embodiments of the following claims.

What is claimed is:

1. A method comprising:

receiving, by a server computer from a first client computer operated by a first user, an identification of first web content displayed by a web browser of the first client computer in a main browser window, the identification of the first web content transmitted by the first user to the server computer via a user interface separate from the main browser window;

indexing, by the server computer, the first web content; and

in response to receiving a search query from a web browser of a second client computer operated by a second user, transmitting, by the server computer, search results to the web browser of the second client computer, the search results comprising the first web

content identified by the first user in a position relative to identifications of other web content received from other users.

2. The method of claim **1**, wherein the receiving of the identification of first web content further comprises receiving, by the server computer, a rating associated with the first web content from the first user.

3. The method of claim **2**, wherein the receiving of the identification of first web content further comprises receiving, by the server computer, ratings associated with the other web content from the other users.

4. The method of claim **3**, further comprising ranking, by the server computer, the first web content from the rating in relation to the ratings of the other web content received from the other users.

5. The method of claim **2**, wherein the rating associated with the first web content is selected from a group of rating types consisting of like, dislike, and neutral.

6. The method of claim **1**, wherein the indexing of the first web content further comprises receiving, by the server computer, keywords for the first web content.

7. The method of claim **1**, wherein the receiving of the identification of the first web content further comprises receiving, by the server computer from the first client computer, a comment on the first web content.

8. The method of claim **1**, wherein the first web content is same as the other web content.

9. The method of claim **1**, wherein the receiving of an identification of first web content further comprises receiving a rating on the first web content, wherein the rating is a score assigned by the user of the first client computer.

10. A computing device comprising:

at least one processor; and a storage medium tangibly storing thereon program logic configured to instruct the at least one processor to at least:

receive, from a first client computer operated by a first user, an identification of first web content displayed by a web browser of the first client computer in a main browser window, the identification of the first web content transmitted by the first user via a user interface separate from the main browser window;

index the first web content; and in response to receiving a search query from a web browser of a second client computer operated by a second user, transmit search results to the web browser of the second client computer, the search results comprising the first web content identified by the first user in a position relative to identifications of other web content received from other users.

11. The computing device of claim **10**, wherein the program logic configured to instruct the at least one processor to receive further comprises program logic to instruct the at least one processor to receive a rating associated with the first web content from the first user.

12. The computing device of claim **10**, wherein the program logic configured to instruct the at least one processor to receive further comprises program logic to instruct the at least one processor to receive ratings associated with the other web content from the other users.

13. The computing device of claim **12**, further comprising program logic configured to instruct the at least one processor to rank the first web content from the rating in relation to the ratings of the other web content received from the other users.

14. The computing device of claim **11**, wherein the rating associated with the first web content is selected from a group of rating types consisting of like, dislike, and neutral.

15. The computing device of claim **10**, wherein program logic configured to instruct the at least one processor to index further comprises program logic configured to instruct the at least one processor to receive keywords for the first web content.

16. The computing device of claim **10**, wherein the program logic configured to instruct the at least one processor to receive further comprises program logic to instruct the at least one processor to receive, from the first client computer, a comment on the first web content.

17. The computing device of claim **10**, wherein the first web content is the same as the other web content.

18. The computing device of claim **10**, wherein the program logic configured to instruct the at least one processor to receive further comprises program logic to instruct the at least one processor to receive a rating on the first web content, wherein the rating is a score assigned by the user of the first client computer.

19. A non-transitory computer readable storage medium storing computer program instructions configured instruct a computer processor to perform at least:

receiving, by a server computer from a first client computer operated by a first user, an identification of first web content displayed by a web browser of the first client computer in a main browser window, and a user content created by the first user of the web browser;

indexing, by the server computer, the first web content based at least in part on the user content; storing, by the server computer, the user content in association with the identification of the first web content; and

in response to receiving a search query from a web browser of a second client computer operated by a second user, transmitting, by the server computer, search results to the web browser of the second client computer, the search results comprising the identification of the first web content and the user content associated with the first web content.

20. The non-transitory computer readable storage medium of claim **19**, wherein the user content including a comment on the first web content and a rating of the first web content by the first user; and wherein the user content and the identification of the first web content are composed in a user interface separate from the main browser window for transmission to the server computer, while the web content is displayed in the main browser window.

* * * * *