

DICTIONARY OF **COMPUTING**

FIFTH EDITION

S.M.H. Collin

BLOOMSBURY

A BLOOMSBURY REFERENCE BOOK

Originally published by Peter Collin Publishing

First published in Great Britain 1988

Second edition published 1994

Third edition published 1998

Fourth edition published 2002

Fifth edition published 2004

This edition published in the United States of America 2004

Bloomsbury Publishing Plc
38 Soho Square, London W1D 3HB

Bloomsbury Reference titles are distributed
in the United States of America by
Independent Publishers Group,
814 N. Franklin St., Chicago, IL 60610
1-800-888-4741
www.ipgbook.com

Copyright © S.M.H. Collin, 1988, 1994, 1998, 2002
This edition copyright © Bloomsbury Publishing Plc 2004

All rights reserved. No part of this publication may
be reproduced in any form or by any means without the
prior written permission of the publishers.

ISBN 1 904970 00 1

Text Production and Proofreading

Katy McAdam, Joel Adams, Lesley Brown, Stephen Curtis,
Daisy Jackson, Charlotte Regan, Howard Sargeant, Megan Thomson

All papers used by Bloomsbury Publishing are natural, recyclable products
made from wood grown in well-managed forests.

The manufacturing processes conform to the environmental
regulations of the country of origin.

Text processing and computer typesetting by Bloomsbury
Printed in the United States of America by Quebecor World Fairfield

neither-nor function /ˌnaɪðər 'nɔːr ˌfʌŋkʃ(ə)n/ *noun* a logical function whose output is false if any input is true

NEQ *abbr* nonequivalence function

NEQ function /'nek ˌfʌŋkʃ(ə)n/ *noun* a logical function in which the output is true if the inputs are not the same, otherwise the output is false

NEQ gate /'nek geɪt/ *noun* an electronic implementation of a nonequivalence function

nerd /nɜːrd/ *noun* a person who is obsessed with computers and rarely talks or thinks about anything that is not technologically exciting (*slang*)

nest /nest/ *verb* 1. to insert a subroutine within a program or another routine 2. to use a routine that calls itself recursively

nested loop /ˌnestɪd 'lup/ *noun* a loop inside another loop in the same program

nested macro call /ˌnestɪd 'mækrou ˌkɔːl/ *noun* a macro called from within another macro

nested structure /ˌnestɪd 'strʌktʃər/ *noun* a section of a program in which one control loop or subroutine is used within another

nesting level /ˌnestɪŋ ˌlev(ə)/ *noun* a number of subroutines within a subroutine

nesting store /ˌnestɪŋ 'stɔːr/ *noun* a hardware stack (NOTE: Usually stacks are implemented with software.)

NetBEUI /'net bjuːi/ *noun* an extended version of the NetBIOS network protocol developed by Microsoft, which cannot be routed in a network. Full form **NetBIOS Extended User Interface**

NetBIOS /'net ˌbaɪəs/ *noun* a commonly used standard set of commands, originally developed by IBM, that allow application programs to carry out basic operations such as file sharing and transferring data between nodes over a network ○ *This software uses NetBIOS calls to manage file sharing.* Full form **Network Basic Input Output System**

NetBIOS Extended User Interface /ˌnet ˌbaɪəs ɪkˌstendɪd 'juːər ɪntərfeɪs/ *noun* full form of **NetBEUI**

netiquette /'netɪket/ *noun* a set of unofficial rules that define good manners on the Internet

netphone /'netfəʊn/ *noun* a phone that uses the Internet to make connections and carry voice messages

Netscape /'netskeɪp/ a software company that develops Internet applications

Netscape Navigator /ˌnetskeɪp ˌnævɪgeɪtər/ a trade name for one of the

most popular web browsers that provides many features including a news reader and that supports Java applets

NetShow /'netʃəʊ/ a system developed by Microsoft to provide audio and video delivery over the Internet without interruption or glitches in the video sequence

NetView /'netvju/ a trade name for a network management architecture developed by IBM

NetWare /'netweɪ/ a trade name for a network operating system, developed by Novell, that runs on a range of hardware platforms and supports file and print sharing and client-server applications

NetWare Loadable Module /ˌnetweɪ ˌləʊdəb(ə)l 'mɒdʒl/ a trade name for an application that can run under the NetWare operating system

network /'netwɜːk/ *noun* a system made of a number of points or circuits that are interconnected ■ *verb* to link points together in a network ○ *They run a system of networked micros.*

network adapter /'netwɜːk ə ˌdæptər/ *noun* same as **NIC**

network address /'netwɜːk ə ˌdres/ *noun* a part of an IP address that defines the main network on which the domain is located (NOTE: For class A networks this is the first byte of the address, for class B networks it is the first two bytes and for class C networks it is the first three bytes. The rest of the IP address forms the host address.)

network address translation /ˌnetwɜːk ə ˌdres trænzˌleɪʃ(ə)n/ *noun* full form of **NAT**

network administrator /ˌnetwɜːk əd ˌmɪnɪstreɪtər/ *noun* a person who is responsible for looking after a network, with responsibilities including installing, configuring, and maintaining the network

network alert /ˌnetwɜːk ə ˌlɜːrt/ *noun* a message sent from the network operating system to the user warning that the network hardware is not working properly

network analysis /'netwɜːk ə ˌnæləsɪs/ *noun* the study of messages, destinations, and routes in a network to provide a better operation

network architecture /ˌnetwɜːk ˌɑːkɪtektʃər/ *noun* the way in which a network is constructed, e.g., layers in an OSI system

Network Basic Input Output System /ˌnetwɜːk ˌbeɪsɪk ɪnpuːt ˌaʊtpuːt ˌsɪstəm/ *noun* full form of **NetBIOS**