PTO/SB/14 (07-07)
Approved for use through 06/30/2010. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	60137.0034USU1
	Application Number	
Title of Invention	NUCLEOSIDE PHOSPHORAMIDATE PRODRUGS	

The application data sheet is part of the provisional or nonprovisional application for which it is being submitted. The following form contains the bibliographic data arranged in a format specified by the United States Patent and Trademark Office as outlined in 37 CFR 1.76.
This document may be completed electronically and submitted to the Office in electronic format using the Electronic Filing System (EFS) or the document may be printed and included in a paper filed application.

Secrecy Order 37 CFR 5.2

☐ Portions or all of the application associated with this Application Data Sheet may fall under a Secrecy Order pursuant to 37 CFR 5.2 (Paper filers only. Applications that fall under Secrecy Order may not be filed electronically.)

Applicant Information:

Applicant 1 Remove

Applicant Authority	◉ Inventor	○ Legal Representative under 35 U.S.C. 117	○ Party of Interest under 35 U.S.C. 118

Prefix	Given Name	Middle Name	Family Name	Suffix
	MICHAEL	JOSEPH	SOFIA	

Residence Information (Select One)	◉ US Residency	○ Non US Residency	○ Active US Military Service

City	DOYLESTOWN	State/Province	PA	Country of Residence [i]	US

Citizenship under 37 CFR 1.41(b) [i]	US

Mailing Address of Applicant:

Address 1	3066 ANTLER DRIVE
Address 2	

City	DOYLESTOWN	State/Province	PA
Postal Code	18902	Country [i]	US

Applicant 2 Remove

Applicant Authority	◉ Inventor	○ Legal Representative under 35 U.S.C. 117	○ Party of Interest under 35 U.S.C. 118

Prefix	Given Name	Middle Name	Family Name	Suffix
	JINFA		DU	

Residence Information (Select One)	◉ US Residency	○ Non US Residency	○ Active US Military Service

City	NEW HOPE	State/Province	PA	Country of Residence [i]	US

Citizenship under 37 CFR 1.41(b) [i]	US

Mailing Address of Applicant:

Address 1	1206 REINS CIRCLE
Address 2	

City	NEW HOPE	State/Province	PA
Postal Code	18938	Country [i]	US

Applicant 3 Remove

Applicant Authority	◉ Inventor	○ Legal Representative under 35 U.S.C. 117	○ Party of Interest under 35 U.S.C. 118

Prefix	Given Name	Middle Name	Family Name	Suffix
	PEIYUAN		WANG	

Residence Information (Select One)	◉ US Residency	○ Non US Residency	○ Active US Military Service

City	GLEN ROCK	State/Province	NJ	Country of Residence [i]	US

Gilead Exhibit 2015
PGR2023-00046 - Page 001

PTO/SB/14 (07-07)
Approved for use through 06/30/2010. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	60137.0034USU1
	Application Number	
Title of Invention	NUCLEOSIDE PHOSPHORAMIDATE PRODRUGS	

Citizenship under 37 CFR 1.41(b) i	CN				
Mailing Address of Applicant:					
Address 1	20 RADBURN ROAD				
Address 2					
City	GLEN ROCK	**State/Province**	NJ		
Postal Code	07452	**Country**i	US		

Applicant 4 Remove

Applicant Authority (•) Inventor ( ) Legal Representative under 35 U.S.C. 117 ( ) Party of Interest under 35 U.S.C. 118

Prefix	Given Name	Middle Name	Family Name	Suffix
	DHANAPALAN		NAGARATHNAM	

Residence Information (Select One) (•) US Residency ( ) Non US Residency ( ) Active US Military Service

City	BETHANY	**State/Province**	CT	**Country of Residence** i	US
Citizenship under 37 CFR 1.41(b) i	US				
Mailing Address of Applicant:					
Address 1	52 VIRGINIA RAIL DRIVE				
Address 2					
City	BETHANY	**State/Province**	CT		
Postal Code	06524	**Country**i	US		

All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the **Add** button. Add

Correspondence Information:

Enter either Customer Number or complete the Correspondence Information section below.
For further information see 37 CFR 1.33(a).

☐ **An Address is being provided for the correspondence Information of this application.**

Customer Number	23552		
Email Address	devans@merchantgould.com	Add Email	Remove Email

Application Information:

Title of the Invention	NUCLEOSIDE PHOSPHORAMIDATE PRODRUGS		
Attorney Docket Number	60137.0034USU1	**Small Entity Status Claimed**	☒
Application Type	Nonprovisional		
Subject Matter	Utility		
Suggested Class (if any)		**Sub Class (if any)**	
Suggested Technology Center (if any)			
Total Number of Drawing Sheets (if any)		**Suggested Figure for Publication (if any)**	

PTO/SB/14 (07-07)
Approved for use through 06/30/2010. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	60137.0034USU1
	Application Number	
Title of Invention	NUCLEOSIDE PHOSPHORAMIDATE PRODRUGS	

Publication Information:

☐	Request Early Publication (Fee required at time of Request 37 CFR 1.219)
☐	**Request Not to Publish.** I hereby request that the attached application not be published under 35 U.S. C. 122(b) and certify that the invention disclosed in the attached application **has not and will not** be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication at eighteen months after filing.

Representative Information:

Representative information should be provided for all practitioners having a power of attorney in the application. Providing this information in the Application Data Sheet does not constitute a power of attorney in the application (see 37 CFR 1.32).
Enter either Customer Number or complete the Representative Name section below. If both sections are completed the Customer Number will be used for the Representative Information during processing.

Please Select One:	◉ Customer Number	○ US Patent Practitioner	○ Limited Recognition (37 CFR 11.9)
Customer Number	23552		

Domestic Benefit/National Stage Information:

This section allows for the applicant to either claim benefit under 35 U.S.C. 119(e), 120, 121, or 365(c) or indicate National Stage entry from a PCT application. Providing this information in the application data sheet constitutes the specific reference required by 35 U.S.C. 119(e) or 120, and 37 CFR 1.78(a)(2) or CFR 1.78(a)(4), and need not otherwise be made part of the specification.

Prior Application Status	Pending		Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)
	non provisional of	60909315	2007-03-30
Prior Application Status	Pending		Remove
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)
	non provisional of	60982309	2007-10-24

Additional Domestic Benefit/National Stage Data may be generated within this form by selecting the **Add** button. Add

Foreign Priority Information:

This section allows for the applicant to claim benefit of foreign priority and to identify any prior foreign application for which priority is not claimed. Providing this information in the application data sheet constitutes the claim for priority as required by 35 U.S.C. 119(b) and 37 CFR 1.55(a).

Remove

Application Number	Country [i]	Parent Filing Date (YYYY-MM-DD)	Priority Claimed
			○ Yes ◉ No

Additional Foreign Priority Data may be generated within this form by selecting the **Add** button. Add

PTO/SB/14 (07-07)
Approved for use through 06/30/2010. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	60137.0034USU1
	Application Number	
Title of Invention	NUCLEOSIDE PHOSPHORAMIDATE PRODRUGS	

Assignee Information:

Providing this information in the application data sheet does not substitute for compliance with any requirement of part 3 of Title 37 of the CFR to have an assignment recorded in the Office.

Assignee 1 Remove

If the Assignee is an Organization check here. ☒

Organization Name	PHARMASSET, INC.		
Mailing Address Information:			
Address 1	303-A COLLEGE ROAD EAST		
Address 2			
City	PRINCETON	**State/Province**	NJ
Country [i]	US	Postal Code	08540
Phone Number		Fax Number	
Email Address			

Additional Assignee Data may be generated within this form by selecting the **Add** button. Add

Signature:

A signature of the applicant or representative is required in accordance with 37 CFR 1.33 and 10.18. Please see 37 CFR 1.4(d) for the form of the signature.

Signature	/DANIEL R. EVANS/			Date (YYYY-MM-DD)	2008-03-21
First Name	DANIEL	Last Name	EVANS	Registration Number	55868

This collection of information is required by 37 CFR 1.76. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 23 minutes to complete, including gathering, preparing, and submitting the completed application data sheet form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these records.

2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.

3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.

4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).

5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.

6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).

7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.

8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.

9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Electronic Patent Application Fee Transmittal

Application Number:	
Filing Date:	
Title of Invention:	NUCLEOSIDE PHOSPHORAMIDATE PRODRUGS
First Named Inventor/Applicant Name:	MICHAEL JOSEPH SOFIA
Filer:	Daniel R. Evans/AMY ALBA
Attorney Docket Number:	60137.0034USU1
Filed as Small Entity	

Utility Filing Fees

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Basic Filing:				
Utility filing Fee (Electronic filing)	4011	1	75	75
Utility Search Fee	2111	1	255	255
Utility Examination Fee	2311	1	105	105
Pages:				
Utility Appl Size fee per 50 sheets >100	2081	10	130	1300
Claims:				
Independent claims in excess of 3	2201	9	105	945
Miscellaneous-Filing:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD($)
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				
Extension-of-Time:				
Miscellaneous:				
			Total in USD ($)	2680

Electronic Acknowledgement Receipt	
EFS ID:	3035277
Application Number:	12053015
International Application Number:	
Confirmation Number:	3454
Title of Invention:	NUCLEOSIDE PHOSPHORAMIDATE PRODRUGS
First Named Inventor/Applicant Name:	MICHAEL JOSEPH SOFIA
Customer Number:	23552
Filer:	Daniel R. Evans/AMY ALBA
Filer Authorized By:	Daniel R. Evans
Attorney Docket Number:	60137.0034USU1
Receipt Date:	21-MAR-2008
Filing Date:	
Time Stamp:	14:17:58
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	$2680
RAM confirmation Number	8143
Deposit Account	132725
Authorized User	
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows: Charge any Additional Fees required under 37 C.F.R. Section 1.16 (National application filing, search, and examination fees) Charge any Additional Fees required under 37 C.F.R. Section 1.17 (Patent application and reexamination processing fees)	

Charge any Additional Fees required under 37 C.F.R. Section 1.19 (Document supply fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.21 (Miscellaneous fees and charges)

File Listing:

Document Number	Document Description	File Name	File Size(Bytes) /Message Digest	Multi Part /.zip	Pages (if appl.)
1	Specification	Pages1_170_60137_0034USU1_SPEC.pdf	14212984 1e51638ee68d18b44ca50d2d50a665c89c1e5c4	no	170
Warnings:					
Information:					
2	Specification	Pages171_341_60137_0034USU1_SPEC-2.pdf	14134300 80f46440b654e4412059e09e3d29c59fdedc2bcc	no	171
Warnings:					
Information:					
3	Specification	Pages342_511_60137_0034USU1_SPEC-3.pdf	14219495 6cd509a9c86b615583fa36e33e4e5098f900b8a4	no	170
Warnings:					
Information:					
4	Specification	Pages512_679_60137_0034USU1_SPEC-4.pdf	14304605 3ffcc412177d288a358b84e0a7c24ea4558a6154	no	168
Warnings:					
Information:					
5	Claims	Pages680_735_CLAIMS_60137_0034USU1_SPEC-5.pdf	7074609 0ald931a14ff84d621a23d0f1b9541bf9c75b557	no	56
Warnings:					
Information:					
6	Abstract	Pages736_ABSTRACT_60137_0034USU1_SPEC-5.pdf	48283 184a2797afd58afbb37b94a8a2eea7028bca9838	no	1
Warnings:					
Information:					
7	Application Data Sheet	sb0014_fill.pdf	1198907 34e3e72a35558597cd97aa2e79666odb147d168a	no	5
Warnings:					
Information:					
8	Fee Worksheet (PTO-06)	fee-info.pdf	8587 623dc63977406341744ba9ddf0cdb44ceod62606	no	2

Warnings:	
Information:	
Total Files Size (in bytes):	65201750

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Electronic Acknowledgement Receipt	
EFS ID:	3035277
Application Number:	12053015
International Application Number:	
Confirmation Number:	3454
Title of Invention:	NUCLEOSIDE PHOSPHORAMIDATE PRODRUGS
First Named Inventor/Applicant Name:	MICHAEL JOSEPH SOFIA
Customer Number:	23552
Filer:	Daniel R. Evans/AMY ALBA
Filer Authorized By:	Daniel R. Evans
Attorney Docket Number:	60137.0034USU1
Receipt Date:	21-MAR-2008
Filing Date:	
Time Stamp:	14:17:58
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	$2680
RAM confirmation Number	8143
Deposit Account	132725
Authorized User	
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows: Charge any Additional Fees required under 37 C.F.R. Section 1.16 (National application filing, search, and examination fees) Charge any Additional Fees required under 37 C.F.R. Section 1.17 (Patent application and reexamination processing fees)	

Charge any Additional Fees required under 37 C.F.R. Section 1.19 (Document supply fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.21 (Miscellaneous fees and charges)

File Listing:

Document Number	Document Description	File Name	File Size(Bytes) /Message Digest	Multi Part /.zip	Pages (if appl.)
1	Specification	Pages1_170_60137_0034USU1_SPEC.pdf	14212964 1e51638ee68d16b44ca50d2d50a665c89c1e5c4	no	170
Warnings:					
Information:					
2	Specification	Pages171_341_60137_0034USU1_SPEC-2.pdf	14134300 80f46440b654e4412059e09e3d29c59fdedc2bcc	no	171
Warnings:					
Information:					
3	Specification	Pages342_511_60137_0034USU1_SPEC-3.pdf	14219495 6cd509a9c86b615583fa36e33e4e5098f900b8a4	no	170
Warnings:					
Information:					
4	Specification	Pages512_679_60137_0034USU1_SPEC-4.pdf	14304605 3ffcc412177d288a358b84e0a7c24ea4558a6154	no	168
Warnings:					
Information:					
5	Claims	Pages680_735_CLAIMS_60137_0034USU1_SPEC-5.pdf	7074609 0ald931a14ff84d621a23d01b9541bf9c75b557	no	56
Warnings:					
Information:					
6	Abstract	Pages736_ABSTRACT_60137_0034USU1_SPEC-5.pdf	48283 184a2797afd58afbb37b94a8a2eea7028bca9838	no	1
Warnings:					
Information:					
7	Application Data Sheet	sb0014_fill.pdf	1198907 34e3e72a35558597cd97aa2e79666odb147d168a	no	5
Warnings:					
Information:					
8	Fee Worksheet (PTO-06)	fee-info.pdf	8587 623dc63977406341744ba9ddf0cdb44ceod62606	no	2

Warnings:	
Information:	
Total Files Size (in bytes):	65201750

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

NUCLEOSIDE PHOSPHORAMIDATE PRODRUGS

Field of Invention

The present invention pertains to nucleoside phosphoramidates and their use as agents for treating viral diseases. These compounds are inhibitors of RNA-dependent RNA viral replication and are useful as inhibitors of HCV NS5B polymerase, as inhibitors of HCV replication and for treatment of hepatitis C infection in mammals. The invention provides novel chemical compounds, and the use of these compounds alone or in combination with other antiviral agents for treating HCV infection.

Background

Hepatitis C virus (HCV) infection is a major health problem that leads to chronic liver disease, such as cirrhosis and hepatocellular carcinoma, in a substantial number of infected individuals, estimated to be 2-15% of the world's population. There are an estimated 4.5 million infected people in the United States alone, according to the U.S. Center for Disease Control. According to the World Health Organization, there are more than 200 million infected individuals worldwide, with at least 3 to 4 million people being infected each year. Once infected, about 20% of people clear the virus, but the rest can harbor HCV the rest of their lives. Ten to twenty percent of chronically infected individuals eventually develop liver-destroying cirrhosis or cancer. The viral disease is transmitted parenterally by contaminated blood and blood products, contaminated needles, or sexually and vertically from infected mothers or carrier mothers to their offspring. Current treatments for HCV infection, which are restricted to immunotherapy

with recombinant interferon-α alone or in combination with the nucleoside analog ribavirin, are of limited clinical benefit. Moreover, there is no established vaccine for HCV. Consequently, there is an urgent need for improved therapeutic agents that effectively combat chronic HCV infection.

The HCV virion is an enveloped positive-strand RNA virus with a single oligoribonucleotide genomic sequence of about 9600 bases which encodes a polyprotein of about 3,010 amino acids. The protein products of the HCV gene consist of the structural proteins C, E1, and E2, and the non-structural proteins NS2, NS3, NS4A and NS4B, and NS5A and NS5B. The nonstructural (NS) proteins are believed to provide the catalytic machinery for viral replication. The NS3 protease releases NS5B, the RNA-dependent RNA polymerase from the polyprotein chain. HCV NS5B polymerase is required for the synthesis of a double-stranded RNA from a single-stranded viral RNA that serves as a template in the replication cycle of HCV. Therefore, NS5B polymerase is considered to be an essential component in the HCV replication complex (K. Ishi, et al, *Heptology*, 1999, 29: 1227-1235; V. Lohmann, et al., *Virology*, 1998, 249: 108-118). Inhibition of HCV NS5B polymerase prevents formation of the double-stranded HCV RNA and therefore constitutes an attractive approach to the development of HCV-specific antiviral therapies.

HCV belongs to a much larger family of viruses that share many common features.

Flaviviridae Viruses

Gilead Exhibit 2015
PGR2023-00046 - Page 0015

The Flaviviridae family of viruses comprises at least three distinct genera: *pestiviruses*, which cause disease in cattle and pigs; *flaviviruses*, which are the primary cause of diseases such as dengue fever and yellow fever; and *hepaciviruses*, whose sole member is HCV. The flavivirus genus includes more than 68 members separated into groups on the basis of serological relatedness (Calisher et al., *J. Gen. Virol*, 1993,70,37-43). Clinical symptoms vary and include fever, encephalitis and hemorrhagic fever (*Fields Virology*, Editors: Fields, B. N., Knipe, D. M., and Howley, P. M., Lippincott-Raven Publishers, Philadelphia, PA, 1996, Chapter 31, 931-959). Flaviviruses of global concern that are associated with human disease include the Dengue Hemorrhagic Fever viruses (DHF), yellow fever virus, shock syndrome and Japanese encephalitis virus (Halstead, S. B., *Rev. Infect. Dis.*, 1984, 6, 251-264; Halstead, S. B., *Science*, 239:476-481, 1988; Monath, T. P., *New Eng. J. Med*, 1988, 319, 64 1-643).

The pestivirus genus includes bovine viral diarrhea virus (BVDV), classical swine fever virus (CSFV, also called hog cholera virus) and border disease virus (BDV) of sheep (Moennig, V. et al. *Adv. Vir. Res.* 1992, 41, 53-98). Pestivirus infections of domesticated livestock (cattle, pigs and sheep) cause significant economic losses worldwide. BVDV causes mucosal disease in cattle and is of significant economic importance to the livestock industry (Meyers, G. and Thiel, H.J., Advances in Virus Research, 1996, 47, 53-118; Moennig V., et al, Adv. Vir. Res. 1992, 41, 53-98). Human pestiviruses have not been as extensively characterized as the animal pestiviruses. However, serological surveys indicate considerable pestivirus exposure in humans.

Pestiviruses and hepaciviruses are closely related virus groups within the Flaviviridae family. Other closely related viruses in this family include the GB virus A,

Gilead Exhibit 2015
PGR2023-00046 - Page 0016

GB virus A-like agents, GB virus-B and GB virus-C (also called hepatitis G virus, HGV). The hepacivirus group (hepatitis C virus; HCV) consists of a number of closely related but genotypically distinguishable viruses that infect humans. There are at least 6 HCV genotypes and more than 50 subtypes. Due to the similarities between pestiviruses and hepaciviruses, combined with the poor ability of hepaciviruses to grow efficiently in cell culture, bovine viral diarrhea virus (BVDV) is often used as a surrogate to study the HCV virus.

The genetic organization of pestiviruses and hepaciviruses is very similar. These positive stranded RNA viruses possess a single large open reading frame (ORF) encoding all the viral proteins necessary for virus replication. These proteins are expressed as a polyprotein that is co- and post-translationally processed by both cellular and virus-encoded proteinases to yield the mature viral proteins. The viral proteins responsible for the replication of the viral genome RNA are located within approximately the carboxy-terminal. Two-thirds of the ORF are termed nonstructural (NS) proteins. The genetic organization and polyprotein processing of the nonstructural protein portion of the ORF for pestiviruses and hepaciviruses is very similar. For both the pestiviruses and hepaciviruses, the mature nonstructural (NS) proteins, in sequential order from the amino-terminus of the nonstructural protein coding region to the carboxy-terminus of the ORF, consist of p7, NS2, NS3, NS4A, NS4B, NS5A, and NS5B.

The NS proteins of pestiviruses and hepaciviruses share sequence domains that are characteristic of specific protein functions. For example, the NS3 proteins of viruses in both groups possess amino acid sequence motifs characteristic of serine proteinases and of helicases (Gorbalenya et al., *Nature*, 1988, 333, 22; Bazan and Fletterick *Virology*

Gilead Exhibit 2015
PGR2023-00046 - Page 0017

, 1989,171,637-639; Gorbalenya et al., *Nucleic Acid Res.*, 1989, 17, 3889-3897). Similarly, the NS5B proteins of pestiviruses and hepaciviruses have the motifs characteristic of RNA-directed RNA polymerases (Koonin, E.V. and Dolja, V.V., *Crir. Rev. Biochem. Molec. Biol.* 1993, 28, 375-430).

The actual roles and functions of the NS proteins of pestiviruses and hepaciviruses in the lifecycle of the viruses are directly analogous. In both cases, the NS3 serine proteinase is responsible for all proteolytic processing of polyprotein precursors downstream of its position in the ORF (Wiskerchen and Collett, *Virology*, 1991, 184, 341-350; Bartenschlager et al., *J. Virol.* 1993, 67, 3835-3844; Eckart et al. *Biochem. Biophys. Res. Comm.* 1993,192, 399-406; Grakoui et al., *J. Virol.* 1993, 67, 2832-2843; Grakoui et al., *Proc. Natl. Acad Sci. USA* 1993, 90, 10583-10587; Hijikata et al., *J. Virol.* 1993, 67, 4665-4675; Tome et al., *J. Virol.*, 1993, 67, 4017-4026). The NS4A protein, in both cases, acts as a cofactor with the NS3 serine protease (Bartenschlager et al., *J. Virol.* 1994, 68, 5045-5055; Failla et al., *J. Virol.* 1994, 68, 3753-3760; Xu et al., *J. Virol.*, 1997, 71:53 12-5322). The NS3 protein of both viruses also functions as a helicase (Kim et al., *Biochem. Biophys. Res. Comm.*, 1995, 215, 160-166; Jin and Peterson, *Arch. Biochem. Biophys.*, 1995, 323, 47-53; Warrener and Collett, *J. Virol.* 1995, 69,1720-1726). Finally, the NS5B proteins of pestiviruses and hepaciviruses have the predicted RNA-directed RNA polymerases activity (Behrens et al., EMBO, 1996, 15, 12-22; Lechmann et al., *J. Virol.*, 1997, 71, 8416-8428; Yuan et al., *Biochem. Biophys. Res. Comm.* 1997, 232, 231-235; Hagedorn, PCT WO 97/12033; Zhong et al, *J. Virol.*, 1998, 72, 9365-9369).

Gilead Exhibit 2015
PGR2023-00046 - Page 0018

Currently, there are limited treatment options for individuals infected with hepatitis C virus. The current approved therapeutic option is the use of immunotherapy with recombinant interferon-α alone or in combination with the nucleoside analog ribavirin. This therapy is limited in its clinical effectiveness and only 50% of treated patients respond to therapy. Therefore, there is significant need for more effective and novel therapies to address the unmet medical need posed by HCV infection.

A number of potential molecular targets for drug development of direct acting antivirals as anti -HCV therapeutics have now been identified including, but not limited to, the NS2-NS3 autoprotease, the N3 protease, the N3 helicase and the NS5B polymerase. The RNA-dependent RNA polymerase is absolutely essential for replication of the single-stranded, positive sense, RNA genome and this enzyme has elicited significant interest among medicinal chemists.

Inhibitors of HCV NS5B as potential therapies for HCV infection have been reviewed: Tan, S.-L., et al., *Nature Rev. Drug Discov.*, 2002, 1, 867-881; Walker, M.P. et al., *Exp. Opin. Investigational Drugs*, 2003, 12, 1269-1280; Ni, Z-J., et al., *Current Opinion in Drug Discovery and Development*, 2004, 7, 446-459; Beaulieu, P. L., et al., *Current Opinion in Investigational Drugs*, 2004, 5, 838-850; Wu, J., et al., *Current Drug Targets-Infectious Disorders*, 2003, 3, 207-219; Griffith, R.C., et al, *Annual Reports in Medicinal Chemistry*, 2004, 39, 223-237; Carrol, S., et al., *Infectious Disorders-Drug Targets*, 2006, 6, 17-29. The potential for the emergence of resistant HCV strains and the need to identify agents with broad genotype coverage supports the need for continuing efforts to identify novel and more effective nucleosides as HCV NS5B inhibitors.

Gilead Exhibit 2015
PGR2023-00046 - Page 0019

Nucleoside inhibitors of NS5B polymerase can act either as a non-natural substrate that results in chain termination or as a competitive inhibitor which competes with nucleotide binding to the polymerase. To function as a chain terminator the nucleoside analog must be taken up by the cell and converted *in vivo* to a triphosphate to compete for the polymerase nucleotide binding site. This conversion to the triphosphate is commonly mediated by cellular kinases which imparts additional structural requirements on a potential nucleoside polymerase inhibitor. Unfortunately, this limits the direct evaluation of nucleosides as inhibitors of HCV replication to cell-based assays capable of *in situ* phosphorylation.


In some cases, the biological activity of a nucleoside is hampered by its poor substrate characteristics for one or more of the kinases needed to convert it to the active triphosphate form. Formation of the monophosphate by a nucleoside kinase is generally viewed as the rate limiting step of the three phosphorylation events. To circumvent the need for the initial phosphorylation step in the metabolism of a nucleoside to the active triphosphate analog, the preparation of stable phosphate prodrugs has been reported. Nucleoside phosphoramidate prodrugs have been shown to be precursors of the active nucleoside triphosphate and to inhibit viral replication when administered to viral infected whole cells (McGuigan, C., et al., *J. Med. Chem.*, 1996, 39, 1748-1753; Valette, G., et al., *J. Med. Chem.*, 1996, 39, 1981-1990; Balzarini, J., et al., *Proc. National Acad Sci USA*, 1996, 93, 7295-7299; Siddiqui, A. Q., et al., *J. Med. Chem.*, 1999, 42, 4122-4128; Eisenberg, E. J., et al., *Nucleosides, Nucleotides and Nucleic Acids*, 2001, 20, 1091-1098; Lee, W.A., et al., *Antimicrobial Agents and Chemotherapy*, 2005, 49, 1898); US 2006/0241064; and WO 2007/095269.

Gilead Exhibit 2015
PGR2023-00046 - Page 0020

Also limiting the utility of nucleosides as viable therapeutic agents is their sometimes poor physicochemical and pharmacokinetic properties. These poor properties can limit the intestinal absorption of an agent and limit uptake into the target tissue or cell. To improve on their properties prodrugs of nucleosides have been employed. It has been demonstrated that preparation of nucleoside phosphoramidates improves the systemic absorption of a nucleoside and furthermore, the phosphoramidate moiety of these "pronucleotides" is masked with neutral lipophilic groups to obtain a suitable partition coefficient to optimize uptake and transport into the cell dramatically enhancing the intracellular concentration of the nucleoside monophosphate analog relative to administering the parent nucleoside alone. Enzyme-mediated hydrolysis of the phosphate ester moiety produces a nucleoside monophosphate wherein the rate limiting initial phosphorylation is unnecessary.

SUMMARY OF THE INVENTION

The present invention is directed toward novel phosphoramidate prodrugs of nucleoside derivatives for the treatment of viral infections in mammals, which is a compound, its stereoisomers, salts (acid or basic addition salts), hydrates, solvates, or crystalline forms thereof, represented by the following structure:



I

wherein

Gilead Exhibit 2015
PGR2023-00046 - Page 0021

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is $-OR'$ or $-N(R^{1'})_2$);

(b) R^2 is hydrogen, C_{1-10} alkyl, R^{3a} or R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, $C(O)CR^{3a}R^{3b}NHR^1$, where n is 2 to 4 and R^1, R^{3a}, and R^{3b};

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_eCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is $-OR'$ or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or

Gilead Exhibit 2015
PGR2023-00046 - Page 0022

alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3'}$ is –OR' or -$N(R^{3'})_2$;

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -$(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;


(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-4}$ acyl)$_2$;

Gilead Exhibit 2015
PGR2023-00046 - Page 0023

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:



a b c d

wherein

Z is N or CR^{12};

R^7, R^8,R^9, R^{10}, and $R^{11}$are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH_2, NHR', NR'$_2$, lower alkyl of C_1-C_6, halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6, lower alkenyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkenyl of C_2-C_6, lower alkynyl of C_2-C_6 such as C≡CH, halogenated (F, Cl, Br, I) lower alkynyl of C_2-C_6, lower alkoxy of C_1-C_6, halogenated (F, Cl, Br, I) lower alkoxy of C_1-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$,

wherein R' is an optionally substituted alkyl , which includes, but is not limited to, an optionally substituted C_{1-20} alkyl, an optionally substituted C_{1-10} alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C_2-C_6, an optionally substituted lower alkenyl of C_2-C_6, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C_{1-20} alkyl), C(O)(C_{1-10} alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

Gilead Exhibit 2015
PGR2023-00046 - Page 0024

R^{12} is H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH_2, NHR', NR'$_2$, NO_2 lower alkyl of C_1-C_6, halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6, lower alkenyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkenyl of C_2-C_6 , lower alkynyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkynyl of C_2-C_6, lower alkoxy of C_1-C_6, halogenated (F, Cl, Br, I) lower alkoxy of C_1-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$; with the proviso that when base is represented by the structure c with R^{11} being hydrogen, R^{12} is not a: (i) $-C{\equiv}C-H$, (ii) $-C{=}CH_2$, or (iii) $-NO_2$.

DEFINITIONS

The phrase "a" or "an" entity as used herein refers to one or more of that entity; for example, a compound refers to one or more compounds or at least one compound. As such, the terms "a" (or "an"), "one or more", and "at least one" can be used interchangeably herein.

The phrase "as defined herein above" refers to the first definition provided in the Summary of the Invention.

The terms "optional" or "optionally" as used herein means that a subsequently described event or circumstance may but need not occur, and that the description includes instances where the event or circumstance occurs and instances in which it does not. For example, "optional bond" means that the bond may or may not be present, and that the description includes single, double, or triple bonds.

The term "independently" is used herein to indicate that a variable is applied in any one instance without regard to the presence or absence of a variable having that same or a different definition within the same compound. Thus, in a compound in which R appears twice and is defined as "independently carbon or nitrogen", both R's can be carbon, both R's can be nitrogen, or one R' can be carbon and the other nitrogen.

The term "alkenyl" refers to an unsubstituted hydrocarbon chain radical having from 2 to 10 carbon atoms having one or two olefinic double bonds, preferably one olefinic double bond. The term "$C_{2\text{-}N}$ alkenyl" refers to an alkenyl comprising 2 to N

Gilead Exhibit 2015
PGR2023-00046 - Page 0025

carbon atoms, where N is an integer having the following values: 3, 4, 5, 6, 7, 8, 9, or 10. The term "C_{2-10} alkenyl" refers to an alkenyl comprising 2 to 10 carbon atoms. The term "C_{2-4} alkenyl" refers to an alkenyl comprising 2 to 4 carbon atoms. Examples include, but are not limited to, vinyl, 1-propenyl, 2-propenyl (allyl) or 2-butenyl (crotyl).

The term "halogenated alkenyl" refers to an alkenyl comprising at least one of F, Cl, Br, and I.

The term "alkyl" refers to an unbranched or branched chain, saturated, monovalent hydrocarbon residue containing 1 to 30 carbon atoms. The term "C_{1-M} alkyl" refers to an alkyl comprising 1 to M carbon atoms, where M is an integer having the following values: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30. The term "C_{1-4} alkyl" refers to an alkyl containing 1 to 4 carbon atoms. The term "lower alkyl" denotes a straight or branched chain hydrocarbon residue comprising 1 to 6 carbon atoms. "C_{1-20} alkyl" as used herein refers to an alkyl comprising 1 to 20 carbon atoms. "C_{1-10} alkyl" as used herein refers to an alkyl comprising 1 to 10 carbons. Examples of alkyl groups include, but are not limited to, lower alkyl groups include methyl, ethyl, propyl, *i*-propyl, *n*-butyl, *i*-butyl, *t*-butyl or pentyl, isopentyl, neopentyl, hexyl, heptyl, and octyl. The term (ar)alkyl or (heteroaryl)alkyl indicate the alkyl group is optionally substituted by an aryl or a heteroaryl group respectively.


The term "cycloalkyl" refers to an unsubstituted or substituted carbocycle, in which the carbocycle contains 3 to 10 carbon atoms; preferably 3 to 8 carbon atoms; more preferably 3 to 6 carbon atoms (i.e., lower cycloalkyls). Examples of cycloalkyl groups include, but are not limited to, cyclopropyl, 2-methyl-cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl.

The term "cycloalkyl alkyl" refers to an additionally unsubstituted or substituted alkyl substituted by a lower cycloalkyl. Examples of cycloalkyl alkyls include, but are not limited to, any one of methyl, ethyl, propyl, i-propyl, n-butyl, i-butyl, t-butyl or pentyl, isopentyl, neopentyl, hexyl, heptyl, and octyl that is substituted with cyclopropyl, 2-methyl-cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl.

Gilead Exhibit 2015
PGR2023-00046 - Page 0026

The term "cycloheteroalkyl" refers to an unsubstituted or substituted heterocycle, in which the heterocycle contains 2 to 9 carbon atoms; preferably 2 to 7 carbon atoms; more preferably 2 to 5 carbon atoms. Examples of cycloheteroalkyls include, but are not limited to, aziridin-2-yl, *N*-C_{1-3}-alkyl-aziridin-2-yl, azetidinyl, *N*-C_{1-3}-alkyl-azetidin-m'-yl, pyrrolidin-m'-yl, *N*-C_{1-3}-alkyl-pyrrolidin-m'-yl, piperidin-m'-yl, and *N*-C_{1-3}-alkyl-piperidin-m'-yl, where m' is 2, 3, or 4 depending on the cycloheteroalkyl. Specific examples of N-C_{1-3}-alkyl-cycloheteroalkyls include, but are not limited to, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-2-yl, N-methyl-piperidin-3-yl, and N-methyl-piperidin-4-yl. In the instance of R^4, the point of attachment between the cycloheteroalkyl ring carbon and the oxygen occurs at any one of m'

The term "heterocycle" refers to an unsubstituted or substituted heterocycle containing carbon, hydrogen, and at least one of N, O, and S, where the C and N can be trivalent or tetravalent, i.e., sp^2- or sp^3-hybridized. Examples of heterocycles include, but are not limited to, aziridine, azetidine, pyrrolidine, piperidine, imidazole, oxazole, piperazine, etc. In the instance of piperazine, as related to R^{10} for NR'_2, the corresponding opposite nitrogen atom of the piperazinyl is substituted by a lower alkyl represented by the following structure:



Preferably, the opposite nitrogen of the piperazinyl is substituted by a methyl group.

The term "halogenated alkyl" (or "haloalkyl") refers to an unbranched or branched chain alkyl comprising at least one of F, Cl, Br, and I. The term "C_{1-M} haloalkyl" refers to an alkyl comprising 1 to M carbon atoms that comprises at least one of F, Cl, Br, and I, where M is an integer having the following values: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30. "C_{1-3} haloalkyl" refers to a haloalkyl comprising 1 to 3 carbons and at least one of F, Cl, Br, and I. The term "halogenated lower alkyl" (or "lower haloalkyl") refers to a haloalkyl comprising 1 to 6

Gilead Exhibit 2015
PGR2023-00046 - Page 0027

carbon atoms and at least one of F, Cl, Br, and I. Examples include, but are not limited to, fluoromethyl, chloromethyl, bromomethyl, iodomethyl, difluoromethyl, dichloromethyl, dibromomethyl, diiodomethyl, trifluoromethyl, trichloromethyl, tribromomethyl, triiodomethyl, 1-fluoroethyl, 1-chloroethyl, 1-bromoethyl, 1-iodoethyl, 2-fluoroethyl, 2-chloroethyl, 2-bromoethyl, 2-iodoethyl, 2,2-difluoroethyl, 2,2-dichloroethyl, 2,2-dibromomethyl, 2-2-diiodomethyl, 3-fluoropropyl, 3-chloropropyl, 3-bromopropyl, 2,2,2-trifluoroethyl or 1,1,2,2,2-pentafluoroethyl.

The term "alkynyl" refers to an unbranched or branched hydrocarbon chain radical having from 2 to 10 carbon atoms, preferably 2 to 5 carbon atoms, and having one triple bond. The term "C_{2-N} alkynyl" refers to an alkynyl comprising 2 to N carbon atoms, where N is an integer having the following values: 3, 4, 5, 6, 7, 8, 9, or 10. The term "C C_{2-4} alkynyl" refers to an alkynyl comprising 2 to 4 carbon atoms. The term "C_{2-10} alkynyl" refers to an alkynyl comprising 2 to 10 carbons. Examples include, but are limited to, ethynyl, 1-propynyl, 2-propynyl, 1-butynyl, 2-butynyl or 3-butynyl.

The term "halogenated alkynyl" refers to an unbranched or branched hydrocarbon chain radical having from 2 to 10 carbon atoms, preferably 2 to 5 carbon atoms, and having one triple bond and at least one of F, Cl, Br, and I.

The term "cycloalkyl" refers to a saturated carbocyclic ring comprising 3 to 8 carbon atoms, i.e. cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl or cyclooctyl. The term "C_{3-7} cycloalkyl" as used herein refers to a cycloalkyl comprising 3 to 7 carbons in the carbocyclic ring.

The term "alkoxy" refers to an -O-alkyl group or an –O-cycloalkyl group, wherein alkyl and cycloalkyl are as defined above. Examples of –O-alkyl groups include, but are not limited to, methoxy, ethoxy, *n*-propyloxy, *i*-propyloxy, *n*-butyloxy, *i*-butyloxy, *t*-butyloxy. "Lower alkoxy" as used herein denotes an alkoxy group with a "lower alkyl" group as previously defined. "C_{1-10} alkoxy" refers to an-O-alkyl wherein alkyl is C_{1-10}. Examples of –O-cycloalkyl groups include, but are not limited to, -O-*c*-propyl, -O-*c*-butyl, -O-*c*-pentyl, and –O-*c*-hexyl.

Gilead Exhibit 2015
PGR2023-00046 - Page 0028

The term "halogenated alkoxy" refers to an –O-alkyl group in which the alkyl group comprises at least one of F, Cl, Br, and I.

The term "halogenated lower alkoxy" refers to an –O-(lower alkyl) group in which the lower alkyl group comprises at least one of F, Cl, Br, and I.

The term "amino acid" includes naturally occurring and synthetic α, β γ or δ amino acids, and includes but is not limited to, amino acids found in proteins, i.e. glycine, alanine, valine, leucine, isoleucine, methionine, phenylalanine, tryptophan, proline, serine, threonine, cysteine, tyrosine, asparagine, glutamine, aspartate, glutamate, lysine, arginine and histidine. In a preferred embodiment, the amino acid is in the L-configuration. Alternatively, the amino acid can be a derivative of alanyl, valinyl, leucinyl, isoleucinyl, prolinyl, phenylalaninyl, tryptophanyl, methioninyl, glycinyl, serinyl, threoninyl, cysteinyl, tyrosinyl, asparaginyl, glutaminyl, aspartoyl, glutaroyl, lysinyl, argininyl, histidinyl, β-alanyl, β-valinyl, β-leucinyl, β-isoleucinyl, β-prolinyl, β-phenylalaninyl, β-tryptophanyl, β-methioninyl, β-glycinyl, β-serinyl, β-threoninyl, β-cysteinyl, β-tyrosinyl, β-asparaginyl, β-glutaminyl, β-aspartoyl, β-glutaroyl, β-lysinyl, β-argininyl or β-histidinyl. When the term amino acid is used, it is considered to be a specific and independent disclosure of each of the esters of α, β γ or δ glycine, alanine, valine, leucine, isoleucine, methionine, phenylalanine, tryptophan, proline, serine, threonine, cysteine, tyrosine, asparagine, glutamine, aspartate, glutamate, lysine, arginine and histidine in the D and L-configurations.

The term "aminoacyl" includes N,N-unsubstituted, N,N-monosubstituted, and N,N-disubstituted derivatives of naturally occurring and synthetic α, β γ or δ amino acyls, where the amino acyls are derived from amino acids. The amino-nitrogen can be substituted or unsubstituted. When the amino-nitrogen is substituted, the nitrogen is either mono- or di-substituted, where the substituent bound to the amino-nitrogen is a lower alkyl or an alkaryl. In the instance of its use for Y, the expression "O(aminoacyl)" is used. It is understood that the C3' carbon of the ribose is bound to the oxygen "O", which is then bound to the carbonyl carbon of the aminoacyl.

Gilead Exhibit 2015
PGR2023-00046 - Page 0029

The terms "alkylamino" or "arylamino" refer to an amino group that has one or two alkyl or aryl substituents, respectively.

The term "protected," as used herein and unless otherwise defined, refers to a group that is added to an oxygen, nitrogen, or phosphorus atom to prevent its further reaction or for other purposes. A wide variety of oxygen and nitrogen protecting groups are known to those skilled in the art of organic synthesis. Non-limiting examples include: C(O)-alkyl, C(O)Ph, C(O)aryl, CH_3, CH_2-alkyl, CH_2-alkenyl, CH_2Ph, CH_2-aryl, CH_2O-alkyl, CH_2O-aryl, SO_2-alkyl, SO_2-aryl, *tert*-butyldimethylsilyl, *tert*-butyldiphenylsilyl, and 1,3-(1,1,3,3-tetraisopropyldisiloxanylidene).

The term "aryl," as used herein, and unless otherwise specified, refers to substituted or unsubstituted phenyl (Ph), biphenyl, or naphthyl, preferably the term aryl refers to substituted or unsubstituted phenyl. The aryl group can be substituted with one or more moieties selected from among hydroxyl, F, Cl, Br, I, amino, alkylamino, arylamino, alkoxy, aryloxy, nitro, cyano, sulfonic acid, sulfate, phosphonic acid, phosphate, and phosphonate, either unprotected, or protected as necessary, as known to those skilled in the art, for example, as taught in T.W. Greene and P.G. M. Wuts, "Protective Groups in Organic Synthesis," 3rd ed., John Wiley & Sons, 1999.

The terms "alkaryl" or "alkylaryl" refer to an alkyl group with an aryl substituent, such as benzyl. The terms "aralkyl" or "arylalkyl" refer to an aryl group with an alkyl substituent.

The term "di(lower alkyl)amino-lower alkyl" refers to a lower alkyl substituted by an amino group that is itself substituted by two lower alkyl groups. Examples include, but are not limited to, $(CH_3)_2NCH_2$, $(CH_3)_2NCH_2CH_2$, $(CH_3)_2NCH_2CH_2CH_2$, etc. The examples above show lower alkyls substituted at the terminus carbon atom with an N,N-dimethyl-amino substituent. These are intended as examples only and are not intended to limit the meaning of the term "di(lower alkyl)amino-lower alkyl" so as to require the same. It is contemplated that the lower alkyl chain can be substituted with an N,N-di(lower alkyl)-amino at any point along the chain, e.g., CH_3CH(N-(lower alkyl)$_2$)CH_2CH_2.

Gilead Exhibit 2015
PGR2023-00046 - Page 0030

The term "halo," as used herein, includes chloro, bromo, iodo and fluoro.

The term "acyl" refers to a substituent containing a carbonyl moiety and a non-carbonyl moiety. The carbonyl moiety contains a double-bond between the carbonyl carbon and a heteroatom, where the heteroatom is selected from among O, N and S. When the heteroatom is N, the N is substituted by a lower alkyl. The non-carbonyl moiety is selected from straight, branched, and cyclic alkyl, which includes, but is not limited to, a straight, branched, or cyclic C_{1-20} alkyl, C_{1-10} alkyl, or lower alkyl; alkoxyalkyl, including methoxymethyl; aralkyl, including benzyl; aryloxyalkyl, such as phenoxymethyl; or aryl, including phenyl optionally substituted with halogen (F, Cl, Br, I), hydroxyl, C_1 to C_4 alkyl, or C_1 to C_4 alkoxy, sulfonate esters, such as alkyl or aralkyl sulphonyl, including methanesulfonyl, the mono, di or triphosphate ester, trityl or monomethoxytrityl, substituted benzyl, trialkylsilyl (e.g. dimethyl-t-butylsilyl) or diphenylmethylsilyl. When at least one aryl group is present in the non-carbonyl moiety, it is preferred that the aryl group comprises a phenyl group.

The term "lower acyl" refers to an acyl group in which the non-carbonyl moiety is lower alkyl.

The term "purine" or "pyrimidine" base includes, but is not limited to, adenine, N^6-alkylpurines, N^6-acylpurines (wherein acyl is C(O)(alkyl, aryl, alkylaryl, or arylalkyl), N^6-benzylpurine, N^6-halopurine, N^6-vinylpurine, N^6-acetylenic purine, N^6-acyl purine, N^6-hydroxyalkyl purine, N^6-allcylaminopurine, N^6-thioallcyl purine, N^2-alkylpurines, N^2-alkyl-6-thiopurines, thymine, cytosine, 5-fluorocytosine, 5-methylcytosine, 6-azapyrimidine, including 6-azacytosine, 2- and/or 4-mercaptopyrmidine, uracil, 5-halouracil, including 5-fluorouracil, C^5-alkylpyrimidines, C^5-benzylpyrimidines, C^5-halopyrimidines, C^5-vinylpyrimidine, C^5-acetylenic pyrimidine, C^5-acyl pyrimidine, C^5-hydroxyalkyl purine, C^5-amidopyrimidine, C^5-cyanopyrimidine, ,C^5-iodopyrimidine, C^6-lodo-pyrimidine, C^5-Br-vinyl pyrimidine, C^6-Br-vinyl pyrimidine, C^5-nitropyrimidine, C^5-amino-pyrimidine, N^2-alkylpurines, N^2-alkyl-6-thiopurines, 5-azacytidinyl, 5-azauracilyl, triazolopyridinyl, imidazolopyridinyl, pyrrolopyrimidinyl, and pyrazolopyrimidinyl. Purine bases include, but are not limited to, guanine, adenine,

Gilead Exhibit 2015
PGR2023-00046 - Page 0031


hypoxanthine, 2,6-diaminopurine, and 6-chloropurine. Functional oxygen and nitrogen groups on the base can be protected as necessary or desired. Suitable protecting groups are well known to those skilled in the art, and include trimethylsilyl, dimethylhexylsilyl, *t*-butyldimethylsilyl, and *t*-butyldiphenylsilyl, trityl, alkyl groups, and acyl groups such as acetyl and propionyl, methanesulfonyl, and p-toluenesulfonyl.

The term "tautomerism" and "tautomers" have their accepted plain meanings.

The term "P*" means that the phosphorous atom is chiral and that it has a corresponding Cahn-Ingold-Prelog designation of "R" or "S" which have their accepted plain meanings. It is contemplated that compounds of the formula I are racemic because the chirality at phosphorous. Applicants contemplate use of the racemate and/or the resolved enantiomers. In some instances, an asterisk does not appear next to the phosphoroamidate phosphorous atom. In these instances, it is understood that the phosphorous atom is chiral and that one of ordinary skill understands this to be so unless the substituents bound to the phosphorous exclude the possibility of chirality at phosphorous, such as in $P(O)Cl_3$.

DETAILED DESCRIPTION OF THE INVENTION

An aspect of the invention is directed to a compound, its salts, hydrates, solvates, crystalline forms, and the like represented by formula I:



wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are

Gilead Exhibit 2015
PGR2023-00046 - Page 0032

optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is $-OR'$ or $-N(R^{1'})_2$);

(b) R^2 is hydrogen, C_{1-10} alkyl, R^{3a} or R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, $C(O)CR^{3a}R^{3b}NHR^1$, where n is 2 to 4 and R^1, R^{3a}, and R^{3b};

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_cCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is $-OR'$ or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is $-OR'$ or $-N(R^{3'})_2$);

Gilead Exhibit 2015
PGR2023-00046 - Page 0033

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-4}$ acyl)$_2$;

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:

Gilead Exhibit 2015
PGR2023-00046 - Page 0034



a b c d

wherein

Z is N or CR^{12};

R^7, R^8,R^9, R^{10}, and $R^{11}$are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH_2, NHR', NR'$_2$, lower alkyl of C_1-C_6, halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6, lower alkenyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkenyl of C_2-C_6, lower alkynyl of C_2-C_6 such as C≡CH, halogenated (F, Cl, Br, I) lower alkynyl of C_2-C_6, lower alkoxy of C_1-C_6, halogenated (F, Cl, Br, I) lower alkoxy of C_1-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$,

wherein R' is an optionally substituted alkyl , which includes, but is not limited to, an optionally substituted C_{1-20} alkyl, an optionally substituted C_{1-10} alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C_2-C_6, an optionally substituted lower alkenyl of C_2-C_6, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C_{1-20} alkyl), C(O)(C_{1-10} alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and


R^{12} is H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH_2, NHR', NR'$_2$, NO_2 lower alkyl of C_1-C_6, halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6, lower alkenyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkenyl of C_2-C_6 , lower alkynyl of C_2-C_6,

Gilead Exhibit 2015
PGR2023-00046 - Page 0035

halogenated (F, Cl, Br, I) lower alkynyl of C_2-C_6, lower alkoxy of C_1-C_6, halogenated (F, Cl, Br, I) lower alkoxy of C_1-C_6, CO_2H, CO_2R', $CONH_2$, $CONHR'$, $CONR'_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$; with the proviso that when base is represented by the structure c with R^{11} being hydrogen, R^{12} is not a: (i) $-C{\equiv}C-H$, (ii) $-C{=}CH_2$, or (iii) $-NO_2$.

As can be appreciated from the structure represented by formula **I** above, there are myriad ways to express the several embodiments and aspects of each embodiment of the present invention. As seen below, the inventors have disclosed certain embodiments directed to the compound of formula **I**, each having several aspects, based on the identity of the modified purine or pyrimidine base. This is not intended to be an explicit or implicit admission that the three embodiments are independent or distinct nor should it be interpreted as such. Rather, it is intended to convey information so that the full breadth of the present invention can be understood. Furthermore, the following embodiments, and aspects thereof, are not meant to be limiting on the full breadth of the invention as recited by the structure of formula **I**.

A first embodiment of the invention is directed to a compound represented by formula **I-1**:



I-1

Gilead Exhibit 2015
PGR2023-00046 - Page 0036

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is –OR' or $-N(R^{1'})_2$);

(b) R^2 is hydrogen, C_{1-10} alkyl, R^{3a} or R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, $C(O)CR^{3a}R^{3b}NHR^1$, where n is 2 to 4 and R^1, R^{3a}, and R^{3b};

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_cCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-

Gilead Exhibit 2015
PGR2023-00046 - Page 0037

Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is –OR' or $-N(R^{3'})_2$;

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)-amino, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$

Gilead Exhibit 2015
PGR2023-00046 - Page 0038

alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-4}$ acyl)$_2$;

(i) R^7, R^8,R^9 are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH_2, NHR', NR'$_2$, lower alkyl, halogenated (F, Cl, Br, I) lower alkyl, lower alkenyl of C_2-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl.

A first aspect of the first embodiment is directed to a compound represented by formula **I-1**

wherein

(a) R^1 is hydrogen, n-alkyl or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are independently (i) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 3 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), or CH_2SH and R^{3b} is H;

Gilead Exhibit 2015
PGR2023-00046 - Page 0039

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, CN, CH_3, vinyl, OCH_3, OCH_2CH_3, CH_2OH, CH_2(halo), such as CH_2F, N_3, CH_2CN, CH_2N_3, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I, with the provisos that when X is OH , base is cytosine and R^6 is H, R^5 cannot be N_3;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, vinyl, N_3, CN, Cl, Br, F, I, O(C_{1-6} acyl), O(C_{1-4} alkyl), NH_2, NH(C_{1-4} alkyl), NH(C_{2-4} alkenyl), NH(C_{2-4} alkynyl), NH(C_{1-4} acyl), N(C_{1-4} alkyl)$_2$, N(C_{1-18} acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, OC(O)O(C_{1-4} alkyl), OC(O)O(C_{1-4} alkyl), OC(O)O(C_{2-4} alkynyl), OC(O)O(C_{2-4} alkenyl), OC_{1-4} haloalkyl, O(aminoacyl), O(C_{1-4} acyl), O(C_{1-4} alkyl), O(C_{2-4} alkenyl), S(C_{1-4} acyl), S(C_{1-4} alkyl), S(C_{2-4} alkynyl), S(C_{2-4} alkenyl), SO(C_{1-4} acyl), SO(C_{1-4} alkyl), SO(C_{2-4} alkynyl), SO(C_{2-4} alkenyl), SO_2(C_{1-4} acyl), SO_2(C_{1-4} alkyl), SO_2(C_{2-4} alkynyl), SO_2(C_{2-4} alkenyl), $OS(O)_2$(C_{1-4} acyl), $OS(O)_2$(C_{1-4} alkyl), $OS(O)_2$(C_{2-4} alkenyl), NH_2, NH(C_{1-4} alkyl), NH(C_{2-4} alkenyl), NH(C_{2-4} alkynyl), NH(C_{1-4} acyl), N(C_{1-4} alkyl)$_2$, or N(C_{1-4} acyl)$_2$;

(i) R^7, R^8,R^9 are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH_2, NHR', NR'$_2$, lower alkyl, halogenated (F, Cl, Br, I) lower alkyl, lower alkenyl of C_2-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl.

A second aspect of the first embodiment is directed to a compound represented by formula **I-1**

wherein

Gilead Exhibit 2015
PGR2023-00046 - Page 0040

(a) R^1 is hydrogen, n-alkyl or a substituted or unsubstituted phenyl, where the substitutent of the substituted phenyl is at least one of a C_{1-3} alkyl, a C_{1-3} alkoxy, F, Cl, Br, I, nitro, cyano, and a C_{1-3} haloalkyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are independently (i) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 3 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), or CH_2SH and R^{3b} is H;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, di(lower alkyl)amino-lower alkyl, or aminoacyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2(halo), such as CH_2F, N_3, CH_2CN, CH_2N_3, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I, with the provisos that when X is OH , base is cytosine and R^6 is H, R^5 cannot be N_3;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, NH_2, or N_3;

Gilead Exhibit 2015
PGR2023-00046 - Page 0041

(h) Y is OH, H, CH_3, vinyl, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3, NH_2, $NHCH_3$, NH(vinyl), NH(acetyl), $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$, or O(aminoacyl);

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$; and

(j) R^9 is selected from among OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, OC(O)(C1-20 alkyl), which include but are not limited to $OC(O)(CH_2)_sCH_3$, NHC(O)(C1-20 alkyl), which include but are not limited to $NHC(O)(CH_2)_sCH_3$, and $N(C(O)(CH_2)_sCH_3)_2$, which include but is not limited to $N(C(O)(CH_2)_sCH_3)_2$, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

A third aspect of the first embodiment is directed to a compound represented by formula **I-1**

wherein

(a) R^1 is hydrogen, n-alkyl or a substituted or unsubstituted phenyl, where the substitutent of the substituted phenyl is at least one of a CH_3, OCH_3, F, Cl, Br, I, nitro, cyano, and a $CH_{3-q}X_q$, where X is F, Cl, Br, or I, and q is 1-3;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, $CH_2((4'\text{-}OH)\text{-}Ph)$, CH_2SH, or lower cycloalkyl or R^{3a} is CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, $CH_2((4'\text{-}OH)\text{-}Ph)$, CH_2SH, or lower cycloalkyl and R^{3b} is H;

Gilead Exhibit 2015
PGR2023-00046 - Page 0042

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, lower haloalkyl, di(lower alkyl)amino-lower alkyl, or aminoacyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2(halo), such as CH_2F, N_3, CH_2CN, CH_2N_3, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I, with the provisos that when X is OH , base is cytosine and R^6 is H, R^5 cannot be N_3;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, NH_2, or N_3;


(h) Y is OH, H, CH_3, vinyl, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3, NH_2, $NHCH_3$, NH(vinyl), NH(acetyl), $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$, or O(aminoacyl);

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl'; and

(j) R^9 is selected from among OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, OC(O)(C1-20 alkyl), which include but are not limited to $OC(O)(CH_2)_sCH_3$, NHC(O)(C1-20 alkyl), which include but are not limited to $NHC(O)(CH_2)_sCH_3$, and $N(C(O)(CH_2)_sCH_3)_2$, which include but is not limited to $N(C(O)(CH_2)_sCH_3)_2$, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

A fourth aspect of the first embodiment is directed to a compound represented by formula **I-2**

Gilead Exhibit 2015
PGR2023-00046 - Page 0043



I-2

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, or a substituted or unsubstituted phenyl, where the substitutent of the substituted phenyl is at least one of a CH_3, OCH_3, F, Cl, Br, I, nitro, cyano, and a $CH_{3-q}X_q$, where X is F, Cl, Br, or I, and q is 1-3;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl or R^{3a} is CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H;

Gilead Exhibit 2015
PGR2023-00046 - Page 0044

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, N_3, CH_2CN, CH_2N_3, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I, with the provisos that when X is OH , base is cytosine and R^6 is H, R^5 cannot be N_3;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3, NH_2, $NHCH_3$, NH(vinyl), NH(acetyl), $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$, or O(aminoacyl);

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl; and

(j) R^9 is selected from among OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, OC(O)(C1-20 alkyl), which include but are not limited to $OC(O)(CH_2)_sCH_3$, NHC(O)(C1-20 alkyl), which include but are not limited to $NHC(O)(CH_2)_sCH_3$, and and $N(C(O)(CH_2)_sCH_3$, which include but is not limited to $N(C(O)(CH_2)_sCH_3)_2$, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

A fifth aspect of the first embodiment is directed to a compound represented by formula **I-2**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 0045

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, lower haloalkyl, di(lower alkyl)amino-lower alkyl, or aminoacyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3, or O(aminoacyl);

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl; and

(j) R^9 is selected from among OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, $OC(O)(C_{1-20}$ alkyl), which include but are not limited to $OC(O)(CH_2)_sCH_3$, $NHC(O)(C_{1-20}$ alkyl), which include but are not limited to $NHC(O)(CH_2)_sCH_3$, and $N(C(O)(CH_2)_sCH_3)_2$, which include but is not limited to $N(C(O)(CH_2)_sCH_3)_2$, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

A sixth aspect of the first embodiment is directed to a compound represented by formula **I-2**

Gilead Exhibit 2015
PGR2023-00046 - Page 0046

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, $C_{1\text{-}10}$ alkyl, $C_{1\text{-}10}$ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, $C_{1\text{-}10}$ haloalkyl, $C_{3\text{-}10}$ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, OMe, CN, CH_2F, F, Cl, Br, or I;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, or N_3;

(h) Y is H, OH, CH_3, F, Cl, Br, I, or N_3, OCH_3, $OC(O)CH_3$, or O(aminoacyl);

(i) R^7 and R^8 are independently H, F, Br, SCH_3, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$; and

(j) R^9 is selected from among OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, $OC(O)(C_{1\text{-}20}$ alkyl), which include but are not limited to $OC(O)(CH_2)_sCH_3$, $NHC(O)(C_{1\text{-}20}$ alkyl), which include but are not limited to $NHC(O)(CH_2)_sCH_3$, and $N(C(O)(CH_2)_sCH_3)_2$, which include but is not limited to $N(C(O)(CH_2)_sCH_3)_2$, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

A seventh aspect of the first embodiment is directed to a compound represented by formula **I-2**

wherein

Gilead Exhibit 2015
PGR2023-00046 - Page 0047

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, or N_3;

(h) Y is OH, OCH_3, $OC(O)CH_3$, or O(aminoacyl);

(i) R^7 and R^8 are independently H, F, Br, SCH_3, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$; and

(j) R^9 is selected from among OH, OCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, $OC(O)(C_{1-20}$ alkyl), which include but are not limited to $OC(O)(CH_2)_sCH_3$, $NHC(O)(C_{1-20}$ alkyl), which include but are not limited to $NHC(O)(CH_2)_sCH_3$, and $N(C(O)(CH_2)_sCH_3)_2$, which include but is not limited to $N(C(O)(CH_2)_sCH_3)_2$, where s is an integer selected from among 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

An eighth aspect of the first embodiment is directed to a compound represented by formula **I-2**

wherein

Gilead Exhibit 2015
PGR2023-00046 - Page 0048

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, or N_3;

(h) Y is OH, OCH_3, $OC(O)CH_3$, or O(aminoacyl);

(i) R^7 and R^8 are independently H, F, Br, SCH_3, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$;


(j) R^9 is selected from among OH, OCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, $OC(O)(C_{1-20}$ alkyl), which include but are not limited to $OC(O)(CH_2)_sCH_3$, $NHC(O)(C_{1-20}$ alkyl), which include but are not limited to $NHC(O)(CH_2)_sCH_3$, and $N(C(O)(CH_2)_sCH_3)_2$, which include but is not limited to $N(C(O)(CH_2)_sCH_3)_2$, where s is an integer selected from among 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

A second embodiment of the invention is directed to a compound represented by formula **I** in which the base is a structure represented by formula **b** above, wherein R^1, R^2, R^{3a}, R^{3b}, R^4, R^5, R^6, X, Y, R^7, and R^8 are defined in the Summary of the Invention section above.

A first aspect of the second embodiment is directed to a compound represented by

Gilead Exhibit 2015
PGR2023-00046 - Page 0049

formula **I-3**



I-3

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is –OR' or $-N(R^{1'})_2$);

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_cCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are

Gilead Exhibit 2015
PGR2023-00046 - Page 0050

$(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$; (vi) R^{3a} is H and R^{3b} is H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is –OR' or $-N(R^{3'})_2$;

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl),

Gilead Exhibit 2015
PGR2023-00046 - Page 0051

$S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, or $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, or $N(C_{1-4}$ acyl)$_2$;

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH_2, NHR', NR'$_2$, lower alkyl, halogenated (F, Cl, Br, I) lower alkyl, lower alkenyl of C_2-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl.

The second aspect of the second embodiment is directed to a compound represented by formula **I-3**

wherein

(a) R^1 is hydrogen, n-alkyl or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are independently (i) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 3 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$); (vi)

Gilead Exhibit 2015
PGR2023-00046 - Page 0052

R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), or CH_2SH and R^{3b} is H;

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, CN, CH_3, vinyl, OCH_3, OCH_2CH_3, CH_2OH, CH_2(halo), such as CH_2F, N_3, CH_2CN, CH_2N_3, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, vinyl, N_3, CN, Cl, Br, F, I, $O(C_{1-6}$ acyl), $O(C_{1-4}$ alkyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-4}$ acyl)$_2$;

Gilead Exhibit 2015
PGR2023-00046 - Page 0053

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH_2, NHR', NR'$_2$, lower alkyl, halogenated (F, Cl, Br, I) lower alkyl, lower alkenyl of C_2-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl.

The third aspect of the second embodiment is directed to a compound represented by formula **I-3**

wherein

(a) R^1 is hydrogen, n-alkyl or a substituted or unsubstituted phenyl, where the substitutent of the substituted phenyl is at least one of a C_{1-3} alkyl, a C_{1-3} alkoxy, F, Cl, Br, I, nitro, cyano, and a C_{1-3} haloalkyl;

(b) R^2 is hydrogen, CH_3, R^{3a} or R^{3b} and R^2 together are $(CH_2)_3$ so as to form a cyclic ring that includes the adjoining N and C atoms, $C(O)CR^{3a}R^{3b}NHR^1$, where n is 2 to 4 and R^1, R^{3a}, and R^{3b} are as defined herein;

(c) R^{3a} and R^{3b} are independently (i) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 3 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-

Gilead Exhibit 2015
PGR2023-00046 - Page 0054

methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2(halo), such as CH_2F, N_3, CH_2CN, CH_2N_3, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, halogen, NH_2, or N_3

(h) Y is OH, H, CH_3, vinyl, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3, NH_2, $NHCH_3$, NH(vinyl), NH(acetyl), $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$;

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$.

The fourth aspect of the second embodiment is directed to a compound represented by formula **I-3**

wherein

(a) R^1 is hydrogen, n-alkyl or a substituted or unsubstituted phenyl, where the substitutent of the substituted phenyl is at least one of a CH_3, OCH_3, F, Cl, Br, I, nitro, cyano, and a $CH_{3-q}X_q$, where X is F, Cl, Br, or I, and q is 1-3;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl or R^{3a} is CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, -

Gilead Exhibit 2015
PGR2023-00046 - Page 0055

$CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2(halo), such as CH_2F, N_3, CH_2CN, CH_2N_3, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;


(g) X is H, OH, F, OCH_3, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3, NH_2, $NHCH_3$, NH(vinyl), NH(acetyl), $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$;

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl.

The fifth aspect of the second embodiment is directed to a compound represented by formula **I-4**

Gilead Exhibit 2015
PGR2023-00046 - Page 0056



I-4

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, or a substituted or unsubstituted phenyl, where the substitutent of the substituted phenyl is at least one of a CH_3, OCH_3, F, Cl, Br, I, nitro, cyano, and a $CH_{3-q}X_q$, where X is F, Cl, Br, or I, and q is 1-3;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl or R^{3a} is CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 0057

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, N_3, CH_2CN, CH_2N_3, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3, NH_2, $NHCH_3$, NH(vinyl), NH(acetyl), $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$;

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl,

The sixth aspect of the second embodiment is directed to a compound represented by formula **I-4**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 0058

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, NH_2, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3;

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3, SH, SCH_3, NH_2, $NHCH_3$, $N(CH_3)_2$, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl.

The seventh aspect of the second embodiment is directed to a compound represented by formula **I-4**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, OMe, CN, CH_2F, F, Cl, Br, or I;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, NH_2 or N_3;

Gilead Exhibit 2015
PGR2023-00046 - Page 0059

(h) Y is H, OH, CH_3, F, Cl, Br, I, NH_2 or N_3, OCH3, or $OC(O)CH_3$;

(i) R^7 and R^8 are independently H, F, Br, SCH_3, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$;

The eighth aspect of the second embodiment is directed to a compound represented by formula **I-4**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^7 and R^8 are independently H, F, Br, SCH_3, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$.

The ninth aspect of the second embodiment is directed to a compound represented by formula **I-4**

Gilead Exhibit 2015
PGR2023-00046 - Page 0060

wherein

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, or N_3;


(h) Y is OH, OCH_3, or $OC(O)CH_3$;

(i) R^7 and R^8 are independently H, F, Br, SCH_3, CH_3, $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2CH_3, $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$.

A third embodiment of the invention is directed to a compound represented by formula I in which the base is a structure represented by formula c above, wherein R^1, R^2, R^{3a}, R^{3b}, R^4, R^5, R^6, X, Y, Z, R^{10}, R^{11}, and R^{12} are defined in the Summary of the Invention section above; with the proviso that R^{11} is not H.

A first aspect of the third embodiment is directed to a compound represented by formula **I-5**

Gilead Exhibit 2015
PGR2023-00046 - Page 0061



I-5

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is –OR' or $-N(R^{1'})_2$);

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_eCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen

Gilead Exhibit 2015
PGR2023-00046 - Page 0062

or C_{1-6} alkyl and $R^{3'}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is from H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is –OR' or $-N(R^{3'})_2$);

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl),

Gilead Exhibit 2015
PGR2023-00046 - Page 0063

$SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-4}$ acyl)$_2$;

(i) R^{10} and R^{11} are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH_2, NHR', NR'$_2$, lower alkyl of C_1-C_6, halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6, lower alkenyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkenyl of C_2-C_6, lower alkynyl of C_2-C_6 such as C≡CH, halogenated (F, Cl, Br, I) lower alkynyl of C_2-C_6, lower alkoxy of C_1-C_6, halogenated (F, Cl, Br, I) lower alkoxy of C_1-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$, with the proviso that when R^{10} is OH and R^{11} is not NH_2;

wherein R' is an optionally substituted alkyl , which includes, but is not limited to, an optionally substituted C_{1-20} alkyl, an optionally substituted C_{1-10} alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C_2-C_6, an optionally substituted lower alkenyl of C_2-C_6, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, $C(O)(C_{1-20}$ alkyl), $C(O)(C_{1-10}$ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH_2, NHR', NR'$_2$, NO_2 lower alkyl of C_1-C_6, halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6, lower alkenyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkenyl of C_2-C_6 , lower alkynyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkynyl of C_2-C_6, lower alkoxy of C_1-C_6, halogenated (F,

Gilead Exhibit 2015
PGR2023-00046 - Page 0064

Cl, Br, I) lower alkoxy of C_1-C_6, CO_2H, CO_2R', $CONH_2$, $CONHR'$, $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A second aspect of the third embodiment is directed to a compound represented by formula **I-5**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, $CH_2((4'\text{-}OH)\text{-}Ph)$, CH_2SH, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H.

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, NH_2, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3;

(i) R^{10} and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'_2, CO_2R', $CONH_2$, $CONHR'$, $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$, with the proviso that when R^{10} is OH and R^{11} is not NH_2;

Gilead Exhibit 2015
PGR2023-00046 - Page 0065

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'_2, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A third aspect of the third embodiment is directed to a compound represented by formula **I-5**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_2F, F, Cl, Br, or I; with the proviso that X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, NH_2 or N_3;

(h) Y is H, OH, CH_3, F, Cl, Br, I, NH_2 or N_3, OCH_3, or $OC(O)CH_3$;

Gilead Exhibit 2015
PGR2023-00046 - Page 0066

(i) R^{10} and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, CH=CHCO$_2$H, or CH=CHCO$_2$R', with the proviso that when R^{10} is OH and R^{11} is not NH_2;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, CH=CHCO$_2$H, or CH=CHCO$_2$R'.

A fourth aspect of the third embodiment is directed to a compound represented by formula I-5

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

Gilead Exhibit 2015
PGR2023-00046 - Page 0067

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$, with the proviso that when R^{10} is OH and R^{11} is not NH_2;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A fifth aspect of the third embodiment is directed to a compound represented by formula **I-5**

wherein

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 0068

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'_2, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$, with the proviso that when R^{10} is OH and R^{11} is not NH_2;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'_2, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A sixth aspect of the third embodiment is directed to a compound represented by formula **I-5**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 0069

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H.

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, NH_2, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3;

(i) R^{10} is NH_2 and R^{11} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A seventh aspect of the third embodiment is directed to a compound represented by formula **I-5**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

Gilead Exhibit 2015
PGR2023-00046 - Page 0070

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_2F, F, Cl, Br, or I; with the proviso that X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, NH_2 or N_3;

(h) Y is H, OH, CH_3, F, Cl, Br, I, NH_2 or N_3, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is NH_2 and R^{11} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$.

An eighth aspect of the third embodiment is directed to a compound represented by formula **I-5**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 0071

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is NH_2 and R^{11} is H, F, Br, I, OH, OR', NH_2, NHR', NR'_2, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'_2, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A ninth aspect of the third embodiment is directed to a compound represented by formula **I-5**

wherein

Gilead Exhibit 2015
PGR2023-00046 - Page 0072

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, or N-methyl-pyrrolidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is NH_2 and R^{11} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$;


wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A tenth aspect of the third embodiment is directed to a compound represented by formula **I-6**

Gilead Exhibit 2015
PGR2023-00046 - Page 0073



I-6

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is $-OR'$ or $-N(R^{1'})_2$);

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_cCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen

Gilead Exhibit 2015
PGR2023-00046 - Page 0074

or C_{1-6} alkyl and $R^{3'}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3'}$ is –OR' or $-N(R^{3'})_2$);

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl),

Gilead Exhibit 2015
PGR2023-00046 - Page 0075

$SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl$)_2$, $N(C_{1-18}$ acyl$)_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl$)_2$, $N(C_{1-4}$ acyl$)_2$;

(i) R^{10} and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2$R', with the proviso that when R^{10} is OH and R^{11} is not NH_2;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2$R'.

An eleventh aspect of the third embodiment is directed to a compound represented by formula **I-6**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH,

Gilead Exhibit 2015
PGR2023-00046 - Page 0076

$CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^iPr, ^nPr, ^nBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, NH_2, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3;

(i) R^{10} and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'_2, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$, with the proviso that when R^{10} is OH and R^{11} is not NH_2;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'_2, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A twelvth aspect of the third embodiment is directed to a compound represented by formula **I-6**

wherein

Gilead Exhibit 2015
PGR2023-00046 - Page 0077

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_2F, F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, NH_2 or N_3;

(h) Y is H, OH, CH_3, F, Cl, Br, I, NH_2 or N_3, OCH_3, or $OC(O)CH_3$;

(i) R^{10} and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$, with the proviso that when R^{10} is OH and R^{11} is not NH_2;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is a H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$.

A thirteenth aspect of the third embodiment is directed to a compound represented

Gilead Exhibit 2015
PGR2023-00046 - Page 0078

by formula **I-6**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$, with the proviso that when R^{10} is OH and R^{11} is not NH_2;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

Gilead Exhibit 2015
PGR2023-00046 - Page 0079

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A fourteenth aspect of the third embodiment is directed to a compound represented by formula **I-6**

wherein

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$, with the proviso that when R^{10} is OH and R^{11} is not NH_2;

Gilead Exhibit 2015
PGR2023-00046 - Page 0080

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'_2, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A fifteenth aspect of the third embodiment is directed to a compound represented by formula **I-6**

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is –OR' or $-N(R^{1'})_2$);

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_eCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen

Gilead Exhibit 2015
PGR2023-00046 - Page 0081

or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is –OR' or $-N(R^{3'})_2$);

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl),

Gilead Exhibit 2015
PGR2023-00046 - Page 0082

$SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-4}$ acyl)$_2$;

(i) R^{10} is NH_2 and R^{11} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2$R';

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2$R'.

An sixteenth aspect of the third embodiment is directed to a compound represented by formula **I-6**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH,

Gilead Exhibit 2015
PGR2023-00046 - Page 0083

$CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, NH_2, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3;

(i) R^{10} is NH_2 and R^{11} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A seventeenth aspect of the third embodiment is directed to a compound represented by formula **I-6**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 0084

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_2F, F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, NH_2 or N_3;

(h) Y is H, OH, CH_3, F, Cl, Br, I, NH_2 or N_3, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is NH_2 and R^{11} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$.

An eighteenth aspect of the third embodiment is directed to a compound represented by formula **I-6**

wherein

Gilead Exhibit 2015
PGR2023-00046 - Page 0085

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is NH_2 and R^{11} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, CH=CHCO_2H, or CH=CHCO_2R';

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, CH=CHCO_2H, or CH=CHCO_2R'.

A ninteenth aspect of the third embodiment is directed to a compound represented by formula **I-6**

Gilead Exhibit 2015
PGR2023-00046 - Page 0086

wherein

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is NH_2 and R^{11} are independently H, F, Br, I, OH, OR', NH_2, NHR', NR'_2, CO_2R', $CONH_2$, CONHR', $CONR'_2$, CH=CHCO$_2$H, or CH=CHCO$_2$R';

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and


(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'_2, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', $CONR'_2$, CH=CHCO$_2$H, or CH=CHCO$_2$R'.

Gilead Exhibit 2015
PGR2023-00046 - Page 0087

A fourth embodiment of the invention is directed to a compound represented by formula I in which the base is a structure represented by formula c above, where R^{11} is H and R^2, R^{3a}, R^{3b}, R^4, R^5, R^6, X, and Y are defined in the Summary of the Invention section above.

A first aspect of the fourth embodiment is directed to a compound represented by formula I-7



I-7

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is $-OR^{1'}$ or $-N(R^{1'})_2$);

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -

Gilead Exhibit 2015
PGR2023-00046 - Page 0088

$(CH_2)_cCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is –OR' or $-N(R^{3'})_2$);

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

Gilead Exhibit 2015
PGR2023-00046 - Page 0089

(g) X is H, OH, F, OMe, halogen, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-4}$ acyl)$_2$;

(i) R^{10} is H, F, Cl, Br, I, OH, OR', SH, SR', NH_2, NHR', NR'$_2$, lower alkyl of C_1-C_6, halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6, lower alkenyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkenyl of C_2-C_6, lower alkynyl of C_2-C_6 such as C≡CH, halogenated (F, Cl, Br, I) lower alkynyl of C_2-C_6, lower alkoxy of C_1-C_6, halogenated (F, Cl, Br, I) lower alkoxy of C_1-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$,

wherein R' is an optionally substituted alkyl , which includes, but is not limited to, an optionally substituted C_{1-20} alkyl, an optionally substituted C_{1-10} alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C_2-C_6, an optionally substituted lower alkenyl of C_2-C_6, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, $C(O)(C_{1-20}$ alkyl), $C(O)(C_{1-10}$ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

Gilead Exhibit 2015
PGR2023-00046 - Page 0090

(j) Z is N or CR^{12}; and

R^{12} is H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH_2, NHR', NR'$_2$, NO_2 lower alkyl of C_1-C_6, halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6, lower alkenyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkenyl of C_2-C_6 , lower alkynyl of C_2-C_6, halogenated (F, Cl, Br, I) lower alkynyl of C_2-C_6, lower alkoxy of C_1-C_6, halogenated (F, Cl, Br, I) lower alkoxy of C_1-C_6, CO_2H, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$; with the proviso that R^{12} is not a: (i) –C≡C–H, (ii) –$C=CH_2$, or (iii) $–NO_2$.

A second aspect of the fourth embodiment is directed to a compound represented by formula I-7

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H.

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

Gilead Exhibit 2015
PGR2023-00046 - Page 0091

(g) X is H, OH, F, OCH_3, halogen, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, NH_2, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3;

(i) R^{10} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$,

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$; with the proviso that R^{12} is not a: (i) $-C\equiv C-H$, (ii) $-C=CH_2$, or (iii) $-NO_2$.

A third aspect of the third embodiment is directed to a compound represented by formula **I-7**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 0092

(e) R^5 is H, CN, CH_2F, F, Cl, Br, or I; with the proviso that X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, NH_2 or N_3;

(h) Y is H, OH, CH_3, F, Cl, Br, I, NH_2 or N_3, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$,

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$; with the proviso that R^{12} is not a: (i) $-C\equiv C-H$, (ii) $-C=CH_2$, or (iii) $-NO_2$.

A fourth aspect of the fourth embodiment is directed to a compound represented by formula **I-7**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-

Gilead Exhibit 2015
PGR2023-00046 - Page 0093

methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} and R^{11} H, F, Br, I, OH, OR', NH_2, NHR', NR'_2, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$,

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'_2, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$; with the proviso that R^{12} is not a: (i) $-C\equiv C-H$, (ii) $-C=CH_2$, or (iii) $-NO_2$.

A fifth aspect of the fourth embodiment is directed to a compound represented by formula **I-7**

wherein

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 0094

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is H, F, Br, I, OH, OR', NH_2, NHR', NR'_2, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$,


wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'_2, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

A sixth aspect of the fourth embodiment is directed to a compound represented by formula **I-8**

Gilead Exhibit 2015
PGR2023-00046 - Page 0095



I-8

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is $-OR^1$ or $-N(R^{1'})_2$);

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_cCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen

Gilead Exhibit 2015
PGR2023-00046 - Page 0096

or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is –OR' or $-N(R^{3'})_2$);

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl),

Gilead Exhibit 2015
PGR2023-00046 - Page 0097

$OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-4}$ acyl)$_2$;

(i) R^{10} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2$R',

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2$R'; with the proviso that when base is represented by the structure c with R^{11} being hydrogen, R^{12} is not a: (i) $-C\equiv C-H$, (ii) $-C=CH_2$, or (iii) $-NO_2$.

A seventh aspect of the fourth embodiment is directed to a compound represented by formula **I-8**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

Gilead Exhibit 2015
PGR2023-00046 - Page 0098

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, halogen, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, NH_2, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3;

(i) R^{10} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2$R',

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2$R'; with the proviso that R^{12} is not a: (i) $-C\equiv C-H$, (ii) $-C=CH_2$, or (iii) $-NO_2$.

An eighth aspect of the fourth embodiment is directed to a compound represented by formula **I-8**

wherein

Gilead Exhibit 2015
PGR2023-00046 - Page 0099

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl , N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_2F, F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, NH_2 or N_3;

(h) Y is H, OH, CH_3, F, Cl, Br, I, NH_2 or N_3, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$,

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'$_2$, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$; with the proviso that R^{12} is not a: (i) $-C\equiv C-H$, (ii) $-C=CH_2$, or (iii) $-NO_2$.

A ninth aspect of the fourth embodiment is directed to a compound represented by

Gilead Exhibit 2015
PGR2023-00046 - Page 00100

formula **I-8**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is H, F, Br, I, OH, OR', NH_2, NHR', NR'_2, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH{=}CHCO_2H$, or $CH{=}CHCO_2R'$,

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

Gilead Exhibit 2015
PGR2023-00046 - Page 00101

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'$_2$, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$; with the proviso that R^{12} is not a: (i) $-C\equiv C-H$, (ii) $-C=CH_2$, or (iii) $-NO_2$.

A tenth aspect of the fourth embodiment is directed to a compound represented by formula **I-8**

wherein

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

(i) R^{10} is H, F, Br, I, OH, OR', NH_2, NHR', NR'$_2$, CO_2R', $CONH_2$, CONHR', CONR'$_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$,

Gilead Exhibit 2015
PGR2023-00046 - Page 00102


wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'_2, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12}; and

R^{12} is an H, halogen (including F, Cl, Br, I), OR', NH_2, NHR', NR'_2, NO_2, lower alkyl of C_1-C_6, CO_2R', $CONH_2$, CONHR', $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$; with the proviso that R^{12} is not a: (i) $-C\equiv C-H$, (ii) $-C=CH_2$, or (iii) $-NO_2$.

A fifth embodiment of the invention is directed to a compound represented by formula **I** in which the base is a structure represented by formula **d** above, wherein R^1, R^2, R^{3a}, R^{3b}, R^4, R^5, R^6, X, and Y are defined in the Summary of the Invention section above.

The first aspect of the fifth embodiment is directed to a compound represented by formula **I-9**



I-9

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^{1'})_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$

Gilead Exhibit 2015
PGR2023-00046 - Page 00103

alkyl, $-SO_2N(R^{1'})_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is –OR' or -$N(R^{1'})_2$);

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_cCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are$(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is -OR' or $-N(R^{3'})_2$); (vi) R^{3a} is H and R^{3b} is H, CH_3, CH_2CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl; or (viii) R^{3a} is CH_3, $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is –OR' or $-N(R^{3'})_2$);

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

Gilead Exhibit 2015
PGR2023-00046 - Page 00104

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -$(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F, N_3, CH_2CN, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2, or N_3;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3, CN, Cl, Br, F, I, NO_2, $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-18}$ acyl)$_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3, CN, one to three halogen (Cl, Br, F, I), NO_2, $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2, $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl)$_2$, $N(C_{1-4}$ acyl)$_2$.

A second aspect of the fifth embodiment is directed to a compound represented by formula **I-9**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 00105

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H.

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, halogen, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, NH_2, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3;

A third aspect of the fifth embodiment is directed to a compound represented by formula **I-9**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-

Gilead Exhibit 2015
PGR2023-00046 - Page 00106

methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_2F, F, Cl, Br, or I; with the proviso that X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, NH_2 or N_3;

(h) Y is H, OH, CH_3, F, Cl, Br, I, NH_2 N_3, OCH_3, or $OC(O)CH_3$;

A fourth aspect of the fifth embodiment is directed to a compound represented by formula I-9

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

Gilead Exhibit 2015
PGR2023-00046 - Page 00107

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

A fifth aspect of the fifth embodiment is directed to a compound represented by formula **I-9**

wherein

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;


(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

A sixth aspect of the fifth embodiment is directed to a compound represented by formula **I-10**

Gilead Exhibit 2015
PGR2023-00046 - Page 00108



I-10

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, or a substituted or unsubstituted phenyl, where the substitutent of the substituted phenyl is at least one of a CH_3, OCH_3, F, Cl, Br, I, nitro, cyano, and a $CH_{3-q}X_q$, where X is F, Cl, Br, or I, and q is 1-3;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl or R^{3a} is CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, CH_2((4'-OH)-Ph), CH_2SH, or lower cycloalkyl and R^{3b} is H;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

Gilead Exhibit 2015
PGR2023-00046 - Page 00109

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, N_3, CH_2CN, CH_2N_3, CH_2NH_2, CH_2NHCH_3, $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

(g) X is H, OH, F, OCH_3, Cl, Br, I, NH_2, or N_3;

(h) Y is OH, H, CH_3, vinyl, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3, NH_2, $NHCH_3$, NH(vinyl), NH(acetyl), $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$;

A seventh aspect of the fifth embodiment is directed to a compound represented by formula **I-10**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, CH_2-indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H, $CH_2C(O)NH_2$, CH_2CH_2COOH, $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2-imidazol-4-yl, CH_2OH, $CH(OH)CH_3$, $CH_2((4'\text{-}OH)\text{-}Ph)$, CH_2SH, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3, OCH_3, CH_2OH, CH_2F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, F, or CN;

Gilead Exhibit 2015
PGR2023-00046 - Page 00110

(g) X is H, OH, F, OCH_3, Cl, Br, I, NH_2, or N_3; and

(h) Y is OH, H, CH_3, vinyl, NH_2, N_3, CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3.

An eighth aspect of the fifth embodiment is directed to a compound represented by formula **I-10**

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen or CH_3;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_2F, F, Cl, Br, or I, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, F, OCH_3, F, Cl, Br, I, NH_2 or N_3;

(h) Y is H, OH, CH_3, F, Cl, Br, I, NH_2 or N_3, OCH_3, or $OC(O)CH_3$;

A ninth aspect of the fifth embodiment is directed to a compound represented by formula **I-10**

wherein

Gilead Exhibit 2015
PGR2023-00046 - Page 00111

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;

(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$;

A tenth aspect of the fifth embodiment is directed to a compound represented by formula **I-10**

wherein

(a) R^1 is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R^2 is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH_3, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph, or lower cycloalkyl;

(d) R^4 is hydrogen, CH_3, Et, ^{i}Pr, ^{n}Pr, ^{n}Bu, 2-butyl, ^{t}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-

Gilead Exhibit 2015
PGR2023-00046 - Page 00112

methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F, R^5 cannot be H;

(f) R^6 is H, CH_3, CH_2F, CHF_2, CF_3, or F;


(g) X is H, OH, OCH_3, F, NH_2 or N_3;

(h) Y is OH, NH_2, OCH_3, or $OC(O)CH_3$.

The following tables contain numeric identifiers associated with various substituent designators that should be viewed in light of the accompanying structure. These structures are contemplated species of the various aspects of the disclosed embodiments and are not intended to be limiting on full breadth of the contemplated compound represented by the structure of formula **I**. However, it is contemplated that any one of the exemplified nucleoside bases can be used in combination with any one of contemplated species that specify a particular combination of R^1, R^2, R^{3a}, R^{3b}, R^4, R^5, R^6, X, and Y. In each of the presented tables, the phosphoramidate substituent containing the substituents R^{3a} and R^{3b} are depicted without reference to stereochemical structure (*cf.* structures **I-1**, **I-3**, **I-5**, **I-7**, and **I-9** above). It is contemplated that the compounds recited below embody compounds in which R^{3a} projects toward the viewer while R^{3b} projects away from the viewer (cf. structures **I-2**, **I-4**, **I-6**, **I-8**, and **I-10**). Moreover, it is contemplated that the compounds recited below also embody compounds in which R^{3a} projects away from the viewer while R^{3b} projects towards the viewer. Not meant to be limiting, however, it is contemplated that preferred compounds are those in which R^{3a} projects towards the viewer and R^{3b} projects away from the viewer such that the natural L-amino acid (S)-configuration is presented. Additionally, the inventors recognize that the phosphorus atom of the phosphoramidate moiety is another source of chirality. Although the structures below do not specifically depict chirality at phosphorus, the inventors recognize that stereochemical configurations are possible such that in a staggered (or zig-zag) line structure the oxo-substitutent projects towards the viewer

Gilead Exhibit 2015
PGR2023-00046 - Page 00113

while the OR^1 substitutent projects away from the viewer, and vice versa, i.e., where the Cahn-Ingold-Prelog stereochemical designation of phosphorous is either R or S. Therefore, the structures below include all possible stereochemical configurations possible for phosphorus.



II

Table II-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-1-1	CH_3	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-1-2	CH_3	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-1-5	CH_3	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-1-8	CH_3	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-2-1	Et	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-2-2	Et	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00114

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-2-5	Et	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-2-8	Et	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-3-1	^{i}Pr	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-3-2	^{i}Pr	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-3-8	^{i}Pr	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-4-1	^{t}Bu	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-4-2	^{t}Bu	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-4-8	^{t}Bu	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-5-1	Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-5-2	Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00115

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-5-5	Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-5-8	Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-6-1	p-Me-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-6-8	p-Me-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-7-1	p-F-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-7-2	p-F-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-7-20	p-F-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9

Gilead Exhibit 2015
PGR2023-00046 - Page 00116

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-8-1	p-Cl-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-8-8	p-Cl-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-9-1	p-Br-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-9-20	p-Br-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-10-1	p-I-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-10-2	p-I-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H	NH_2
II-10-8	p-I-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00117

Table II-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-11-1	CH_3	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-11-2	CH_3	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-11-5	CH_3	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2
II-11-8	CH_3	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-12-1	Et	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-12-2	Et	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-12-5	Et	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2
II-12-8	Et	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-13-1	^iPr	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-13-2	^iPr	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-13-3	^iPr	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-13-4	^iPr	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-13-5	^iPr	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-13-6	^iPr	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-13-7	^iPr	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2
II-13-8	^iPr	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00118

Table II-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-14-1	tBu	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-14-2	tBu	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-14-3	tBu	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-14-4	tBu	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-14-5	tBu	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-14-6	tBu	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-14-7	tBu	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2
II-14-8	tBu	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-15-1	Ph	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-15-2	Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-15-5	Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2
II-15-8	Ph	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-16-1	p-Me-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-16-2	p-Me-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2
II-16-8	p-Me-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00119

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-17-1	p-F-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-17-2	p-F-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2
II-17-8	p-F-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-18-1	p-Cl-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-18-2	p-Cl-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2
II-18-8	p-Cl-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-19-1	p-Br-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-19-2	p-Br-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00120

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-19-8	p-Br-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-20-1	p-I-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H	NH_2
II-20-2	p-I-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H	NH_2
II-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H	NH_2
II-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H	NH_2
II-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H	NH_2
II-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H	NH_2
II-20-8	p-I-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-21-1	CH_3	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-21-2	CH_3	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-21-8	CH_3	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-22-1	Et	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-22-2	Et	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-22-5	Et	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00121

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-22-8	Et	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-23-1	^{i}Pr	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-23-8	^{i}Pr	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-24-1	^{t}Bu	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-24-8	^{t}Bu	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-25-1	Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-25-2	Ph	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00122

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-25-8	Ph	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-27-1	p-F-Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2
II-27-8	p-F-Ph	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00123

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-28-2	p-Cl-Ph	H	H	CH_3	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-28-5	p-Cl-Ph	H	H	CH_2Ph	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-28-8	p-Cl-Ph	*	H	*	^iPr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-29-1	p-Br-Ph	H	H	H	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-29-2	p-Br-Ph	H	H	CH_3	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-29-5	p-Br-Ph	H	H	CH_2Ph	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-29-8	p-Br-Ph	*	H	*	^iPr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-30-1	p-I-Ph	H	H	H	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-30-2	p-I-Ph	H	H	CH_3	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-30-5	p-I-Ph	H	H	CH_2Ph	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^iPr	H	CH_3	OH	OH	H	H	NH_2
II-30-8	p-I-Ph	*	H	*	^iPr	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-31.

Gilead Exhibit 2015
PGR2023-00046 - Page 00124

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-31-1	CH_3	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-31-2	CH_3	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-31-8	CH_3	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-32-1	Et	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-32-2	Et	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-32-8	Et	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-33-1	^{i}Pr	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-33-8	^{i}Pr	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00125

Table II-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-34-1	^{t}Bu	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-34-8	^{t}Bu	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-35-1	Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-35-2	Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-35-8	Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00126

Table II-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-37-1	p-F-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-37-8	p-F-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00127

Table II-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-40-1	p-I-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2
II-40-8	p-I-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-41-1	CH_3	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-41-2	CH_3	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-41-5	CH_3	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-41-8	CH_3	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-42-1	Et	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-42-2	Et	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-42-5	Et	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-42-8	Et	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00128

Table II-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-43-1	^{i}Pr	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-43-2	^{i}Pr	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-43-5	^{i}Pr	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-43-8	^{i}Pr	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-44-1	^{t}Bu	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-44-2	^{t}Bu	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-44-5	^{t}Bu	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-44-8	^{t}Bu	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-45-1	Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-45-2	Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-45-5	Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-45-8	Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00129

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-46-1	p-Me-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-46-2	p-Me-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-46-8	p-Me-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-47-1	p-F-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-47-2	p-F-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-47-8	p-F-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-48-1	p-Cl-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00130

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-48-8	p-Cl-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-49-1	p-Br-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-49-2	p-Br-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-49-8	p-Br-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table II-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
II-50-1	p-I-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H	NH_2
II-50-2	p-I-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H	NH_2
II-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H	NH_2
II-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H	NH_2
II-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H	NH_2
II-50-8	p-I-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00131



III

Table III-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-1-1	CH_3	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-1-2	CH_3	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-1-5	CH_3	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-1-8	CH_3	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-2-1	Et	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-2-2	Et	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-2-5	Et	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-2-8	Et	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00132

Table III-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-3-1	^{i}Pr	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-3-2	^{i}Pr	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-3-8	^{i}Pr	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-4-1	^{t}Bu	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-4-2	^{t}Bu	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-4-8	^{t}Bu	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-5-1	Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-5-2	Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-5-5	Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-5-8	Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00133

Table III-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-6-1	p-Me-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-6-8	p-Me-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-7-1	p-F-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-7-2	p-F-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-7-20	p-F-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-8-1	p-Cl-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-8-8	p-Cl-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00134

Table III-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-9-1	p-Br-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-9-20	p-Br-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-10-1	p-I-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
III-10-2	p-I-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
III-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
III-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
III-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
III-10-8	p-I-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-11-1	CH_3	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-11-2	CH_3	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-11-5	CH_3	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-11-8	CH_3	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00135

Table III-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-12-1	Et	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-12-2	Et	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-12-5	Et	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-12-8	Et	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-13-1	^{i}Pr	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-13-2	^{i}Pr	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-13-5	^{i}Pr	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-13-8	^{i}Pr	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-14-1	^{t}Bu	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-14-2	^{t}Bu	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00136

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-14-5	tBu	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-14-6	tBu	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-14-7	tBu	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-14-8	tBu	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-15-1	Ph	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-15-2	Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-15-5	Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-15-8	Ph	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-16-1	p-Me-Ph	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-16-2	p-Me-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-16-8	p-Me-Ph	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00137

Table III-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-17-1	p-F-Ph	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-17-2	p-F-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-17-8	p-F-Ph	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-18-1	p-Cl-Ph	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-18-2	p-Cl-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-18-8	p-Cl-Ph	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-19-1	p-Br-Ph	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-19-2	p-Br-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-19-8	p-Br-Ph	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00138

Table III-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-20-1	p-I-Ph	H	H	H	Et	H	CH_3	F	OH	H	H	NH_2
III-20-2	p-I-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H	NH_2
III-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H	NH_2
III-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H	NH_2
III-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H	NH_2
III-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H	NH_2
III-20-8	p-I-Ph	*	H	*	Et	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-21-1	CH_3	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-21-2	CH_3	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-21-8	CH_3	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-22-1	Et	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-22-2	Et	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-22-5	Et	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-22-8	Et	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00139

Table III-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-23-1	^{i}Pr	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-23-8	^{i}Pr	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-24-1	^{t}Bu	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-24-8	^{t}Bu	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-25-1	Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-25-2	Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-25-8	Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00140

Table III-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-27-1	p-F-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-27-8	p-F-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-28-8	p-Cl-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00141

Table III-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-29-1	p-Br-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-29-8	p-Br-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-30-1	p-I-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H	NH_2
III-30-8	p-I-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-31-1	CH_3	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-31-2	CH_3	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-31-8	CH_3	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00142

Table III-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-32-1	Et	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-32-2	Et	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-32-8	Et	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-33-1	^{i}Pr	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-33-8	^{i}Pr	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-34-1	^{t}Bu	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-34-8	^{t}Bu	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00143

Table III-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-35-1	Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-35-2	Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-35-8	Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-37-1	p-F-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-37-8	p-F-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00144

Table III-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-40-1	p-I-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H	NH_2
III-40-8	p-I-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00145

Table III-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-41-1	CH_3	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-41-2	CH_3	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-41-5	CH_3	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2
III-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2
III-41-8	CH_3	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-42-1	Et	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-42-2	Et	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-42-5	Et	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2
III-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2
III-42-8	Et	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-43-1	^iPr	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-43-2	^iPr	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-43-3	^iPr	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-43-4	^iPr	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-43-5	^iPr	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2
III-43-6	^iPr	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-43-7	^iPr	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2
III-43-8	^iPr	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00146

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-44-1	^{t}Bu	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-44-2	^{t}Bu	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-44-5	^{t}Bu	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2
III-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2
III-44-8	^{t}Bu	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-45-1	Ph	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-45-2	Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-45-5	Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2
III-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2
III-45-8	Ph	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-46-1	p-Me-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-46-2	p-Me-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2
III-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00147

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-46-8	p-Me-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-47-1	p-F-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-47-2	p-F-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2
III-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2
III-47-8	p-F-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-48-1	p-Cl-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2
III-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2
III-48-8	p-Cl-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-49-1	p-Br-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-49-2	p-Br-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00148

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2
III-49-8	p-Br-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table III-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
III-50-1	p-I-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H	NH_2
III-50-2	p-I-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H	NH_2
III-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H	NH_2
III-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H	NH_2
III-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H	NH_2
III-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H	NH_2
III-50-8	p-I-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

5



IV

Table IV-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-1-1	CH_3	H	H	H	CH_3	H	F	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00149

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-1-2	CH_3	H	H	CH_3	CH_3	H	F	F	OH	H	H	NH_2
IV-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-1-5	CH_3	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H	NH_2
IV-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H	NH_2
IV-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H	NH_2
IV-1-8	CH_3	*	H	*	CH_3	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-2-1	Et	H	H	H	CH_3	H	F	F	OH	H	H	NH_2
IV-2-2	Et	H	H	CH_3	CH_3	H	F	F	OH	H	H	NH_2
IV-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-2-5	Et	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H	NH_2
IV-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H	NH_2
IV-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H	NH_2
IV-2-8	Et	*	H	*	CH_3	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-3-1	^{i}Pr	H	H	H	CH_3	H	F	F	OH	H	H	NH_2
IV-3-2	^{i}Pr	H	H	CH_3	CH_3	H	F	F	OH	H	H	NH_2
IV-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H	NH_2
IV-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H	NH_2
IV-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H	NH_2
IV-3-8	^{i}Pr	*	H	*	CH_3	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-4.

Gilead Exhibit 2015
PGR2023-00046 - Page 00150

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-4-1	'Bu	H	H	H	CH_3	H	CH_3	F	OH	H	H	NH_2
IV-4-2	'Bu	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H	NH_2
IV-4-3	'Bu	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
IV-4-4	'Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H	NH_2
IV-4-5	'Bu	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H	NH_2
IV-4-6	'Bu	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H	NH_2
IV-4-7	'Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H	NH_2
IV-4-8	'Bu	*	H	*	CH_3	H	CH_3	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-5-1	Ph	H	H	H	CH_3	H	F	F	OH	H	H	NH_2
IV-5-2	Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H	NH_2
IV-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-5-5	Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H	NH_2
IV-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H	NH_2
IV-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H	NH_2
IV-5-8	Ph	*	H	*	CH_3	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-6-1	p-Me-Ph	H	H	H	CH_3	H	F	F	OH	H	H	NH_2
IV-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H	NH_2
IV-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H	NH_2
IV-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H	NH_2
IV-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H	NH_2
IV-6-8	p-Me-Ph	*	H	*	CH_3	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00151

Table IV-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-7-1	p-F-Ph	H	H	H	CH_3	H	F	F	OH	H	H	NH_2
IV-7-2	p-F-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H	NH_2
IV-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H	NH_2
IV-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H	NH_2
IV-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H	NH_2
IV-7-20	p-F-Ph	*	H	*	CH_3	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-8-1	p-Cl-Ph	H	H	H	CH_3	H	F	F	OH	H	H	NH_2
IV-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H	NH_2
IV-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H	NH_2
IV-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H	NH_2
IV-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H	NH_2
IV-8-8	p-Cl-Ph	*	H	*	CH_3	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-9-1	p-Br-Ph	H	H	H	CH_3	H	F	F	OH	H	H	NH_2
IV-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H	NH_2
IV-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H	NH_2
IV-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H	NH_2
IV-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H	NH_2
IV-9-20	p-Br-Ph	*	H	*	CH_3	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00152

Table IV-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-10-1	p-I-Ph	H	H	H	CH_3	H	F	F	OH	H	H	NH_2
IV-10-2	p-I-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H	NH_2
IV-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H	NH_2
IV-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H	NH_2
IV-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H	NH_2
IV-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H	NH_2
IV-10-8	p-I-Ph	*	H	*	CH_3	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-11-1	CH_3	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-11-2	CH_3	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-11-5	CH_3	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-11-8	CH_3	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-12-1	Et	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-12-2	Et	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-12-5	Et	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-12-8	Et	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00153

Table IV-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-13-1	^{i}Pr	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-13-2	^{i}Pr	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-13-5	^{i}Pr	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-13-8	^{i}Pr	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-14-1	^{t}Bu	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-14-2	^{t}Bu	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-14-5	^{t}Bu	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-14-8	^{t}Bu	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9

Gilead Exhibit 2015
PGR2023-00046 - Page 00154

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-15-1	Ph	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-15-2	Ph	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-15-5	Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-15-8	Ph	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-16-1	p-Me-Ph	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-16-2	p-Me-Ph	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-16-8	p-Me-Ph	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-17-1	p-F-Ph	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-17-2	p-F-Ph	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-17-8	p-F-Ph	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00155

Table IV-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-18-1	p-Cl-Ph	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-18-2	p-Cl-Ph	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-18-8	p-Cl-Ph	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-19-1	p-Br-Ph	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-19-2	p-Br-Ph	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-19-8	p-Br-Ph	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-20-1	p-I-Ph	H	H	H	Et	H	F	F	OH	H	H	NH_2
IV-20-2	p-I-Ph	H	H	CH_3	Et	H	F	F	OH	H	H	NH_2
IV-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H	NH_2
IV-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H	NH_2
IV-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H	NH_2
IV-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H	NH_2
IV-20-8	p-I-Ph	*	H	*	Et	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00156

Table IV-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-21-1	CH_3	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-21-2	CH_3	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-21-8	CH_3	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-22-1	Et	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-22-2	Et	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-22-5	Et	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-22-8	Et	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-23-1	^{i}Pr	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-23-8	^{i}Pr	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00157

Table IV-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-24-1	^{t}Bu	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-24-8	^{t}Bu	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-25-1	Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-25-2	Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-25-8	Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00158

Table IV-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-27-1	p-F-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-27-8	p-F-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-28-8	p-Cl-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-29-1	p-Br-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-29-8	p-Br-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00159

Table IV-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-30-1	p-I-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H	NH_2
IV-30-8	p-I-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-31-1	CH_3	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-31-2	CH_3	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-31-8	CH_3	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-32-1	Et	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-32-2	Et	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-32-8	Et	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00160

Table IV-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-33-1	^{i}Pr	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-33-8	^{i}Pr	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-34-1	^{t}Bu	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-34-8	^{t}Bu	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-35-1	Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-35-2	Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-35-8	Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00161

Table IV-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-37-1	p-F-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-37-8	p-F-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00162

Table IV-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-40-1	p-I-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H	NH_2
IV-40-8	p-I-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-41-1	CH_3	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-41-2	CH_3	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-41-5	CH_3	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2
IV-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2
IV-41-8	CH_3	*	H	*	Bz	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00163

Table IV-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-42-1	Et	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-42-2	Et	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-42-5	Et	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2
IV-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2
IV-42-8	Et	*	H	*	Bz	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-43-1	^{i}Pr	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-43-2	^{i}Pr	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-43-5	^{i}Pr	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2
IV-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2
IV-43-8	^{i}Pr	*	H	*	Bz	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-44-1	^{t}Bu	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-44-2	^{t}Bu	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-44-5	^{t}Bu	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2
IV-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2
IV-44-8	^{t}Bu	*	H	*	Bz	H	F	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00164

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-45-1	Ph	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-45-2	Ph	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-45-5	Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2
IV-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2
IV-45-8	Ph	*	H	*	Bz	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-46-1	p-Me-Ph	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-46-2	p-Me-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2
IV-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2
IV-46-8	p-Me-Ph	*	H	*	Bz	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-47-1	p-F-Ph	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-47-2	p-F-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2
IV-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00165

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-47-8	p-F-Ph	*	H	*	Bz	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-48-1	p-Cl-Ph	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2
IV-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2
IV-48-8	p-Cl-Ph	*	H	*	Bz	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IV-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-49-1	p-Br-Ph	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-49-2	p-Br-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2
IV-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2
IV-49-8	p-Br-Ph	*	H	*	Bz	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.


Table IV-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-50-1	p-I-Ph	H	H	H	Bz	H	F	F	OH	H	H	NH_2
IV-50-2	p-I-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H	NH_2
IV-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H	NH_2
IV-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00166

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
IV-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H	NH_2
IV-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H	NH_2
IV-50-8	p-I-Ph	*	H	*	Bz	H	F	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.



V

Table V-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-1-1	CH_3	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-1-2	CH_3	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2
V-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-1-5	CH_3	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-1-8	CH_3	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-2-1	Et	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-2-2	Et	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00167

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-2-5	Et	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-2-8	Et	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-3-1	^{i}Pr	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-3-2	^{i}Pr	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2
V-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-3-8	^{i}Pr	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-4-1	^{t}Bu	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-4-2	^{t}Bu	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2
V-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-4-8	^{t}Bu	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9

Gilead Exhibit 2015
PGR2023-00046 - Page 00168

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-5-1	Ph	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-5-2	Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2
V-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-5-5	Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-5-8	Ph	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-6-1	p-Me-Ph	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2
V-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-6-8	p-Me-Ph	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-7-1	p-F-Ph	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-7-2	p-F-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2
V-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-7-20	p-F-Ph	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00169

Table V-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-8-1	p-Cl-Ph	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2
V-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-8-8	p-Cl-Ph	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-9-1	p-Br-Ph	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2
V-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-9-20	p-Br-Ph	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-10-1	p-I-Ph	H	H	H	CH_3	H	H	F	OH	H	H	NH_2
V-10-2	p-I-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H	NH_2
V-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H	NH_2
V-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H	NH_2
V-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H	NH_2
V-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H	NH_2
V-10-8	p-I-Ph	*	H	*	CH_3	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00170

Table V-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-11-1	CH_3	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-11-2	CH_3	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-11-5	CH_3	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2
V-11-8	CH_3	*	H	*	Et	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-12-1	Et	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-12-2	Et	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-12-5	Et	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2
V-12-8	Et	*	H	*	Et	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-13-1	^iPr	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-13-2	^iPr	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-13-3	^iPr	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-13-4	^iPr	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-13-5	^iPr	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-13-6	^iPr	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-13-7	^iPr	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2
V-13-8	^iPr	*	H	*	Et	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00171

Table V-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-14-1	tBu	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-14-2	tBu	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-14-3	tBu	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-14-4	tBu	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-14-5	tBu	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-14-6	tBu	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-14-7	tBu	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2
V-14-8	tBu	*	H	*	Et	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-15-1	Ph	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-15-2	Ph	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-15-5	Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2
V-15-8	Ph	*	H	*	Et	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-16-1	p-Me-Ph	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-16-2	p-Me-Ph	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2
V-16-8	p-Me-Ph	*	H	*	Et	H	H	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00172

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-17-1	p-F-Ph	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-17-2	p-F-Ph	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2
V-17-8	p-F-Ph	*	H	*	Et	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-18-1	p-Cl-Ph	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-18-2	p-Cl-Ph	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2
V-18-8	p-Cl-Ph	*	H	*	Et	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-19-1	p-Br-Ph	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-19-2	p-Br-Ph	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00173

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-19-8	p-Br-Ph	*	H	*	Et	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-20-1	p-I-Ph	H	H	H	Et	H	H	F	OH	H	H	NH_2
V-20-2	p-I-Ph	H	H	CH_3	Et	H	H	F	OH	H	H	NH_2
V-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H	NH_2
V-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H	NH_2
V-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H	NH_2
V-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H	NH_2
V-20-8	p-I-Ph	*	H	*	Et	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-21-1	CH_3	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2
V-21-2	CH_3	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2
V-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-21-8	CH_3	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-22-1	Et	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2
V-22-2	Et	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-22-5	Et	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00174

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-22-8	Et	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-23-1	^{i}Pr	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2
V-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2
V-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-23-8	^{i}Pr	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-24-1	^{t}Bu	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2
V-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2
V-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-24-8	^{t}Bu	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-25-1	Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2
V-25-2	Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00175

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2
V-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-25-8	Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2
V-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2
V-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-27-1	p-F-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2
V-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2
V-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-27-8	p-F-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00176

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2
V-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-28-8	p-Cl-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-29-1	p-Br-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2
V-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2
V-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-29-8	p-Br-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-30-1	p-I-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H	NH_2
V-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H	NH_2
V-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H	NH_2
V-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H	NH_2
V-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H	NH_2
V-30-8	p-I-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-31.

Gilead Exhibit 2015
PGR2023-00046 - Page 00177

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-31-1	CH_3	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-31-2	CH_3	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-31-8	CH_3	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-32-1	Et	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-32-2	Et	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-32-8	Et	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-33-1	^{i}Pr	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-33-8	^{i}Pr	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00178

Table V-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-34-1	^{t}Bu	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-34-8	^{t}Bu	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-35-1	Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-35-2	Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-35-8	Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00179

Table V-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-37-1	p-F-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-37-8	p-F-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00180

Table V-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-40-1	p-I-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H	NH_2
V-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H	NH_2
V-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H	NH_2
V-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H	NH_2
V-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H	NH_2
V-40-8	p-I-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-41-1	CH_3	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-41-2	CH_3	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-41-5	CH_3	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2
V-41-8	CH_3	*	H	*	Bz	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-42-1	Et	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-42-2	Et	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-42-5	Et	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2
V-42-8	Et	*	H	*	Bz	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00181

Table V-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-43-1	^{i}Pr	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-43-2	^{i}Pr	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-43-5	^{i}Pr	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2
V-43-8	^{i}Pr	*	H	*	Bz	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-44-1	^{t}Bu	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-44-2	^{t}Bu	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-44-5	^{t}Bu	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2
V-44-8	^{t}Bu	*	H	*	Bz	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-45-1	Ph	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-45-2	Ph	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-45-5	Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2
V-45-8	Ph	*	H	*	Bz	H	H	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00182

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-46-1	p-Me-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-46-2	p-Me-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2
V-46-8	p-Me-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-47-1	p-F-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-47-2	p-F-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2
V-47-8	p-F-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-48-1	p-Cl-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00183

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-48-8	p-Cl-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-49-1	p-Br-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-49-2	p-Br-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2
V-49-8	p-Br-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH_2


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table V-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
V-50-1	p-I-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH_2
V-50-2	p-I-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H	NH_2
V-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H	NH_2
V-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H	NH_2
V-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H	NH_2
V-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H	NH_2
V-50-8	p-I-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00184



VI

Table VI-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-1-1	CH_3	H	H	H	CH_3	H	F	H	OH	H	H
VI-1-2	CH_3	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-1-5	CH_3	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-1-8	CH_3	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-2-1	Et	H	H	H	CH_3	H	F	H	OH	H	H
VI-2-2	Et	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-2-5	Et	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-2-8	Et	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00185

Table VI-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-3-1	^{i}Pr	H	H	H	CH_3	H	F	H	OH	H	H
VI-3-2	^{i}Pr	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-3-8	^{i}Pr	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-4-1	^{t}Bu	H	H	H	CH_3	H	F	H	OH	H	H
VI-4-2	^{t}Bu	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-4-8	^{t}Bu	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-5-1	Ph	H	H	H	CH_3	H	F	H	OH	H	H
VI-5-2	Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-5-5	Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-5-8	Ph	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00186

Table VI-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-6-1	p-Me-Ph	H	H	H	CH_3	H	F	H	OH	H	H
VI-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-6-8	p-Me-Ph	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-7-1	p-F-Ph	H	H	H	CH_3	H	F	H	OH	H	H
VI-7-2	p-F-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-7-20	p-F-Ph	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-8-1	p-Cl-Ph	H	H	H	CH_3	H	F	H	OH	H	H
VI-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-8-8	p-Cl-Ph	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00187

Table VI-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-9-1	p-Br-Ph	H	H	H	CH_3	H	F	H	OH	H	H
VI-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-9-20	p-Br-Ph	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-10-1	p-I-Ph	H	H	H	CH_3	H	F	H	OH	H	H
VI-10-2	p-I-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H
VI-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H
VI-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H
VI-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H
VI-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H
VI-10-8	p-I-Ph	*	H	*	CH_3	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-11-1	CH_3	H	H	H	Et	H	F	H	OH	H	H
VI-11-2	CH_3	H	H	CH_3	Et	H	F	H	OH	H	H
VI-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-11-5	CH_3	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-11-8	CH_3	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00188

Table VI-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-12-1	Et	H	H	H	Et	H	F	H	OH	H	H
VI-12-2	Et	H	H	CH_3	Et	H	F	H	OH	H	H
VI-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-12-5	Et	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-12-8	Et	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-13-1	^{i}Pr	H	H	H	Et	H	F	H	OH	H	H
VI-13-2	^{i}Pr	H	H	CH_3	Et	H	F	H	OH	H	H
VI-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-13-5	^{i}Pr	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-13-8	^{i}Pr	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-14-1	^{t}Bu	H	H	H	Et	H	F	H	OH	H	H
VI-14-2	^{t}Bu	H	H	CH_3	Et	H	F	H	OH	H	H
VI-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-14-5	^{t}Bu	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-14-8	^{t}Bu	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00189

Table VI-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-15-1	Ph	H	H	H	Et	H	F	H	OH	H	H
VI-15-2	Ph	H	H	CH_3	Et	H	F	H	OH	H	H
VI-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-15-5	Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-15-8	Ph	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-16-1	p-Me-Ph	H	H	H	Et	H	F	H	OH	H	H
VI-16-2	p-Me-Ph	H	H	CH_3	Et	H	F	H	OH	H	H
VI-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-16-8	p-Me-Ph	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-17-1	p-F-Ph	H	H	H	Et	H	F	H	OH	H	H
VI-17-2	p-F-Ph	H	H	CH_3	Et	H	F	H	OH	H	H
VI-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-17-8	p-F-Ph	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00190

Table VI-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-18-1	p-Cl-Ph	H	H	H	Et	H	F	H	OH	H	H
VI-18-2	p-Cl-Ph	H	H	CH_3	Et	H	F	H	OH	H	H
VI-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-18-8	p-Cl-Ph	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-19-1	p-Br-Ph	H	H	H	Et	H	F	H	OH	H	H
VI-19-2	p-Br-Ph	H	H	CH_3	Et	H	F	H	OH	H	H
VI-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-19-8	p-Br-Ph	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-20-1	p-I-Ph	H	H	H	Et	H	F	H	OH	H	H
VI-20-2	p-I-Ph	H	H	CH_3	Et	H	F	H	OH	H	H
VI-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H
VI-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H
VI-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H
VI-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H
VI-20-8	p-I-Ph	*	H	*	Et	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00191

Table VI-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-21-1	CH_3	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-21-2	CH_3	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-21-8	CH_3	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-22-1	Et	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-22-2	Et	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-22-5	Et	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-22-8	Et	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-23-1	^{i}Pr	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-23-8	^{i}Pr	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00192

Table VI-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-24-1	^{t}Bu	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-24-8	^{t}Bu	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-25-1	Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-25-2	Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-25-8	Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00193

Table VI-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-27-1	p-F-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-27-8	p-F-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-28-8	p-Cl-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-29-1	p-Br-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-29-8	p-Br-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00194

Table VI-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-30-1	p-I-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H
VI-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H
VI-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H
VI-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H
VI-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H
VI-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H
VI-30-8	p-I-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-31-1	CH_3	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-31-2	CH_3	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-31-8	CH_3	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-32-1	Et	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-32-2	Et	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-32-8	Et	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00195

Table VI-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-33-1	^{i}Pr	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-33-8	^{i}Pr	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-34-1	^{t}Bu	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-34-8	^{t}Bu	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-35-1	Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-35-2	Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-35-8	Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00196

Table VI-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-37-1	p-F-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-37-8	p-F-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00197

Table VI-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-40-1	p-I-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H
VI-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H
VI-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H
VI-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H
VI-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H
VI-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H
VI-40-8	p-I-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-41-1	CH_3	H	H	H	Bz	H	F	H	OH	H	H
VI-41-2	CH_3	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-41-5	CH_3	H	H	CH_2Ph	Bz	H	F	H	OH	H	H
VI-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H
VI-41-8	CH_3	*	H	*	Bz	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00198

Table VI-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-42-1	Et	H	H	H	Bz	H	F	H	OH	H	H
VI-42-2	Et	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-42-5	Et	H	H	CH_2Ph	Bz	H	F	H	OH	H	H
VI-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H
VI-42-8	Et	*	H	*	Bz	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-43-1	^{i}Pr	H	H	H	Bz	H	F	H	OH	H	H
VI-43-2	^{i}Pr	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-43-5	^{i}Pr	H	H	CH_2Ph	Bz	H	F	H	OH	H	H
VI-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H
VI-43-8	^{i}Pr	*	H	*	Bz	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-44-1	^{t}Bu	H	H	H	Bz	H	F	H	OH	H	H
VI-44-2	^{t}Bu	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-44-5	^{t}Bu	H	H	CH_2Ph	Bz	H	F	H	OH	H	H
VI-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H
VI-44-8	^{t}Bu	*	H	*	Bz	H	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00199

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-45-1	Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-45-2	Ph	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-45-5	Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H
VI-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H
VI-45-8	Ph	*	H	*	Bz	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-46-1	p-Me-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-46-2	p-Me-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H
VI-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H
VI-46-8	p-Me-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-47-1	p-F-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-47-2	p-F-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H
VI-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00200

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-47-8	p-F-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-48-1	p-Cl-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H
VI-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H
VI-48-8	p-Cl-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VI-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-49-1	p-Br-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-49-2	p-Br-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H
VI-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H
VI-49-8	p-Br-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.


Table VI-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-50-1	p-I-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-50-2	p-I-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H
VI-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H
VI-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00201

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VI-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H
VI-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H
VI-50-8	p-I-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.



VII

Table VII-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-1-1	CH_3	H	H	H	CH_3	H	F	H	OH	H	H	NH_2
VII-1-2	CH_3	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-1-5	CH_3	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-1-8	CH_3	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-2-1	Et	H	H	H	CH_3	H	F	H	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00202

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-2-2	Et	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-2-5	Et	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-2-8	Et	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-3-1	'Pr	H	H	H	CH_3	H	F	H	OH	H	H	NH_2
VII-3-2	'Pr	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-3-3	'Pr	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-3-4	'Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-3-5	'Pr	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-3-6	'Pr	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-3-7	'Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-3-8	'Pr	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-4-1	'Bu	H	H	H	CH_3	H	F	H	OH	H	H	NH_2
VII-4-2	'Bu	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-4-3	'Bu	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-4-4	'Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-4-5	'Bu	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-4-6	'Bu	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-4-7	'Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-4-8	'Bu	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-5.

Gilead Exhibit 2015
PGR2023-00046 - Page 00203

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-5-1	Ph	H	H	H	CH_3	H	F	H	OH	H	H	NH_2
VII-5-2	Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-5-5	Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-5-8	Ph	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-6-1	p-Me-Ph	H	H	H	CH_3	H	F	H	OH	H	H	NH_2
VII-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-6-8	p-Me-Ph	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-7-1	p-F-Ph	H	H	H	CH_3	H	F	H	OH	H	H	NH_2
VII-7-2	p-F-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-7-20	p-F-Ph	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00204

Table VII-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-8-1	p-Cl-Ph	H	H	H	CH_3	H	F	H	OH	H	H	NH_2
VII-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-8-8	p-Cl-Ph	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-9-1	p-Br-Ph	H	H	H	CH_3	H	F	H	OH	H	H	NH_2
VII-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-9-20	p-Br-Ph	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-10-1	p-I-Ph	H	H	H	CH_3	H	F	H	OH	H	H	NH_2
VII-10-2	p-I-Ph	H	H	CH_3	CH_3	H	F	H	OH	H	H	NH_2
VII-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	H	OH	H	H	NH_2
VII-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	F	H	OH	H	H	NH_2
VII-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	H	OH	H	H	NH_2
VII-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	H	OH	H	H	NH_2
VII-10-8	p-I-Ph	*	H	*	CH_3	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00205

Table VII-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-11-1	CH_3	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-11-2	CH_3	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-11-5	CH_3	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-11-8	CH_3	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-12-1	Et	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-12-2	Et	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-12-5	Et	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-12-8	Et	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-13-1	^{i}Pr	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-13-2	^{i}Pr	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-13-5	^{i}Pr	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-13-8	^{i}Pr	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00206

Table VII-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-14-1	tBu	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-14-2	tBu	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-14-3	tBu	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-14-4	tBu	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-14-5	tBu	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-14-6	tBu	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-14-7	tBu	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-14-8	tBu	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-15-1	Ph	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-15-2	Ph	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-15-5	Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-15-8	Ph	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9

Gilead Exhibit 2015
PGR2023-00046 - Page 00207

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-16-1	p-Me-Ph	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-16-2	p-Me-Ph	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-16-8	p-Me-Ph	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-17-1	p-F-Ph	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-17-2	p-F-Ph	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-17-8	p-F-Ph	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-18-1	p-Cl-Ph	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-18-2	p-Cl-Ph	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-18-8	p-Cl-Ph	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00208

Table VII-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-19-1	p-Br-Ph	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-19-2	p-Br-Ph	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-19-8	p-Br-Ph	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-20-1	p-I-Ph	H	H	H	Et	H	F	H	OH	H	H	NH_2
VII-20-2	p-I-Ph	H	H	CH_3	Et	H	F	H	OH	H	H	NH_2
VII-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	H	OH	H	H	NH_2
VII-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	F	H	OH	H	H	NH_2
VII-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	F	H	OH	H	H	NH_2
VII-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	H	OH	H	H	NH_2
VII-20-8	p-I-Ph	*	H	*	Et	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-21-1	CH_3	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-21-2	CH_3	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-21-8	CH_3	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00209

Table VII-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-22-1	Et	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-22-2	Et	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-22-5	Et	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-22-8	Et	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-23-1	^{i}Pr	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-23-8	^{i}Pr	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-24-1	^{t}Bu	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-24-8	^{t}Bu	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00210

Table VII-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-25-1	Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-25-2	Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-25-8	Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-27-1	p-F-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-27-8	p-F-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00211

Table VII-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-28-8	p-Cl-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-29-1	p-Br-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-29-8	p-Br-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-30-1	p-I-Ph	H	H	H	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	H	OH	H	H	NH_2
VII-30-8	p-I-Ph	*	H	*	^{i}Pr	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00212

Table VII-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-31-1	CH_3	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-31-2	CH_3	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-31-8	CH_3	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-32-1	Et	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-32-2	Et	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-32-8	Et	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-33-1	^{i}Pr	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-33-8	^{i}Pr	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00213

Table VII-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-34-1	^{t}Bu	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-34-8	^{t}Bu	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-35-1	Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-35-2	Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-35-8	Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00214

Table VII-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-37-1	p-F-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-37-8	p-F-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00215

Table VII-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-40-1	p-I-Ph	H	H	H	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	H	OH	H	H	NH_2
VII-40-8	p-I-Ph	*	H	*	^{n}Bu	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-41-1	CH_3	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-41-2	CH_3	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-41-5	CH_3	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2
VII-41-8	CH_3	*	H	*	Bz	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-42-1	Et	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-42-2	Et	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-42-5	Et	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2
VII-42-8	Et	*	H	*	Bz	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00216

Table VII-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-43-1	^{i}Pr	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-43-2	^{i}Pr	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-43-5	^{i}Pr	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2
VII-43-8	^{i}Pr	*	H	*	Bz	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-44-1	^{t}Bu	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-44-2	^{t}Bu	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-44-5	^{t}Bu	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2
VII-44-8	^{t}Bu	*	H	*	Bz	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-45-1	Ph	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-45-2	Ph	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-45-5	Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2
VII-45-8	Ph	*	H	*	Bz	H	F	H	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00217

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-46-1	p-Me-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-46-2	p-Me-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2
VII-46-8	p-Me-Ph	*	H	*	Bz	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-47-1	p-F-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-47-2	p-F-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2
VII-47-8	p-F-Ph	*	H	*	Bz	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-48-1	p-Cl-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2

Gilead Exhibit 2015
PGR2023-00046 - Page 00218

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-48-8	p-Cl-Ph	*	H	*	Bz	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-49-1	p-Br-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-49-2	p-Br-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2
VII-49-8	p-Br-Ph	*	H	*	Bz	H	F	H	OH	H	H	NH_2


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VII-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-50-1	p-I-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH_2
VII-50-2	p-I-Ph	H	H	CH_3	Bz	H	F	H	OH	H	H	NH_2
VII-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	H	OH	H	H	NH_2
VII-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	F	H	OH	H	H	NH_2
VII-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	H	OH	H	H	NH_2
VII-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	H	OH	H	H	NH_2
VII-50-8	p-I-Ph	*	H	*	Bz	H	F	H	OH	H	H	NH_2

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00219



VIII

Table VIII-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-1-1	CH_3	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-1-2	CH_3	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-1-5	CH_3	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-1-8	CH_3	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-2-1	Et	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-2-2	Et	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-2-5	Et	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-2-8	Et	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00220

Table VIII-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-3-1	^{i}Pr	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-3-2	^{i}Pr	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-3-8	^{i}Pr	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-4-1	^{t}Bu	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-4-2	^{t}Bu	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-4-8	^{t}Bu	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-5-1	Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-5-2	Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-5-5	Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-5-8	Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00221

Table VIII-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-6-1	p-Me-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-6-8	p-Me-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-7-1	p-F-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-7-2	p-F-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-7-20	p-F-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-8-1	p-Cl-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-8-8	p-Cl-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00222

Table VIII-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-9-1	p-Br-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-9-20	p-Br-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-10-1	p-I-Ph	H	H	H	CH_3	H	CH_3	OH	OH	H	H
VIII-10-2	p-I-Ph	H	H	CH_3	CH_3	H	CH_3	OH	OH	H	H
VIII-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	OH	OH	H	H
VIII-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	CH_3	OH	OH	H	H
VIII-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	OH	OH	H	H
VIII-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	OH	OH	H	H
VIII-10-8	p-I-Ph	*	H	*	CH_3	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-11-1	CH_3	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-11-2	CH_3	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-11-5	CH_3	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-11-8	CH_3	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00223

Table VIII-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-12-1	Et	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-12-2	Et	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-12-5	Et	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-12-8	Et	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-13-1	^{i}Pr	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-13-2	^{i}Pr	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-13-5	^{i}Pr	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-13-8	^{i}Pr	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-14-1	^{t}Bu	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-14-2	^{t}Bu	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-14-5	^{t}Bu	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-14-8	^{t}Bu	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00224

Table VIII-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-15-1	Ph	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-15-2	Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-15-5	Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-15-8	Ph	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-16-1	p-Me-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-16-2	p-Me-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-16-8	p-Me-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-17-1	p-F-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-17-2	p-F-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-17-8	p-F-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00225

Table VIII-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-18-1	p-Cl-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-18-2	p-Cl-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-18-8	p-Cl-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-19-1	p-Br-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-19-2	p-Br-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-19-8	p-Br-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-20-1	p-I-Ph	H	H	H	Et	H	CH_3	OH	OH	H	H
VIII-20-2	p-I-Ph	H	H	CH_3	Et	H	CH_3	OH	OH	H	H
VIII-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	OH	OH	H	H
VIII-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	CH_3	OH	OH	H	H
VIII-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	OH	OH	H	H
VIII-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	OH	OH	H	H
VIII-20-8	p-I-Ph	*	H	*	Et	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00226

Table VIII-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-21-1	CH_3	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-21-2	CH_3	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-21-8	CH_3	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-22-1	Et	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-22-2	Et	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-22-5	Et	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-22-8	Et	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-23-1	^{i}Pr	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-23-8	^{i}Pr	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00227

Table VIII-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-24-1	^{t}Bu	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-24-8	^{t}Bu	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-25-1	Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-25-2	Ph	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-25-8	Ph	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00228

Table VIII-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-27-1	p-F-Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-27-8	p-F-Ph	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-28-8	p-Cl-Ph	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-29-1	p-Br-Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-29-8	p-Br-Ph	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00229

Table VIII-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-30-1	p-I-Ph	H	H	H	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	OH	OH	H	H
VIII-30-8	p-I-Ph	*	H	*	^{i}Pr	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-31-1	CH_3	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-31-2	CH_3	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-31-8	CH_3	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-32-1	Et	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-32-2	Et	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-32-8	Et	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00230

Table VIII-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-33-1	^{i}Pr	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-33-8	^{i}Pr	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-34-1	^{t}Bu	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-34-8	^{t}Bu	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-35-1	Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-35-2	Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-35-8	Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00231

Table VIII-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-37-1	p-F-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-37-8	p-F-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00232

Table VIII-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-40-1	p-I-Ph	H	H	H	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	OH	OH	H	H
VIII-40-8	p-I-Ph	*	H	*	^{n}Bu	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-41-1	CH_3	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-41-2	CH_3	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-41-5	CH_3	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H
VIII-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H
VIII-41-8	CH_3	*	H	*	Bz	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00233

Table VIII-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-42-1	Et	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-42-2	Et	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-42-5	Et	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H
VIII-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H
VIII-42-8	Et	*	H	*	Bz	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-43-1	^{i}Pr	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-43-2	^{i}Pr	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-43-5	^{i}Pr	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H
VIII-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H
VIII-43-8	^{i}Pr	*	H	*	Bz	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-44-1	^{t}Bu	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-44-2	^{t}Bu	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-44-5	^{t}Bu	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H
VIII-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H
VIII-44-8	^{t}Bu	*	H	*	Bz	H	CH_3	OH	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00234

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-45-1	Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-45-2	Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-45-5	Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H
VIII-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H
VIII-45-8	Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-46-1	p-Me-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-46-2	p-Me-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H
VIII-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H
VIII-46-8	p-Me-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-47-1	p-F-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-47-2	p-F-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H
VIII-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00235

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-47-8	p-F-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-48-1	p-Cl-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H
VIII-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H
VIII-48-8	p-Cl-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table VIII-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-49-1	p-Br-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-49-2	p-Br-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H
VIII-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H
VIII-49-8	p-Br-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.


Table VIII-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-50-1	p-I-Ph	H	H	H	Bz	H	CH_3	OH	OH	H	H
VIII-50-2	p-I-Ph	H	H	CH_3	Bz	H	CH_3	OH	OH	H	H
VIII-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	OH	OH	H	H
VIII-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	CH_3	OH	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00236

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
VIII-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	OH	OH	H	H
VIII-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	OH	OH	H	H
VIII-50-8	p-I-Ph	*	H	*	Bz	H	CH_3	OH	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.



IX

Table IX-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-1-1	CH_3	H	H	H	CH_3	H	CH_3	F	OH	H	H
IX-1-2	CH_3	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-1-5	CH_3	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-1-8	CH_3	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-2-1	Et	H	H	H	CH_3	H	CH_3	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00237

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-2-2	Et	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-2-5	Et	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-2-8	Et	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-3-1	^{i}Pr	H	H	H	CH_3	H	CH_3	F	OH	H	H
IX-3-2	^{i}Pr	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-3-8	^{i}Pr	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-4-1	^{t}Bu	H	H	H	CH_3	H	CH_3	F	OH	H	H
IX-4-2	^{t}Bu	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-4-8	^{t}Bu	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-5.

Gilead Exhibit 2015
PGR2023-00046 - Page 00238

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-5-1	Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H
IX-5-2	Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-5-5	Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-5-8	Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-6-1	p-Me-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H
IX-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-6-8	p-Me-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-7-1	p-F-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H
IX-7-2	p-F-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-7-20	p-F-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00239

Table IX-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-8-1	p-Cl-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H
IX-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-8-8	p-Cl-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-9-1	p-Br-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H
IX-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-9-20	p-Br-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-10-1	p-I-Ph	H	H	H	CH_3	H	CH_3	F	OH	H	H
IX-10-2	p-I-Ph	H	H	CH_3	CH_3	H	CH_3	F	OH	H	H
IX-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	CH_3	F	OH	H	H
IX-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	CH_3	F	OH	H	H
IX-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	CH_3	F	OH	H	H
IX-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	CH_3	F	OH	H	H
IX-10-8	p-I-Ph	*	H	*	CH_3	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00240

Table IX-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-11-1	CH_3	H	H	H	Et	H	CH_3	F	OH	H	H
IX-11-2	CH_3	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-11-5	CH_3	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-11-8	CH_3	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-12-1	Et	H	H	H	Et	H	CH_3	F	OH	H	H
IX-12-2	Et	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-12-5	Et	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-12-8	Et	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-13-1	^{i}Pr	H	H	H	Et	H	CH_3	F	OH	H	H
IX-13-2	^{i}Pr	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-13-5	^{i}Pr	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-13-8	^{i}Pr	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00241

Table IX-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-14-1	^{t}Bu	H	H	H	Et	H	CH_3	F	OH	H	H
IX-14-2	^{t}Bu	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-14-5	^{t}Bu	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-14-8	^{t}Bu	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-15-1	Ph	H	H	H	Et	H	CH_3	F	OH	H	H
IX-15-2	Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-15-5	Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-15-8	Ph	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-16-1	p-Me-Ph	H	H	H	Et	H	CH_3	F	OH	H	H
IX-16-2	p-Me-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-16-8	p-Me-Ph	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00242

Table IX-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-17-1	p-F-Ph	H	H	H	Et	H	CH_3	F	OH	H	H
IX-17-2	p-F-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-17-8	p-F-Ph	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-18-1	p-Cl-Ph	H	H	H	Et	H	CH_3	F	OH	H	H
IX-18-2	p-Cl-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-18-8	p-Cl-Ph	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-19-1	p-Br-Ph	H	H	H	Et	H	CH_3	F	OH	H	H
IX-19-2	p-Br-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-19-8	p-Br-Ph	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00243

Table IX-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-20-1	p-I-Ph	H	H	H	Et	H	CH_3	F	OH	H	H
IX-20-2	p-I-Ph	H	H	CH_3	Et	H	CH_3	F	OH	H	H
IX-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	CH_3	F	OH	H	H
IX-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	CH_3	F	OH	H	H
IX-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	CH_3	F	OH	H	H
IX-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	CH_3	F	OH	H	H
IX-20-8	p-I-Ph	*	H	*	Et	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-21-1	CH_3	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-21-2	CH_3	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-21-8	CH_3	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-22-1	Et	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-22-2	Et	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-22-5	Et	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-22-8	Et	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00244

Table IX-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-23-1	^{i}Pr	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-23-8	^{i}Pr	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-24-1	^{t}Bu	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-24-8	^{t}Bu	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-25-1	Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-25-2	Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-25-8	Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00245

Table IX-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-27-1	p-F-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-27-8	p-F-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-28-8	p-Cl-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00246

Table IX-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-29-1	p-Br-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-29-8	p-Br-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-30-1	p-I-Ph	H	H	H	^{i}Pr	H	CH_3	F	OH	H	H
IX-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	H	CH_3	F	OH	H	H
IX-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	CH_3	F	OH	H	H
IX-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	H	CH_3	F	OH	H	H
IX-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	CH_3	F	OH	H	H
IX-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	CH_3	F	OH	H	H
IX-30-8	p-I-Ph	*	H	*	^{i}Pr	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-31-1	CH_3	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-31-2	CH_3	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-31-8	CH_3	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00247

Table IX-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-32-1	Et	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-32-2	Et	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-32-8	Et	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-33-1	^{i}Pr	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-33-8	^{i}Pr	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-34-1	^{t}Bu	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-34-8	^{t}Bu	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00248

Table IX-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-35-1	Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-35-2	Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-35-8	Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-37-1	p-F-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-37-8	p-F-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00249

Table IX-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-40-1	p-I-Ph	H	H	H	^{n}Bu	H	CH_3	F	OH	H	H
IX-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	CH_3	F	OH	H	H
IX-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	CH_3	F	OH	H	H
IX-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	CH_3	F	OH	H	H
IX-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	CH_3	F	OH	H	H
IX-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	CH_3	F	OH	H	H
IX-40-8	p-I-Ph	*	H	*	^{n}Bu	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00250

Table IX-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-41-1	CH_3	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-41-2	CH_3	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-41-5	CH_3	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H
IX-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H
IX-41-8	CH_3	*	H	*	Bz	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-42-1	Et	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-42-2	Et	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-42-5	Et	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H
IX-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H
IX-42-8	Et	*	H	*	Bz	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-43-1	^{i}Pr	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-43-2	^{i}Pr	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-43-5	^{i}Pr	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H
IX-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H
IX-43-8	^{i}Pr	*	H	*	Bz	H	CH_3	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00251

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-44-1	'Bu	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-44-2	'Bu	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-44-3	'Bu	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-44-4	'Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-44-5	'Bu	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H
IX-44-6	'Bu	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-44-7	'Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H
IX-44-8	'Bu	*	H	*	Bz	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-45-1	Ph	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-45-2	Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-45-5	Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H
IX-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H
IX-45-8	Ph	*	H	*	Bz	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-46-1	p-Me-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-46-2	p-Me-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H
IX-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00252

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-46-8	p-Me-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-47-1	p-F-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-47-2	p-F-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H
IX-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H
IX-47-8	p-F-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-48-1	p-Cl-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H
IX-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H
IX-48-8	p-Cl-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-49-1	p-Br-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-49-2	p-Br-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00253

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H
IX-49-8	p-Br-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table IX-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
IX-50-1	p-I-Ph	H	H	H	Bz	H	CH_3	F	OH	H	H
IX-50-2	p-I-Ph	H	H	CH_3	Bz	H	CH_3	F	OH	H	H
IX-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	CH_3	F	OH	H	H
IX-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	CH_3	F	OH	H	H
IX-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	CH_3	F	OH	H	H
IX-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	CH_3	F	OH	H	H
IX-50-8	p-I-Ph	*	H	*	Bz	H	CH_3	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

5



X

Table X-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-1-1	CH_3	H	H	H	CH_3	H	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00254

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-1-2	CH_3	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-1-5	CH_3	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-1-8	CH_3	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-2-1	Et	H	H	H	CH_3	H	F	F	OH	H	H
X-2-2	Et	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-2-5	Et	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-2-8	Et	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-3-1	^{t}Pr	H	H	H	CH_3	H	F	F	OH	H	H
X-3-2	^{i}Pr	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-3-8	^{i}Pr	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-4.

Gilead Exhibit 2015
PGR2023-00046 - Page 00255

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-4-1	^{t}Bu	H	H	H	CH_3	H	F	F	OH	H	H
X-4-2	^{t}Bu	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-4-8	^{t}Bu	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-5-1	Ph	H	H	H	CH_3	H	F	F	OH	H	H
X-5-2	Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-5-5	Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-5-8	Ph	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-6-1	p-Me-Ph	H	H	H	CH_3	H	F	F	OH	H	H
X-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-6-8	p-Me-Ph	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00256

Table X-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-7-1	p-F-Ph	H	H	H	CH_3	H	F	F	OH	H	H
X-7-2	p-F-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-7-20	p-F-Ph	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-8-1	p-Cl-Ph	H	H	H	CH_3	H	F	F	OH	H	H
X-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-8-8	p-Cl-Ph	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-9-1	p-Br-Ph	H	H	H	CH_3	H	F	F	OH	H	H
X-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-9-20	p-Br-Ph	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00257

Table X-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-10-1	p-I-Ph	H	H	H	CH_3	H	F	F	OH	H	H
X-10-2	p-I-Ph	H	H	CH_3	CH_3	H	F	F	OH	H	H
X-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	F	F	OH	H	H
X-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	F	F	OH	H	H
X-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	F	F	OH	H	H
X-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	F	F	OH	H	H
X-10-8	p-I-Ph	*	H	*	CH_3	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-11-1	CH_3	H	H	H	Et	H	F	F	OH	H	H
X-11-2	CH_3	H	H	CH_3	Et	H	F	F	OH	H	H
X-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-11-5	CH_3	H	H	CH_2Ph	Et	H	F	F	OH	H	H
X-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H
X-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H
X-11-8	CH_3	*	H	*	Et	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-12-1	Et	H	H	H	Et	H	F	F	OH	H	H
X-12-2	Et	H	H	CH_3	Et	H	F	F	OH	H	H
X-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-12-5	Et	H	H	CH_2Ph	Et	H	F	F	OH	H	H
X-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H
X-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H
X-12-8	Et	*	H	*	Et	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00258

Table X-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-13-1	^{i}Pr	H	H	H	Et	H	F	F	OH	H	H
X-13-2	^{i}Pr	H	H	CH_3	Et	H	F	F	OH	H	H
X-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-13-5	^{i}Pr	H	H	CH_2Ph	Et	H	F	F	OH	H	H
X-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H
X-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H
X-13-8	^{i}Pr	*	H	*	Et	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-14.

№	R^1	R^2	R ^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-14-1	^{t}Bu	H	H	H	Et	H	F	F	OH	H	H
X-14-2	^{t}Bu	H	H	CH_3	Et	H	F	F	OH	H	H
X-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-14-5	^{t}Bu	H	H	CH_2Ph	Et	H	F	F	OH	H	H
X-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H
X-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H
X-14-8	^{t}Bu	*	H	*	Et	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-15-1	Ph	H	H	H	Et	H	F	F	OH	H	H
X-15-2	Ph	H	H	CH_3	Et	H	F	F	OH	H	H
X-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-15-5	Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H
X-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H
X-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H
X-15-8	Ph	*	H	*	Et	H	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00259

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-16-1	p-Me-Ph	H	H	H	Et	H	F	F	OH	H	H
X-16-2	p-Me-Ph	H	H	CH_3	Et	H	F	F	OH	H	H
X-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H
X-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H
X-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H
X-16-8	p-Me-Ph	*	H	*	Et	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-17-1	p-F-Ph	H	H	H	Et	H	F	F	OH	H	H
X-17-2	p-F-Ph	H	H	CH_3	Et	H	F	F	OH	H	H
X-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H
X-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H
X-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H
X-17-8	p-F-Ph	*	H	*	Et	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-18-1	p-Cl-Ph	H	H	H	Et	H	F	F	OH	H	H
X-18-2	p-Cl-Ph	H	H	CH_3	Et	H	F	F	OH	H	H
X-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H
X-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H
X-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00260

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-18-8	p-Cl-Ph	*	H	*	Et	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-19-1	p-Br-Ph	H	H	H	Et	H	F	F	OH	H	H
X-19-2	p-Br-Ph	H	H	CH_3	Et	H	F	F	OH	H	H
X-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H	H
X-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H	H
X-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H	H
X-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H	H
X-19-8	p-Br-Ph	*	H	*	Et	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7
X-20-1	p-I-Ph	H	H	H	Et	H	F	F	OH	H
X-20-2	p-I-Ph	H	H	CH_3	Et	H	F	F	OH	H
X-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	F	F	OH	H
X-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	F	F	OH	H
X-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	F	F	OH	H
X-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	F	F	OH	H
X-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	F	F	OH	H
X-20-8	p-I-Ph	*	H	*	Et	H	F	F	OH	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-21-1	CH_3	H	H	H	^{i}Pr	H	F	F	OH	H	H
X-21-2	CH_3	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00261

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-21-8	CH_3	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-22-1	Et	H	H	H	^{i}Pr	H	F	F	OH	H	H
X-22-2	Et	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-22-5	Et	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H
X-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-22-8	Et	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-23-1	^{i}Pr	H	H	H	^{i}Pr	H	F	F	OH	H	H
X-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H
X-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-23-8	^{i}Pr	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-24-1	^{t}Bu	H	H	H	^{i}Pr	H	F	F	OH	H	H
X-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00262

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H
X-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-24-8	^{t}Bu	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-25-1	Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H
X-25-2	Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H
X-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-25-8	Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H
X-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H
X-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-27-1	p-F-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00263

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H
X-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-27-8	p-F-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H
X-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H
X-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-28-8	p-Cl-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-29-1	p-Br-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H
X-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H
X-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-29-8	p-Br-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-30.

Gilead Exhibit 2015
PGR2023-00046 - Page 00264

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-30-1	p-I-Ph	H	H	H	^{i}Pr	H	F	F	OH	H	H
X-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	H	F	F	OH	H	H
X-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	F	F	OH	H	H
X-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	H	F	F	OH	H	H
X-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	F	F	OH	H	H
X-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	F	F	OH	H	H
X-30-8	p-I-Ph	*	H	*	^{i}Pr	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-31-1	CH_3	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-31-2	CH_3	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-31-8	CH_3	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-32-1	Et	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-32-2	Et	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-32-8	Et	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00265

Table X-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-33-1	^{i}Pr	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-33-8	^{i}Pr	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-34-1	^{t}Bu	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-34-8	^{t}Bu	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-35-1	Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-35-2	Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-35-8	Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00266

Table X-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-37-1	p-F-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-37-8	p-F-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00267

Table X-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-40-1	p-I-Ph	H	H	H	^{n}Bu	H	F	F	OH	H	H
X-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	F	F	OH	H	H
X-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	F	F	OH	H	H
X-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	F	F	OH	H	H
X-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	F	F	OH	H	H
X-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	F	F	OH	H	H
X-40-8	p-I-Ph	*	H	*	^{n}Bu	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-41-1	CH_3	H	H	H	Bz	H	F	F	OH	H	H
X-41-2	CH_3	H	H	CH_3	Bz	H	F	F	OH	H	H
X-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-41-5	CH_3	H	H	CH_2Ph	Bz	H	F	F	OH	H	H
X-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H
X-41-8	CH_3	*	H	*	Bz	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00268

Table X-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-42-1	Et	H	H	H	Bz	H	F	F	OH	H	H
X-42-2	Et	H	H	CH_3	Bz	H	F	F	OH	H	H
X-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-42-5	Et	H	H	CH_2Ph	Bz	H	F	F	OH	H	H
X-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H
X-42-8	Et	*	H	*	Bz	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-43-1	^{i}Pr	H	H	H	Bz	H	F	F	OH	H	H
X-43-2	^{i}Pr	H	H	CH_3	Bz	H	F	F	OH	H	H
X-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-43-5	^{i}Pr	H	H	CH_2Ph	Bz	H	F	F	OH	H	H
X-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H
X-43-8	^{i}Pr	*	H	*	Bz	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-44-1	^{t}Bu	H	H	H	Bz	H	F	F	OH	H	H
X-44-2	^{t}Bu	H	H	CH_3	Bz	H	F	F	OH	H	H
X-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-44-5	^{t}Bu	H	H	CH_2Ph	Bz	H	F	F	OH	H	H
X-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H
X-44-8	^{t}Bu	*	H	*	Bz	H	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00269

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-45-1	Ph	H	H	H	Bz	H	F	F	OH	H	H
X-45-2	Ph	H	H	CH_3	Bz	H	F	F	OH	H	H
X-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-45-5	Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H
X-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H
X-45-8	Ph	*	H	*	Bz	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-46-1	p-Me-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-46-2	p-Me-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H
X-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H
X-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H
X-46-8	p-Me-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-47-1	p-F-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-47-2	p-F-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H
X-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H
X-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00270

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-47-8	p-F-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-48-1	p-Cl-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H
X-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H
X-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H
X-48-8	p-Cl-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table X-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-49-1	p-Br-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-49-2	p-Br-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H
X-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H
X-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H
X-49-8	p-Br-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.


Table X-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-50-1	p-I-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-50-2	p-I-Ph	H	H	CH_3	Bz	H	F	F	OH	H	H
X-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	F	F	OH	H	H
X-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00271

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
X-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	F	F	OH	H	H
X-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	F	F	OH	H	H
X-50-8	p-I-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.



XI

Table XI-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-1-1	CH_3	H	H	H	CH_3	H	H	F	OH	H	H
XI-1-2	CH_3	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-1-5	CH_3	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-1-8	CH_3	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-2-1	Et	H	H	H	CH_3	H	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00272

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-2-2	Et	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-2-5	Et	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-2-8	Et	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-3-1	^{i}Pr	H	H	H	CH_3	H	H	F	OH	H	H
XI-3-2	^{i}Pr	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-3-8	^{i}Pr	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-4-1	^{t}Bu	H	H	H	CH_3	H	H	F	OH	H	H
XI-4-2	^{t}Bu	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-4-8	^{t}Bu	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-5.

Gilead Exhibit 2015
PGR2023-00046 - Page 00273

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-5-1	Ph	H	H	H	CH_3	H	H	F	OH	H	H
XI-5-2	Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-5-5	Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-5-8	Ph	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-6-1	p-Me-Ph	H	H	H	CH_3	H	H	F	OH	H	H
XI-6-2	p-Me-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-6-8	p-Me-Ph	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-7-1	p-F-Ph	H	H	H	CH_3	H	H	F	OH	H	H
XI-7-2	p-F-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-7-20	p-F-Ph	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00274

Table XI-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-8-1	p-Cl-Ph	H	H	H	CH_3	H	H	F	OH	H	H
XI-8-2	p-Cl-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-8-8	p-Cl-Ph	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-9-1	p-Br-Ph	H	H	H	CH_3	H	H	F	OH	H	H
XI-9-2	p-Br-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-9-20	p-Br-Ph	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-10-1	p-I-Ph	H	H	H	CH_3	H	H	F	OH	H	H
XI-10-2	p-I-Ph	H	H	CH_3	CH_3	H	H	F	OH	H	H
XI-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	H	H	F	OH	H	H
XI-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	H	H	F	OH	H	H
XI-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	H	H	F	OH	H	H
XI-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	H	H	F	OH	H	H
XI-10-8	p-I-Ph	*	H	*	CH_3	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00275

Table XI-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-11-1	CH_3	H	H	H	Et	H	H	F	OH	H	H
XI-11-2	CH_3	H	H	CH_3	Et	H	H	F	OH	H	H
XI-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-11-5	CH_3	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-11-8	CH_3	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-12-1	Et	H	H	H	Et	H	H	F	OH	H	H
XI-12-2	Et	H	H	CH_3	Et	H	H	F	OH	H	H
XI-12-3	Et	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-12-5	Et	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-12-6	Et	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-12-8	Et	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-13-1	^{i}Pr	H	H	H	Et	H	H	F	OH	H	H
XI-13-2	^{i}Pr	H	H	CH_3	Et	H	H	F	OH	H	H
XI-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-13-5	^{i}Pr	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-13-8	^{i}Pr	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00276

Table XI-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-14-1	^{t}Bu	H	H	H	Et	H	H	F	OH	H	H
XI-14-2	^{t}Bu	H	H	CH_3	Et	H	H	F	OH	H	H
XI-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-14-5	^{t}Bu	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-14-8	^{t}Bu	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-15-1	Ph	H	H	H	Et	H	H	F	OH	H	H
XI-15-2	Ph	H	H	CH_3	Et	H	H	F	OH	H	H
XI-15-3	Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-15-5	Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-15-6	Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-15-8	Ph	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-16-1	p-Me-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-16-2	p-Me-Ph	H	H	CH_3	Et	H	H	F	OH	H	H
XI-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-16-5	p-Me-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-16-8	p-Me-Ph	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00277

Table XI-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-17-1	p-F-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-17-2	p-F-Ph	H	H	CH_3	Et	H	H	F	OH	H	H
XI-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-17-5	p-F-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-17-8	p-F-Ph	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-18-1	p-Cl-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-18-2	p-Cl-Ph	H	H	CH_3	Et	H	H	F	OH	H	H
XI-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-18-8	p-Cl-Ph	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-19-1	p-Br-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-19-2	p-Br-Ph	H	H	CH_3	Et	H	H	F	OH	H	H
XI-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-19-5	p-Br-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-19-8	p-Br-Ph	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00278

Table XI-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-20-1	p-I-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-20-2	p-I-Ph	H	H	CH_3	Et	H	H	F	OH	H	H
XI-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	H	H	F	OH	H	H
XI-20-5	p-I-Ph	H	H	CH_2Ph	Et	H	H	F	OH	H	H
XI-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	H	H	F	OH	H	H
XI-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	H	H	F	OH	H	H
XI-20-8	p-I-Ph	*	H	*	Et	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-21-1	CH_3	H	H	H	^{t}Pr	H	H	F	OH	H	H
XI-21-2	CH_3	H	H	CH_3	^{t}Pr	H	H	F	OH	H	H
XI-21-3	CH_3	H	H	$CH(CH_3)_2$	^{t}Pr	H	H	F	OH	H	H
XI-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{t}Pr	H	H	F	OH	H	H
XI-21-5	CH_3	H	H	CH_2Ph	^{t}Pr	H	H	F	OH	H	H
XI-21-6	CH_3	H	H	CH_2-indol-3-yl	^{t}Pr	H	H	F	OH	H	H
XI-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{t}Pr	H	H	F	OH	H	H
XI-21-8	CH_3	*	H	*	^{t}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-22-1	Et	H	H	H	^{t}Pr	H	H	F	OH	H	H
XI-22-2	Et	H	H	CH_3	^{t}Pr	H	H	F	OH	H	H
XI-22-3	Et	H	H	$CH(CH_3)_2$	^{t}Pr	H	H	F	OH	H	H
XI-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{t}Pr	H	H	F	OH	H	H
XI-22-5	Et	H	H	CH_2Ph	^{t}Pr	H	H	F	OH	H	H
XI-22-6	Et	H	H	CH_2-indol-3-yl	^{t}Pr	H	H	F	OH	H	H
XI-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{t}Pr	H	H	F	OH	H	H
XI-22-8	Et	*	H	*	^{t}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00279

Table XI-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-23-1	^{i}Pr	H	H	H	^{i}Pr	H	H	F	OH	H	H
XI-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H
XI-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H
XI-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H
XI-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H
XI-23-8	^{i}Pr	*	H	*	^{i}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-24-1	^{t}Bu	H	H	H	^{i}Pr	H	H	F	OH	H	H
XI-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H
XI-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H
XI-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H
XI-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H
XI-24-8	^{t}Bu	*	H	*	^{i}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-25-1	Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H
XI-25-2	Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H
XI-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-25-5	Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H
XI-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H
XI-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H
XI-25-8	Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00280

Table XI-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-26-1	p-Me-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H
XI-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H
XI-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H
XI-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H
XI-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H
XI-26-8	p-Me-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-27-1	p-F-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H
XI-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H
XI-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H
XI-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H
XI-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H
XI-27-8	p-F-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-28-1	p-Cl-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H
XI-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H
XI-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H
XI-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H
XI-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H
XI-28-8	p-Cl-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00281

Table XI-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-29-1	p-Br-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H
XI-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H
XI-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H
XI-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H
XI-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H
XI-29-8	p-Br-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-30-1	p-I-Ph	H	H	H	^{i}Pr	H	H	F	OH	H	H
XI-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	H	H	F	OH	H	H
XI-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	H	H	F	OH	H	H
XI-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	H	H	F	OH	H	H
XI-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	H	H	F	OH	H	H
XI-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	H	H	F	OH	H	H
XI-30-8	p-I-Ph	*	H	*	^{i}Pr	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-31-1	CH_3	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-31-2	CH_3	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-31-8	CH_3	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00282

Table XI-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-32-1	Et	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-32-2	Et	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-32-5	Et	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-32-8	Et	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-33-1	^{i}Pr	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-33-8	^{i}Pr	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-34-1	^{t}Bu	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-34-8	^{t}Bu	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00283

Table XI-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-35-1	Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-35-2	Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-35-5	Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-35-8	Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-36-1	p-Me-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-36-8	p-Me-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-37-1	p-F-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-37-8	p-F-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00284

Table XI-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-38-1	p-Cl-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-38-8	p-Cl-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-39-1	p-Br-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-39-8	p-Br-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-40-1	p-I-Ph	H	H	H	^{n}Bu	H	H	F	OH	H	H
XI-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	H	H	F	OH	H	H
XI-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	H	H	F	OH	H	H
XI-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	H	H	F	OH	H	H
XI-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	H	H	F	OH	H	H
XI-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	H	H	F	OH	H	H
XI-40-8	p-I-Ph	*	H	*	^{n}Bu	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00285

Table XI-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-41-1	CH_3	H	H	H	Bz	H	H	F	OH	H	H
XI-41-2	CH_3	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-41-5	CH_3	H	H	CH_2Ph	Bz	H	H	F	OH	H	H
XI-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H
XI-41-8	CH_3	*	H	*	Bz	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-42-1	Et	H	H	H	Bz	H	H	F	OH	H	H
XI-42-2	Et	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-42-3	Et	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-42-5	Et	H	H	CH_2Ph	Bz	H	H	F	OH	H	H
XI-42-6	Et	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H
XI-42-8	Et	*	H	*	Bz	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-43-1	^{i}Pr	H	H	H	Bz	H	H	F	OH	H	H
XI-43-2	^{i}Pr	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-43-5	^{i}Pr	H	H	CH_2Ph	Bz	H	H	F	OH	H	H
XI-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H
XI-43-8	^{i}Pr	*	H	*	Bz	H	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00286

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-44-1	'Bu	H	H	H	Bz	H	H	F	OH	H	H
XI-44-2	'Bu	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-44-3	'Bu	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-44-4	'Bu	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-44-5	'Bu	H	H	CH_2Ph	Bz	H	H	F	OH	H	H
XI-44-6	'Bu	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-44-7	'Bu	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H
XI-44-8	'Bu	*	H	*	Bz	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-45-1	Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-45-2	Ph	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-45-5	Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H
XI-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H
XI-45-8	Ph	*	H	*	Bz	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-46-1	p-Me-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-46-2	p-Me-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H
XI-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00287

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-46-8	p-Me-Ph	*	H	*	Bz	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-47-1	p-F-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-47-2	p-F-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-47-5	p-F-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H
XI-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H
XI-47-8	p-F-Ph	*	H	*	Bz	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-48-1	p-Cl-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-48-2	p-Cl-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H
XI-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H
XI-48-8	p-Cl-Ph	*	H	*	Bz	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-49-1	p-Br-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-49-2	p-Br-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00288

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H
XI-49-8	p-Br-Ph	*	H	*	Bz	H	H	F	OH	H	H


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XI-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XI-50-1	p-I-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-50-2	p-I-Ph	H	H	CH_3	Bz	H	H	F	OH	H	H
XI-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	H	H	F	OH	H	H
XI-50-5	p-I-Ph	H	H	CH_2Ph	Bz	H	H	F	OH	H	H
XI-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	H	H	F	OH	H	H
XI-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	H	H	F	OH	H	H
XI-50-8	p-I-Ph	*	H	*	Bz	H	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

5



XII

Table XII-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-1-1	CH_3	H	H	H	CH_3	N_3	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00289

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-1-2	CH_3	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-1-5	CH_3	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-1-8	CH_3	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-2-1	Et	H	H	H	CH_3	N_3	F	F	OH	H	H
XII-2-2	Et	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-2-5	Et	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-2-8	Et	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-3-1	^iPr	H	H	H	CH_3	N_3	F	F	OH	H	H
XII-3-2	^iPr	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-3-3	^iPr	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-3-4	^iPr	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-3-5	^iPr	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-3-6	^iPr	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-3-7	^iPr	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-3-8	^iPr	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-4.

Gilead Exhibit 2015
PGR2023-00046 - Page 00290

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-4-1	'Bu	H	H	H	CH_3	N_3	F	F	OH	H	H
XII-4-2	'Bu	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-4-3	'Bu	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-4-4	'Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-4-5	'Bu	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-4-6	'Bu	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-4-7	'Bu	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-4-8	'Bu	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-5-1	Ph	H	H	H	CH_3	N_3	F	F	OH	H	H
XII-5-2	Ph	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-5-5	Ph	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-5-8	Ph	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-6-1	p-Me-Ph	H	H	H	CH_3	N_3	F	F	OH	H	H
XII-6-2	p-Me-Ph	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-6-8	p-Me-Ph	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00291

Table XII-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-7-1	p-F-Ph	H	H	H	CH_3	N_3	F	F	OH	H	H
XII-7-2	p-F-Ph	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-7-20	p-F-Ph	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-8-1	p-Cl-Ph	H	H	H	CH_3	N_3	F	F	OH	H	H
XII-8-2	p-Cl-Ph	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-8-8	p-Cl-Ph	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-9-1	p-Br-Ph	H	H	H	CH_3	N_3	F	F	OH	H	H
XII-9-2	p-Br-Ph	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-9-20	p-Br-Ph	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00292

Table XII-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-10-1	p-I-Ph	H	H	H	CH_3	N_3	F	F	OH	H	H
XII-10-2	p-I-Ph	H	H	CH_3	CH_3	N_3	F	F	OH	H	H
XII-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	F	OH	H	H
XII-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	N_3	F	F	OH	H	H
XII-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	F	OH	H	H
XII-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	F	OH	H	H
XII-10-8	p-I-Ph	*	H	*	CH_3	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-11-1	CH_3	H	H	H	Et	N_3	F	F	OH	H	H
XII-11-2	CH_3	H	H	CH_3	Et	N_3	F	F	OH	H	H
XII-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-11-5	CH_3	H	H	CH_2Ph	Et	N_3	F	F	OH	H	H
XII-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H	H
XII-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H	H
XII-11-8	CH_3	*	H	*	Et	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-12-1	Et	H	H	H	Et	N_3	F	F	OH	H	H
XII-12-2	Et	H	H	CH_3	Et	N_3	F	F	OH	H	H
XII-12-3	Et	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-12-5	Et	H	H	CH_2Ph	Et	N_3	F	F	OH	H	H
XII-12-6	Et	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H	H
XII-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H	H
XII-12-8	Et	*	H	*	Et	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00293

Table XII-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-13-1	^{i}Pr	H	H	H	Et	N_3	F	F	OH	H	H
XII-13-2	^{i}Pr	H	H	CH_3	Et	N_3	F	F	OH	H	H
XII-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-13-5	^{i}Pr	H	H	CH_2Ph	Et	N_3	F	F	OH	H	H
XII-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H	H
XII-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H	H
XII-13-8	^{i}Pr	*	H	*	Et	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-14-1	^{t}Bu	H	H	H	Et	N_3	F	F	OH	H	H
XII-14-2	^{t}Bu	H	H	CH_3	Et	N_3	F	F	OH	H	H
XII-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-14-5	^{t}Bu	H	H	CH_2Ph	Et	N_3	F	F	OH	H	H
XII-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H	H
XII-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H	H
XII-14-8	^{t}Bu	*	H	*	Et	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8

Gilead Exhibit 2015
PGR2023-00046 - Page 00294

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-15-1	Ph	H	H	H	Et	N_3	F	F	OH	H	H
XII-15-2	Ph	H	H	CH_3	Et	N_3	F	F	OH	H	H
XII-15-3	Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-15-5	Ph	H	H	CH_2Ph	Et	N_3	F	F	OH	H	H
XII-15-6	Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H	H
XII-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H	H
XII-15-8	Ph	*	H	*	Et	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-16-1	p-Me-Ph	H	H	H	Et	N_3	F	F	OH	H	H
XII-16-2	p-Me-Ph	H	H	CH_3	Et	N_3	F	F	OH	H	H
XII-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-16-5	p-Me-Ph	H	H	CH_2Ph	Et	N_3	F	F	OH	H	H
XII-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H	H
XII-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H	H
XII-16-8	p-Me-Ph	*	H	*	Et	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-17-1	p-F-Ph	H	H	H	Et	N_3	F	F	OH	H	H
XII-17-2	p-F-Ph	H	H	CH_3	Et	N_3	F	F	OH	H	H
XII-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-17-5	p-F-Ph	H	H	CH_2Ph	Et	N_3	F	F	OH	H	H
XII-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H	H
XII-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H	H
XII-17-8	p-F-Ph	*	H	*	Et	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00295

Table XII-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-18-1	p-Cl-Ph	H	H	H	Et	N_3	F	F	OH	H	H
XII-18-2	p-Cl-Ph	H	H	CH_3	Et	N_3	F	F	OH	H	H
XII-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	N_3	F	F	OH	H	H
XII-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H	H
XII-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H	H
XII-18-8	p-Cl-Ph	*	H	*	Et	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-19-1	p-Br-Ph	H	H	H	Et	N_3	F	F	OH	H	H
XII-19-2	p-Br-Ph	H	H	CH_3	Et	N_3	F	F	OH	H	H
XII-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H	H
XII-19-5	p-Br-Ph	H	H	CH_2Ph	Et	N_3	F	F	OH	H	H
XII-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H	H
XII-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H	H
XII-19-8	p-Br-Ph	*	H	*	Et	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7
XII-20-1	p-I-Ph	H	H	H	Et	N_3	F	F	OH	H
XII-20-2	p-I-Ph	H	H	CH_3	Et	N_3	F	F	OH	H
XII-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	F	OH	H
XII-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	F	OH	H
XII-20-5	p-I-Ph	H	H	CH_2Ph	Et	N_3	F	F	OH	H
XII-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	F	OH	H
XII-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	F	OH	H
XII-20-8	p-I-Ph	*	H	*	Et	N_3	F	F	OH	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00296

Table XII-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-21-1	CH_3	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-21-2	CH_3	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-21-8	CH_3	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-22-1	Et	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-22-2	Et	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-22-5	Et	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-22-8	Et	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-23-1	^{i}Pr	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-23-8	^{i}Pr	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00297

Table XII-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-24-1	^{t}Bu	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-24-8	^{t}Bu	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-25-1	Ph	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-25-2	Ph	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-25-5	Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-25-8	Ph	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-26-1	p-Me-Ph	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-26-8	p-Me-Ph	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00298

Table XII-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-27-1	p-F-Ph	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-27-8	p-F-Ph	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-28-1	p-Cl-Ph	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-28-8	p-Cl-Ph	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-29-1	p-Br-Ph	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-29-8	p-Br-Ph	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00299

Table XII-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-30-1	p-I-Ph	H	H	H	^{i}Pr	N_3	F	F	OH	H	H
XII-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	N_3	F	F	OH	H	H
XII-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	F	OH	H	H
XII-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	F	OH	H	H
XII-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	F	OH	H	H
XII-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	F	OH	H	H
XII-30-8	p-I-Ph	*	H	*	^{i}Pr	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-31-1	CH_3	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-31-2	CH_3	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-31-8	CH_3	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-32-1	Et	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-32-2	Et	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-32-5	Et	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-32-8	Et	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00300

Table XII-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-33-1	^{i}Pr	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-33-8	^{i}Pr	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-34-1	^{t}Bu	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-34-8	^{t}Bu	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-35-1	Ph	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-35-2	Ph	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-35-5	Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-35-8	Ph	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00301

Table XII-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-36-1	p-Me-Ph	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-36-8	p-Me-Ph	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-37-1	p-F-Ph	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-37-8	p-F-Ph	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-38-1	p-Cl-Ph	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-38-8	p-Cl-Ph	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00302

Table XII-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-39-1	p-Br-Ph	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-39-8	p-Br-Ph	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-40-1	p-I-Ph	H	H	H	^{n}Bu	N_3	F	F	OH	H	H
XII-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	N_3	F	F	OH	H	H
XII-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	F	OH	H	H
XII-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	F	OH	H	H
XII-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	F	OH	H	H
XII-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	F	OH	H	H
XII-40-8	p-I-Ph	*	H	*	^{n}Bu	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-41-1	CH_3	H	H	H	Bz	N_3	F	F	OH	H	H
XII-41-2	CH_3	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-41-5	CH_3	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H
XII-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H
XII-41-8	CH_3	*	H	*	Bz	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00303

Table XII-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-42-1	Et	H	H	H	Bz	N_3	F	F	OH	H	H
XII-42-2	Et	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-42-3	Et	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-42-5	Et	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H
XII-42-6	Et	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H
XII-42-8	Et	*	H	*	Bz	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-43-1	^{i}Pr	H	H	H	Bz	N_3	F	F	OH	H	H
XII-43-2	^{i}Pr	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-43-5	^{i}Pr	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H
XII-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H
XII-43-8	^{i}Pr	*	H	*	Bz	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-44-1	^{t}Bu	H	H	H	Bz	N_3	F	F	OH	H	H
XII-44-2	^{t}Bu	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-44-5	^{t}Bu	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H
XII-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H
XII-44-8	^{t}Bu	*	H	*	Bz	N_3	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00304

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-45-1	Ph	H	H	H	Bz	N_3	F	F	OH	H	H
XII-45-2	Ph	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-45-5	Ph	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H
XII-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H
XII-45-8	Ph	*	H	*	Bz	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-46-1	p-Me-Ph	H	H	H	Bz	N_3	F	F	OH	H	H
XII-46-2	p-Me-Ph	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H
XII-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H
XII-46-8	p-Me-Ph	*	H	*	Bz	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-47-1	p-F-Ph	H	H	H	Bz	N_3	F	F	OH	H	H
XII-47-2	p-F-Ph	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-47-5	p-F-Ph	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H
XII-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00305

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-47-8	p-F-Ph	*	H	*	Bz	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-48-1	p-Cl-Ph	H	H	H	Bz	N_3	F	F	OH	H	H
XII-48-2	p-Cl-Ph	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H
XII-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H
XII-48-8	p-Cl-Ph	*	H	*	Bz	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XII-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-49-1	p-Br-Ph	H	H	H	Bz	N_3	F	F	OH	H	H
XII-49-2	p-Br-Ph	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H
XII-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H
XII-49-8	p-Br-Ph	*	H	*	Bz	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.


Table XII-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-50-1	p-I-Ph	H	H	H	Bz	N_3	F	F	OH	H	H
XII-50-2	p-I-Ph	H	H	CH_3	Bz	N_3	F	F	OH	H	H
XII-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	F	OH	H	H
XII-50-5	p-I-Ph	H	H	CH_2Ph	Bz	N_3	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00306

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XII-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	F	OH	H	H
XII-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	F	OH	H	H
XII-50-8	p-I-Ph	*	H	*	Bz	N_3	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.



XIII

Table XIII-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-1-1	CH_3	H	H	H	CH_3	N_3	H	F	OH	H	H
XIII-1-2	CH_3	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-1-5	CH_3	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-1-8	CH_3	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-2-1	Et	H	H	H	CH_3	N_3	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00307

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-2-2	Et	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-2-5	Et	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-2-8	Et	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-3-1	^{i}Pr	H	H	H	CH_3	N_3	H	F	OH	H	H
XIII-3-2	^{i}Pr	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-3-8	^{i}Pr	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-4-1	^{t}Bu	H	H	H	CH_3	N_3	H	F	OH	H	H
XIII-4-2	^{t}Bu	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-4-8	^{t}Bu	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-5.

Gilead Exhibit 2015
PGR2023-00046 - Page 00308

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-5-1	Ph	H	H	H	CH_3	N_3	H	F	OH	H	H
XIII-5-2	Ph	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-5-5	Ph	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-5-8	Ph	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-6-1	p-Me-Ph	H	H	H	CH_3	N_3	H	F	OH	H	H
XIII-6-2	p-Me-Ph	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-6-8	p-Me-Ph	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-7-1	p-F-Ph	H	H	H	CH_3	N_3	H	F	OH	H	H
XIII-7-2	p-F-Ph	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-7-20	p-F-Ph	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00309

Table XIII-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-8-1	p-Cl-Ph	H	H	H	CH_3	N_3	H	F	OH	H	H
XIII-8-2	p-Cl-Ph	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-8-8	p-Cl-Ph	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-9-1	p-Br-Ph	H	H	H	CH_3	N_3	H	F	OH	H	H
XIII-9-2	p-Br-Ph	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-9-20	p-Br-Ph	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-10-1	p-I-Ph	H	H	H	CH_3	N_3	H	F	OH	H	H
XIII-10-2	p-I-Ph	H	H	CH_3	CH_3	N_3	H	F	OH	H	H
XIII-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	H	F	OH	H	H
XIII-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	N_3	H	F	OH	H	H
XIII-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	H	F	OH	H	H
XIII-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	H	F	OH	H	H
XIII-10-8	p-I-Ph	*	H	*	CH_3	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00310

Table XIII-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-11-1	CH_3	H	H	H	Et	N_3	H	F	OH	H	H
XIII-11-2	CH_3	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-11-5	CH_3	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-11-8	CH_3	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-12-1	Et	H	H	H	Et	N_3	H	F	OH	H	H
XIII-12-2	Et	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-12-3	Et	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-12-5	Et	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-12-6	Et	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-12-8	Et	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-13-1	^iPr	H	H	H	Et	N_3	H	F	OH	H	H
XIII-13-2	^iPr	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-13-3	^iPr	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-13-4	^iPr	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-13-5	^iPr	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-13-6	^iPr	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-13-7	^iPr	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-13-8	^iPr	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00311

Table XIII-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-14-1	'Bu	H	H	H	Et	N_3	H	F	OH	H	H
XIII-14-2	'Bu	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-14-3	'Bu	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-14-4	'Bu	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-14-5	'Bu	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-14-6	'Bu	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-14-7	'Bu	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-14-8	'Bu	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-15-1	Ph	H	H	H	Et	N_3	H	F	OH	H	H
XIII-15-2	Ph	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-15-3	Ph	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-15-5	Ph	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-15-6	Ph	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-15-8	Ph	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-16-1	p-Me-Ph	H	H	H	Et	N_3	H	F	OH	H	H
XIII-16-2	p-Me-Ph	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-16-5	p-Me-Ph	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-16-8	p-Me-Ph	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00312

Table XIII-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-17-1	p-F-Ph	H	H	H	Et	N_3	H	F	OH	H	H
XIII-17-2	p-F-Ph	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-17-5	p-F-Ph	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-17-8	p-F-Ph	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-18-1	p-Cl-Ph	H	H	H	Et	N_3	H	F	OH	H	H
XIII-18-2	p-Cl-Ph	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-18-8	p-Cl-Ph	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-19-1	p-Br-Ph	H	H	H	Et	N_3	H	F	OH	H	H
XIII-19-2	p-Br-Ph	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-19-5	p-Br-Ph	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-19-8	p-Br-Ph	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00313

Table XIII-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-20-1	p-I-Ph	H	H	H	Et	N_3	H	F	OH	H	H
XIII-20-2	p-I-Ph	H	H	CH_3	Et	N_3	H	F	OH	H	H
XIII-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	H	F	OH	H	H
XIII-20-5	p-I-Ph	H	H	CH_2Ph	Et	N_3	H	F	OH	H	H
XIII-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	N_3	H	F	OH	H	H
XIII-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	H	F	OH	H	H
XIII-20-8	p-I-Ph	*	H	*	Et	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-21-1	CH_3	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-21-2	CH_3	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-21-8	CH_3	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-22-1	Et	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-22-2	Et	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-22-5	Et	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-22-8	Et	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00314

Table XIII-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-23-1	^{i}Pr	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-23-8	^{i}Pr	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-24-1	^{t}Bu	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-24-8	^{t}Bu	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-25-1	Ph	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-25-2	Ph	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-25-5	Ph	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-25-8	Ph	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00315

Table XIII-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-26-1	p-Me-Ph	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-26-8	p-Me-Ph	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-27-1	p-F-Ph	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-27-8	p-F-Ph	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-28-1	p-Cl-Ph	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-28-8	p-Cl-Ph	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00316

Table XIII-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-29-1	p-Br-Ph	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-29-8	p-Br-Ph	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-30-1	p-I-Ph	H	H	H	^{i}Pr	N_3	H	F	OH	H	H
XIII-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	N_3	H	F	OH	H	H
XIII-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	H	F	OH	H	H
XIII-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	N_3	H	F	OH	H	H
XIII-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	H	F	OH	H	H
XIII-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	H	F	OH	H	H
XIII-30-8	p-I-Ph	*	H	*	^{i}Pr	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-31-1	CH_3	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-31-2	CH_3	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-31-8	CH_3	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00317

Table XIII-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-32-1	Et	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-32-2	Et	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-32-5	Et	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-32-8	Et	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-33-1	^{i}Pr	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-33-8	^{i}Pr	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-34-1	^{t}Bu	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-34-8	^{t}Bu	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00318

Table XIII-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-35-1	Ph	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-35-2	Ph	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-35-5	Ph	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-35-8	Ph	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-36-1	p-Me-Ph	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-36-8	p-Me-Ph	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-37-1	p-F-Ph	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-37-8	p-F-Ph	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00319

Table XIII-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-38-1	p-Cl-Ph	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-38-8	p-Cl-Ph	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-39-1	p-Br-Ph	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-39-8	p-Br-Ph	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-40-1	p-I-Ph	H	H	H	^{n}Bu	N_3	H	F	OH	H	H
XIII-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	N_3	H	F	OH	H	H
XIII-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	H	F	OH	H	H
XIII-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	N_3	H	F	OH	H	H
XIII-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	H	F	OH	H	H
XIII-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	H	F	OH	H	H
XIII-40-8	p-I-Ph	*	H	*	^{n}Bu	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00320

Table XIII-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-41-1	CH_3	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-41-2	CH_3	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-41-5	CH_3	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H
XIII-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H
XIII-41-8	CH_3	*	H	*	Bz	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-42-1	Et	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-42-2	Et	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-42-3	Et	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-42-5	Et	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H
XIII-42-6	Et	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H
XIII-42-8	Et	*	H	*	Bz	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-43-1	^{i}Pr	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-43-2	^{i}Pr	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-43-5	^{i}Pr	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H
XIII-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H
XIII-43-8	^{i}Pr	*	H	*	Bz	N_3	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00321

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-44-1	^{t}Bu	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-44-2	^{t}Bu	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-44-5	^{t}Bu	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H
XIII-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H
XIII-44-8	^{t}Bu	*	H	*	Bz	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-45-1	Ph	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-45-2	Ph	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-45-5	Ph	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H
XIII-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H
XIII-45-8	Ph	*	H	*	Bz	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-46-1	p-Me-Ph	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-46-2	p-Me-Ph	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H
XIII-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00322

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-46-8	p-Me-Ph	*	H	*	Bz	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-47-1	p-F-Ph	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-47-2	p-F-Ph	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-47-5	p-F-Ph	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H
XIII-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H
XIII-47-8	p-F-Ph	*	H	*	Bz	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-48-1	p-Cl-Ph	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-48-2	p-Cl-Ph	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H
XIII-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H
XIII-48-8	p-Cl-Ph	*	H	*	Bz	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-49-1	p-Br-Ph	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-49-2	p-Br-Ph	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00323

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H
XIII-49-8	p-Br-Ph	*	H	*	Bz	N_3	H	F	OH	H	H


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIII-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIII-50-1	p-I-Ph	H	H	H	Bz	N_3	H	F	OH	H	H
XIII-50-2	p-I-Ph	H	H	CH_3	Bz	N_3	H	F	OH	H	H
XIII-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	H	F	OH	H	H
XIII-50-5	p-I-Ph	H	H	CH_2Ph	Bz	N_3	H	F	OH	H	H
XIII-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	H	F	OH	H	H
XIII-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	H	F	OH	H	H
XIII-50-8	p-I-Ph	*	H	*	Bz	N_3	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

5



XIV

Table XIV-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-1-1	CH_3	H	H	H	CH_3	N_3	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00324

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-1-2	CH_3	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-1-5	CH_3	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-1-8	CH_3	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-2-1	Et	H	H	H	CH_3	N_3	F	H	OH	H	H
XIV-2-2	Et	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-2-5	Et	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-2-8	Et	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-3-1	^iPr	H	H	H	CH_3	N_3	F	H	OH	H	H
XIV-3-2	^iPr	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-3-3	^iPr	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-3-4	^iPr	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-3-5	^iPr	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-3-6	^iPr	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-3-7	^iPr	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-3-8	^iPr	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-4.

Gilead Exhibit 2015
PGR2023-00046 - Page 00325

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-4-1	^{t}Bu	H	H	H	CH_3	N_3	F	H	OH	H	H
XIV-4-2	^{t}Bu	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-4-8	^{t}Bu	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-5-1	Ph	H	H	H	CH_3	N_3	F	H	OH	H	H
XIV-5-2	Ph	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-5-5	Ph	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-5-8	Ph	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-6-1	p-Me-Ph	H	H	H	CH_3	N_3	F	H	OH	H	H
XIV-6-2	p-Me-Ph	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-6-8	p-Me-Ph	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00326

Table XIV-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-7-1	p-F-Ph	H	H	H	CH_3	N_3	F	H	OH	H	H
XIV-7-2	p-F-Ph	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-7-20	p-F-Ph	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-8-1	p-Cl-Ph	H	H	H	CH_3	N_3	F	H	OH	H	H
XIV-8-2	p-Cl-Ph	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-8-8	p-Cl-Ph	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-9-1	p-Br-Ph	H	H	H	CH_3	N_3	F	H	OH	H	H
XIV-9-2	p-Br-Ph	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-9-20	p-Br-Ph	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00327

Table XIV-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-10-1	p-I-Ph	H	H	H	CH_3	N_3	F	H	OH	H	H
XIV-10-2	p-I-Ph	H	H	CH_3	CH_3	N_3	F	H	OH	H	H
XIV-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	N_3	F	H	OH	H	H
XIV-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	N_3	F	H	OH	H	H
XIV-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	N_3	F	H	OH	H	H
XIV-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	N_3	F	H	OH	H	H
XIV-10-8	p-I-Ph	*	H	*	CH_3	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-11-1	CH_3	H	H	H	Et	N_3	F	H	OH	H	H
XIV-11-2	CH_3	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-11-5	CH_3	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-11-8	CH_3	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-12-1	Et	H	H	H	Et	N_3	F	H	OH	H	H
XIV-12-2	Et	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-12-3	Et	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-12-5	Et	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-12-6	Et	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-12-8	Et	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00328

Table XIV-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-13-1	^{i}Pr	H	H	H	Et	N_3	F	H	OH	H	H
XIV-13-2	^{i}Pr	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-13-5	^{i}Pr	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-13-8	^{i}Pr	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-14-1	^{t}Bu	H	H	H	Et	N_3	F	H	OH	H	H
XIV-14-2	^{t}Bu	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-14-5	^{t}Bu	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-14-8	^{t}Bu	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-15-1	Ph	H	H	H	Et	N_3	F	H	OH	H	H
XIV-15-2	Ph	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-15-3	Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-15-5	Ph	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-15-6	Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-15-8	Ph	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00329

Table XIV-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-16-1	p-Me-Ph	H	H	H	Et	N_3	F	H	OH	H	H
XIV-16-2	p-Me-Ph	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-16-5	p-Me-Ph	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-16-8	p-Me-Ph	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-17-1	p-F-Ph	H	H	H	Et	N_3	F	H	OH	H	H
XIV-17-2	p-F-Ph	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-17-5	p-F-Ph	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-17-8	p-F-Ph	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-18-1	p-Cl-Ph	H	H	H	Et	N_3	F	H	OH	H	H
XIV-18-2	p-Cl-Ph	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-18-8	p-Cl-Ph	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00330

Table XIV-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-19-1	p-Br-Ph	H	H	H	Et	N_3	F	H	OH	H	H
XIV-19-2	p-Br-Ph	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-19-5	p-Br-Ph	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-19-8	p-Br-Ph	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-20-1	p-I-Ph	H	H	H	Et	N_3	F	H	OH	H	H
XIV-20-2	p-I-Ph	H	H	CH_3	Et	N_3	F	H	OH	H	H
XIV-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	N_3	F	H	OH	H	H
XIV-20-5	p-I-Ph	H	H	CH_2Ph	Et	N_3	F	H	OH	H	H
XIV-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	N_3	F	H	OH	H	H
XIV-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	N_3	F	H	OH	H	H
XIV-20-8	p-I-Ph	*	H	*	Et	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-21-1	CH_3	H	H	H	^iPr	N_3	F	H	OH	H	H
XIV-21-2	CH_3	H	H	CH_3	^iPr	N_3	F	H	OH	H	H
XIV-21-3	CH_3	H	H	$CH(CH_3)_2$	^iPr	N_3	F	H	OH	H	H
XIV-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^iPr	N_3	F	H	OH	H	H
XIV-21-5	CH_3	H	H	CH_2Ph	^iPr	N_3	F	H	OH	H	H
XIV-21-6	CH_3	H	H	CH_2-indol-3-yl	^iPr	N_3	F	H	OH	H	H
XIV-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^iPr	N_3	F	H	OH	H	H
XIV-21-8	CH_3	*	H	*	^iPr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00331

Table XIV-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-22-1	Et	H	H	H	^{i}Pr	N_3	F	H	OH	H	H
XIV-22-2	Et	H	H	CH_3	^{i}Pr	N_3	F	H	OH	H	H
XIV-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-22-5	Et	H	H	CH_2Ph	^{i}Pr	N_3	F	H	OH	H	H
XIV-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	H	OH	H	H
XIV-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	H	OH	H	H
XIV-22-8	Et	*	H	*	^{i}Pr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-23-1	^{i}Pr	H	H	H	^{i}Pr	N_3	F	H	OH	H	H
XIV-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	N_3	F	H	OH	H	H
XIV-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	N_3	F	H	OH	H	H
XIV-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	H	OH	H	H
XIV-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	H	OH	H	H
XIV-23-8	^{i}Pr	*	H	*	^{i}Pr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-24-1	^{t}Bu	H	H	H	^{i}Pr	N_3	F	H	OH	H	H
XIV-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	N_3	F	H	OH	H	H
XIV-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	N_3	F	H	OH	H	H
XIV-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	H	OH	H	H
XIV-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	H	OH	H	H
XIV-24-8	^{t}Bu	*	H	*	^{i}Pr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00332

Table XIV-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-25-1	Ph	H	H	H	^{i}Pr	N_3	F	H	OH	H	H
XIV-25-2	Ph	H	H	CH_3	^{i}Pr	N_3	F	H	OH	H	H
XIV-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-25-5	Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	H	OH	H	H
XIV-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	H	OH	H	H
XIV-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	H	OH	H	H
XIV-25-8	Ph	*	H	*	^{i}Pr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-26-1	p-Me-Ph	H	H	H	^{i}Pr	N_3	F	H	OH	H	H
XIV-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	N_3	F	H	OH	H	H
XIV-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	H	OH	H	H
XIV-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	H	OH	H	H
XIV-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	H	OH	H	H
XIV-26-8	p-Me-Ph	*	H	*	^{i}Pr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-27-1	p-F-Ph	H	H	H	^{i}Pr	N_3	F	H	OH	H	H
XIV-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	N_3	F	H	OH	H	H
XIV-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	H	OH	H	H
XIV-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	H	OH	H	H
XIV-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	H	OH	H	H
XIV-27-8	p-F-Ph	*	H	*	^{i}Pr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00333

Table XIV-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-28-1	p-Cl-Ph	H	H	H	^{i}Pr	N_3	F	H	OH	H	H
XIV-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	N_3	F	H	OH	H	H
XIV-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	H	OH	H	H
XIV-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	H	OH	H	H
XIV-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	H	OH	H	H
XIV-28-8	p-Cl-Ph	*	H	*	^{i}Pr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-29-1	p-Br-Ph	H	H	H	^{i}Pr	N_3	F	H	OH	H	H
XIV-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	N_3	F	H	OH	H	H
XIV-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	H	OH	H	H
XIV-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	H	OH	H	H
XIV-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	H	OH	H	H
XIV-29-8	p-Br-Ph	*	H	*	^{i}Pr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-30-1	p-I-Ph	H	H	H	^{i}Pr	N_3	F	H	OH	H	H
XIV-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	N_3	F	H	OH	H	H
XIV-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	N_3	F	H	OH	H	H
XIV-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	N_3	F	H	OH	H	H
XIV-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	N_3	F	H	OH	H	H
XIV-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	N_3	F	H	OH	H	H
XIV-30-8	p-I-Ph	*	H	*	^{i}Pr	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00334

Table XIV-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-31-1	CH_3	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-31-2	CH_3	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-31-8	CH_3	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-32-1	Et	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-32-2	Et	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-32-5	Et	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-32-8	Et	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-33-1	^{t}Pr	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-33-8	^{i}Pr	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00335

Table XIV-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-34-1	^{t}Bu	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-34-8	^{t}Bu	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-35-1	Ph	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-35-2	Ph	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-35-5	Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-35-8	Ph	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-36-1	p-Me-Ph	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-36-8	p-Me-Ph	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00336

Table XIV-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-37-1	p-F-Ph	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-37-8	p-F-Ph	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-38-1	p-Cl-Ph	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-38-8	p-Cl-Ph	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-39-1	p-Br-Ph	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-39-8	p-Br-Ph	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00337

Table XIV-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-40-1	p-I-Ph	H	H	H	^{n}Bu	N_3	F	H	OH	H	H
XIV-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	N_3	F	H	OH	H	H
XIV-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	N_3	F	H	OH	H	H
XIV-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	N_3	F	H	OH	H	H
XIV-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	N_3	F	H	OH	H	H
XIV-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	N_3	F	H	OH	H	H
XIV-40-8	p-I-Ph	*	H	*	^{n}Bu	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-41-1	CH_3	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-41-2	CH_3	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-41-5	CH_3	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H
XIV-41-8	CH_3	*	H	*	Bz	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-42-1	Et	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-42-2	Et	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-42-3	Et	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-42-5	Et	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-42-6	Et	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H
XIV-42-8	Et	*	H	*	Bz	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00338

Table XIV-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-43-1	^{t}Pr	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-43-2	^{i}Pr	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-43-5	^{i}Pr	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H
XIV-43-8	^{i}Pr	*	H	*	Bz	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-44-1	^{t}Bu	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-44-2	^{t}Bu	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-44-5	^{t}Bu	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H
XIV-44-8	^{t}Bu	*	H	*	Bz	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-45-1	Ph	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-45-2	Ph	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-45-5	Ph	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H
XIV-45-8	Ph	*	H	*	Bz	N_3	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00339

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-46-1	p-Me-Ph	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-46-2	p-Me-Ph	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H
XIV-46-8	p-Me-Ph	*	H	*	Bz	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-47-1	p-F-Ph	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-47-2	p-F-Ph	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-47-5	p-F-Ph	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H
XIV-47-8	p-F-Ph	*	H	*	Bz	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-48-1	p-Cl-Ph	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-48-2	p-Cl-Ph	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00340

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-48-8	p-Cl-Ph	*	H	*	Bz	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-49-1	p-Br-Ph	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-49-2	p-Br-Ph	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H
XIV-49-8	p-Br-Ph	*	H	*	Bz	N_3	F	H	OH	H	H


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XIV-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XIV-50-1	p-I-Ph	H	H	H	Bz	N_3	F	H	OH	H	H
XIV-50-2	p-I-Ph	H	H	CH_3	Bz	N_3	F	H	OH	H	H
XIV-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	N_3	F	H	OH	H	H
XIV-50-5	p-I-Ph	H	H	CH_2Ph	Bz	N_3	F	H	OH	H	H
XIV-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	N_3	F	H	OH	H	H
XIV-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	N_3	F	H	OH	H	H
XIV-50-8	p-I-Ph	*	H	*	Bz	N_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00341



XV

Table XV-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-1-1	CH_3	H	H	H	CH_3	F	F	H	OH	H	H
XV-1-2	CH_3	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-1-5	CH_3	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-1-8	CH_3	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-2-1	Et	H	H	H	CH_3	F	F	H	OH	H	H
XV-2-2	Et	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-2-5	Et	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-2-8	Et	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00342

Table XV-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-3-1	^{i}Pr	H	H	H	CH_3	F	F	H	OH	H	H
XV-3-2	^{i}Pr	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-3-8	^{i}Pr	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-4-1	^{t}Bu	H	H	H	CH_3	F	F	H	OH	H	H
XV-4-2	^{t}Bu	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-4-8	^{t}Bu	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-5-1	Ph	H	H	H	CH_3	F	F	H	OH	H	H
XV-5-2	Ph	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-5-5	Ph	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-5-8	Ph	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00343

Table XV-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-6-1	p-Me-Ph	H	H	H	CH_3	F	F	H	OH	H	H
XV-6-2	p-Me-Ph	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-6-8	p-Me-Ph	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-7-1	p-F-Ph	H	H	H	CH_3	F	F	H	OH	H	H
XV-7-2	p-F-Ph	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-7-20	p-F-Ph	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-8-1	p-Cl-Ph	H	H	H	CH_3	F	F	H	OH	H	H
XV-8-2	p-Cl-Ph	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-8-8	p-Cl-Ph	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00344

Table XV-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-9-1	p-Br-Ph	H	H	H	CH_3	F	F	H	OH	H	H
XV-9-2	p-Br-Ph	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-9-20	p-Br-Ph	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-10-1	p-I-Ph	H	H	H	CH_3	F	F	H	OH	H	H
XV-10-2	p-I-Ph	H	H	CH_3	CH_3	F	F	H	OH	H	H
XV-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	H	OH	H	H
XV-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	F	F	H	OH	H	H
XV-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	H	OH	H	H
XV-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	H	OH	H	H
XV-10-8	p-I-Ph	*	H	*	CH_3	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-11-1	CH_3	H	H	H	Et	F	F	H	OH	H	H
XV-11-2	CH_3	H	H	CH_3	Et	F	F	H	OH	H	H
XV-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-11-5	CH_3	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-11-8	CH_3	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00345

Table XV-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-12-1	Et	H	H	H	Et	F	F	H	OH	H	H
XV-12-2	Et	H	H	CH_3	Et	F	F	H	OH	H	H
XV-12-3	Et	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-12-5	Et	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-12-6	Et	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-12-8	Et	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-13-1	^{i}Pr	H	H	H	Et	F	F	H	OH	H	H
XV-13-2	^{i}Pr	H	H	CH_3	Et	F	F	H	OH	H	H
XV-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-13-5	^{i}Pr	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-13-8	^{i}Pr	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-14-1	^{t}Bu	H	H	H	Et	F	F	H	OH	H	H
XV-14-2	^{t}Bu	H	H	CH_3	Et	F	F	H	OH	H	H
XV-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-14-5	^{t}Bu	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-14-8	^{t}Bu	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00346

Table XV-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-15-1	Ph	H	H	H	Et	F	F	H	OH	H	H
XV-15-2	Ph	H	H	CH_3	Et	F	F	H	OH	H	H
XV-15-3	Ph	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-15-5	Ph	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-15-6	Ph	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-15-8	Ph	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-16-1	p-Me-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-16-2	p-Me-Ph	H	H	CH_3	Et	F	F	H	OH	H	H
XV-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-16-5	p-Me-Ph	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-16-8	p-Me-Ph	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-17-1	p-F-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-17-2	p-F-Ph	H	H	CH_3	Et	F	F	H	OH	H	H
XV-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-17-5	p-F-Ph	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-17-8	p-F-Ph	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00347

Table XV-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-18-1	p-Cl-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-18-2	p-Cl-Ph	H	H	CH_3	Et	F	F	H	OH	H	H
XV-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-18-8	p-Cl-Ph	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-19-1	p-Br-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-19-2	p-Br-Ph	H	H	CH_3	Et	F	F	H	OH	H	H
XV-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-19-5	p-Br-Ph	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-19-8	p-Br-Ph	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-20-1	p-I-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-20-2	p-I-Ph	H	H	CH_3	Et	F	F	H	OH	H	H
XV-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	H	OH	H	H
XV-20-5	p-I-Ph	H	H	CH_2Ph	Et	F	F	H	OH	H	H
XV-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	F	F	H	OH	H	H
XV-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	H	OH	H	H
XV-20-8	p-I-Ph	*	H	*	Et	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00348

Table XV-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-21-1	CH_3	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-21-2	CH_3	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-21-8	CH_3	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-22-1	Et	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-22-2	Et	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-22-5	Et	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-22-8	Et	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-23-1	^{i}Pr	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-23-8	^{i}Pr	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00349

Table XV-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-24-1	^{t}Bu	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-24-8	^{t}Bu	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-25-1	Ph	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-25-2	Ph	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-25-5	Ph	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-25-8	Ph	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-26-1	p-Me-Ph	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-26-8	p-Me-Ph	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00350

Table XV-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-27-1	p-F-Ph	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-27-8	p-F-Ph	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-28-1	p-Cl-Ph	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-28-8	p-Cl-Ph	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-29-1	p-Br-Ph	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-29-8	p-Br-Ph	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00351

Table XV-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-30-1	p-I-Ph	H	H	H	^{i}Pr	F	F	H	OH	H	H
XV-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	F	F	H	OH	H	H
XV-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	H	OH	H	H
XV-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	F	F	H	OH	H	H
XV-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	H	OH	H	H
XV-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	H	OH	H	H
XV-30-8	p-I-Ph	*	H	*	^{i}Pr	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-31-1	CH_3	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-31-2	CH_3	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-31-8	CH_3	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-32-1	Et	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-32-2	Et	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-32-5	Et	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-32-8	Et	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00352

Table XV-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-33-1	^{i}Pr	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-33-8	^{i}Pr	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-34-1	^{t}Bu	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-34-8	^{t}Bu	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-35-1	Ph	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-35-2	Ph	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-35-5	Ph	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-35-8	Ph	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00353

Table XV-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-36-1	p-Me-Ph	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-36-8	p-Me-Ph	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-37-1	p-F-Ph	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-37-8	p-F-Ph	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-38-1	p-Cl-Ph	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-38-8	p-Cl-Ph	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00354

Table XV-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-39-1	p-Br-Ph	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-39-8	p-Br-Ph	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-40-1	p-I-Ph	H	H	H	^{n}Bu	F	F	H	OH	H	H
XV-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	F	F	H	OH	H	H
XV-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	H	OH	H	H
XV-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	F	F	H	OH	H	H
XV-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	H	OH	H	H
XV-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	H	OH	H	H
XV-40-8	p-I-Ph	*	H	*	^{n}Bu	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-41-1	CH_3	H	H	H	Bz	F	F	H	OH	H	H
XV-41-2	CH_3	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-41-5	CH_3	H	H	CH_2Ph	Bz	F	F	H	OH	H	H
XV-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H
XV-41-8	CH_3	*	H	*	Bz	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00355

Table XV-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-42-1	Et	H	H	H	Bz	F	F	H	OH	H	H
XV-42-2	Et	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-42-3	Et	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-42-5	Et	H	H	CH_2Ph	Bz	F	F	H	OH	H	H
XV-42-6	Et	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H
XV-42-8	Et	*	H	*	Bz	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-43-1	^{i}Pr	H	H	H	Bz	F	F	H	OH	H	H
XV-43-2	^{i}Pr	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-43-5	^{i}Pr	H	H	CH_2Ph	Bz	F	F	H	OH	H	H
XV-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H
XV-43-8	^{i}Pr	*	H	*	Bz	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-44-1	^{t}Bu	H	H	H	Bz	F	F	H	OH	H	H
XV-44-2	^{t}Bu	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-44-5	^{t}Bu	H	H	CH_2Ph	Bz	F	F	H	OH	H	H
XV-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H
XV-44-8	^{t}Bu	*	H	*	Bz	F	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00356

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-45-1	Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-45-2	Ph	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-45-5	Ph	H	H	CH_2Ph	Bz	F	F	H	OH	H	H
XV-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H
XV-45-8	Ph	*	H	*	Bz	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-46-1	p-Me-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-46-2	p-Me-Ph	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	F	F	H	OH	H	H
XV-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H
XV-46-8	p-Me-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-47-1	p-F-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-47-2	p-F-Ph	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-47-5	p-F-Ph	H	H	CH_2Ph	Bz	F	F	H	OH	H	H
XV-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00357

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-47-8	p-F-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-48-1	p-Cl-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-48-2	p-Cl-Ph	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	F	F	H	OH	H	H
XV-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H
XV-48-8	p-Cl-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XV-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-49-1	p-Br-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-49-2	p-Br-Ph	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	F	F	H	OH	H	H
XV-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H
XV-49-8	p-Br-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.


Table XV-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-50-1	p-I-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-50-2	p-I-Ph	H	H	CH_3	Bz	F	F	H	OH	H	H
XV-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	H	OH	H	H
XV-50-5	p-I-Ph	H	H	CH_2Ph	Bz	F	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00358

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XV-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	H	OH	H	H
XV-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	H	OH	H	H
XV-50-8	p-I-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.



XVI

Table XVI-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-1-1	CH_3	H	H	H	CH_3	F	F	F	OH	H	H
XVI-1-2	CH_3	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-1-5	CH_3	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-1-8	CH_3	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-2-1	Et	H	H	H	CH_3	F	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00359

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-2-2	Et	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-2-5	Et	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-2-8	Et	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-3-1	^{i}Pr	H	H	H	CH_3	F	F	F	OH	H	H
XVI-3-2	^{i}Pr	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-3-8	^{i}Pr	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-4-1	^{t}Bu	H	H	H	CH_3	F	F	F	OH	H	H
XVI-4-2	^{t}Bu	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-4-8	^{t}Bu	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-5.

Gilead Exhibit 2015
PGR2023-00046 - Page 00360

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-5-1	Ph	H	H	H	CH_3	F	F	F	OH	H	H
XVI-5-2	Ph	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-5-5	Ph	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-5-8	Ph	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-6-1	p-Me-Ph	H	H	H	CH_3	F	F	F	OH	H	H
XVI-6-2	p-Me-Ph	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-6-8	p-Me-Ph	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-7-1	p-F-Ph	H	H	H	CH_3	F	F	F	OH	H	H
XVI-7-2	p-F-Ph	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-7-20	p-F-Ph	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00361

Table XVI-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-8-1	p-Cl-Ph	H	H	H	CH_3	F	F	F	OH	H	H
XVI-8-2	p-Cl-Ph	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-8-8	p-Cl-Ph	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-9-1	p-Br-Ph	H	H	H	CH_3	F	F	F	OH	H	H
XVI-9-2	p-Br-Ph	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-9-20	p-Br-Ph	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-10-1	p-I-Ph	H	H	H	CH_3	F	F	F	OH	H	H
XVI-10-2	p-I-Ph	H	H	CH_3	CH_3	F	F	F	OH	H	H
XVI-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	F	F	OH	H	H
XVI-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	F	F	F	OH	H	H
XVI-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	F	F	F	OH	H	H
XVI-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	F	F	OH	H	H
XVI-10-8	p-I-Ph	*	H	*	CH_3	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00362

Table XVI-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-11-1	CH_3	H	H	H	Et	F	F	F	OH	H	H
XVI-11-2	CH_3	H	H	CH_3	Et	F	F	F	OH	H	H
XVI-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-11-5	CH_3	H	H	CH_2Ph	Et	F	F	F	OH	H	H
XVI-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H	H
XVI-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H	H
XVI-11-8	CH_3	*	H	*	Et	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-12-1	Et	H	H	H	Et	F	F	F	OH	H	H
XVI-12-2	Et	H	H	CH_3	Et	F	F	F	OH	H	H
XVI-12-3	Et	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-12-5	Et	H	H	CH_2Ph	Et	F	F	F	OH	H	H
XVI-12-6	Et	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H	H
XVI-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H	H
XVI-12-8	Et	*	H	*	Et	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-13-1	^{i}Pr	H	H	H	Et	F	F	F	OH	H	H
XVI-13-2	^{i}Pr	H	H	CH_3	Et	F	F	F	OH	H	H
XVI-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-13-5	^{i}Pr	H	H	CH_2Ph	Et	F	F	F	OH	H	H
XVI-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H	H
XVI-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H	H
XVI-13-8	^{i}Pr	*	H	*	Et	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00363

Table XVI-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-14-1	^{t}Bu	H	H	H	Et	F	F	F	OH	H	H
XVI-14-2	^{t}Bu	H	H	CH_3	Et	F	F	F	OH	H	H
XVI-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-14-5	^{t}Bu	H	H	CH_2Ph	Et	F	F	F	OH	H	H
XVI-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H	H
XVI-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H	H
XVI-14-8	^{t}Bu	*	H	*	Et	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-15-1	Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-15-2	Ph	H	H	CH_3	Et	F	F	F	OH	H	H
XVI-15-3	Ph	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-15-5	Ph	H	H	CH_2Ph	Et	F	F	F	OH	H	H
XVI-15-6	Ph	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H	H
XVI-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H	H
XVI-15-8	Ph	*	H	*	Et	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-16-1	p-Me-Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-16-2	p-Me-Ph	H	H	CH_3	Et	F	F	F	OH	H	H
XVI-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-16-5	p-Me-Ph	H	H	CH_2Ph	Et	F	F	F	OH	H	H
XVI-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H	H
XVI-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H	H
XVI-16-8	p-Me-Ph	*	H	*	Et	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00364

Table XVI-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-17-1	p-F-Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-17-2	p-F-Ph	H	H	CH_3	Et	F	F	F	OH	H	H
XVI-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-17-5	p-F-Ph	H	H	CH_2Ph	Et	F	F	F	OH	H	H
XVI-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H	H
XVI-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H	H
XVI-17-8	p-F-Ph	*	H	*	Et	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-18-1	p-Cl-Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-18-2	p-Cl-Ph	H	H	CH_3	Et	F	F	F	OH	H	H
XVI-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	F	F	F	OH	H	H
XVI-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H	H
XVI-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H	H
XVI-18-8	p-Cl-Ph	*	H	*	Et	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-19-1	p-Br-Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-19-2	p-Br-Ph	H	H	CH_3	Et	F	F	F	OH	H	H
XVI-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H	H
XVI-19-5	p-Br-Ph	H	H	CH_2Ph	Et	F	F	F	OH	H	H
XVI-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H	H
XVI-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H	H
XVI-19-8	p-Br-Ph	*	H	*	Et	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00365

Table XVI-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7
XVI-20-1	p-I-Ph	H	H	H	Et	F	F	F	OH	H
XVI-20-2	p-I-Ph	H	H	CH_3	Et	F	F	F	OH	H
XVI-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	F	F	F	OH	H
XVI-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	F	F	OH	H
XVI-20-5	p-I-Ph	H	H	CH_2Ph	Et	F	F	F	OH	H
XVI-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	F	F	F	OH	H
XVI-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	F	F	OH	H
XVI-20-8	p-I-Ph	*	H	*	Et	F	F	F	OH	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-21-1	CH_3	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-21-2	CH_3	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-21-8	CH_3	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-22-1	Et	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-22-2	Et	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-22-5	Et	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-22-8	Et	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00366

Table XVI-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-23-1	^{i}Pr	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-23-8	^{i}Pr	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-24-1	^{t}Bu	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-24-8	^{t}Bu	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-25-1	Ph	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-25-2	Ph	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-25-5	Ph	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-25-8	Ph	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00367

Table XVI-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-26-1	p-Me-Ph	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-26-8	p-Me-Ph	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-27-1	p-F-Ph	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-27-8	p-F-Ph	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-28-1	p-Cl-Ph	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-28-8	p-Cl-Ph	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00368

Table XVI-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-29-1	p-Br-Ph	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-29-8	p-Br-Ph	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-30-1	p-I-Ph	H	H	H	^{i}Pr	F	F	F	OH	H	H
XVI-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	F	F	F	OH	H	H
XVI-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	F	F	OH	H	H
XVI-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	F	F	F	OH	H	H
XVI-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	F	F	OH	H	H
XVI-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	F	F	OH	H	H
XVI-30-8	p-I-Ph	*	H	*	^{i}Pr	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-31-1	CH_3	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-31-2	CH_3	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-31-8	CH_3	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00369

Table XVI-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-32-1	Et	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-32-2	Et	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-32-5	Et	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-32-8	Et	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-33-1	^{i}Pr	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-33-8	^{i}Pr	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-34-1	^{t}Bu	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-34-8	^{t}Bu	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00370

Table XVI-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-35-1	Ph	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-35-2	Ph	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-35-5	Ph	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-35-8	Ph	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-36-1	p-Me-Ph	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-36-8	p-Me-Ph	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-37-1	p-F-Ph	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-37-8	p-F-Ph	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00371

Table XVI-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-38-1	p-Cl-Ph	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-38-8	p-Cl-Ph	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-39-1	p-Br-Ph	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-39-8	p-Br-Ph	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-40-1	p-I-Ph	H	H	H	^{n}Bu	F	F	F	OH	H	H
XVI-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	F	F	F	OH	H	H
XVI-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	F	F	OH	H	H
XVI-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	F	F	F	OH	H	H
XVI-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	F	F	OH	H	H
XVI-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	F	F	OH	H	H
XVI-40-8	p-I-Ph	*	H	*	^{n}Bu	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00372

Table XVI-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-41-1	CH_3	H	H	H	Bz	F	F	F	OH	H	H
XVI-41-2	CH_3	H	H	CH_3	Bz	F	F	F	OH	H	H
XVI-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVI-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVI-41-5	CH_3	H	H	CH_2Ph	Bz	F	F	F	OH	H	H
XVI-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVI-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H
XVI-41-8	CH_3	*	H	*	Bz	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-42-1	Et	H	H	H	Bz	F	F	F	OH	H	H
XVI-42-2	Et	H	H	CH_3	Bz	F	F	F	OH	H	H
XVI-42-3	Et	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVI-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVI-42-5	Et	H	H	CH_2Ph	Bz	F	F	F	OH	H	H
XVI-42-6	Et	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVI-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H
XVI-42-8	Et	*	H	*	Bz	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-43-1	^{i}Pr	H	H	H	Bz	F	F	F	OH	H	H
XVI-43-2	^{i}Pr	H	H	CH_3	Bz	F	F	F	OH	H	H
XVI-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVI-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVI-43-5	^{i}Pr	H	H	CH_2Ph	Bz	F	F	F	OH	H	H
XVI-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVI-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H
XVI-43-8	^{i}Pr	*	H	*	Bz	F	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00373

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVI-44-1	^{t}Bu	H	H	H	Bz	F	F	F	OH	H	H
XVI-44-2	^{t}Bu	H	H	CH_3	Bz	F	F	F	OH	H	H
XVI-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVI-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVI-44-5	^{t}Bu	H	H	CH_2Ph	Bz	F	F	F	OH	H	H
XVI-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVI-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H
XVI-44-8	^{t}Bu	*	H	*	Bz	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-45-1	Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-45-2	Ph	H	H	CH_3	Bz	F	F	F	OH	H	H
XVII-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-45-5	Ph	H	H	CH_2Ph	Bz	F	F	F	OH	H	H
XVII-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVII-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H
XVII-45-8	Ph	*	H	*	Bz	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-46-1	p-Me-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-46-2	p-Me-Ph	H	H	CH_3	Bz	F	F	F	OH	H	H
XVII-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	F	F	F	OH	H	H
XVII-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVII-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00374

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-46-8	p-Me-Ph	*	H	*	Bz	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-47-1	p-F-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-47-2	p-F-Ph	H	H	CH_3	Bz	F	F	F	OH	H	H
XVII-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-47-5	p-F-Ph	H	H	CH_2Ph	Bz	F	F	F	OH	H	H
XVII-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVII-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H
XVII-47-8	p-F-Ph	*	H	*	Bz	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-48-1	p-Cl-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-48-2	p-Cl-Ph	H	H	CH_3	Bz	F	F	F	OH	H	H
XVII-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	F	F	F	OH	H	H
XVII-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVII-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H
XVII-48-8	p-Cl-Ph	*	H	*	Bz	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-49-1	p-Br-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-49-2	p-Br-Ph	H	H	CH_3	Bz	F	F	F	OH	H	H
XVII-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	F	F	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00375

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVII-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H
XVII-49-8	p-Br-Ph	*	H	*	Bz	F	F	F	OH	H	H


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVI-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-50-1	p-I-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-50-2	p-I-Ph	H	H	CH_3	Bz	F	F	F	OH	H	H
XVII-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	F	F	OH	H	H
XVII-50-5	p-I-Ph	H	H	CH_2Ph	Bz	F	F	F	OH	H	H
XVII-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	F	F	F	OH	H	H
XVII-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	F	F	OH	H	H
XVII-50-8	p-I-Ph	*	H	*	Bz	F	F	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

5



XVII

Table XVII-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-1-1	CH_3	H	H	H	CH_3	F	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00376

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-1-2	CH_3	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-1-5	CH_3	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-1-8	CH_3	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-2-1	Et	H	H	H	CH_3	F	H	F	OH	H	H
XVII-2-2	Et	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-2-5	Et	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-2-8	Et	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-3-1	^{i}Pr	H	H	H	CH_3	F	H	F	OH	H	H
XVII-3-2	^{i}Pr	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-3-8	^{i}Pr	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-4.

Gilead Exhibit 2015
PGR2023-00046 - Page 00377

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-4-1	^{t}Bu	H	H	H	CH_3	F	H	F	OH	H	H
XVII-4-2	^{t}Bu	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-4-8	^{t}Bu	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-5-1	Ph	H	H	H	CH_3	F	H	F	OH	H	H
XVII-5-2	Ph	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-5-5	Ph	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-5-8	Ph	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-6-1	p-Me-Ph	H	H	H	CH_3	F	H	F	OH	H	H
XVII-6-2	p-Me-Ph	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-6-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-6-8	p-Me-Ph	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00378

Table XVII-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-7-1	p-F-Ph	H	H	H	CH_3	F	H	F	OH	H	H
XVII-7-2	p-F-Ph	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-7-20	p-F-Ph	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-8-1	p-Cl-Ph	H	H	H	CH_3	F	H	F	OH	H	H
XVII-8-2	p-Cl-Ph	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-8-8	p-Cl-Ph	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-9-1	p-Br-Ph	H	H	H	CH_3	F	H	F	OH	H	H
XVII-9-2	p-Br-Ph	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-9-20	p-Br-Ph	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00379

Table XVII-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-10-1	p-I-Ph	H	H	H	CH_3	F	H	F	OH	H	H
XVII-10-2	p-I-Ph	H	H	CH_3	CH_3	F	H	F	OH	H	H
XVII-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	F	H	F	OH	H	H
XVII-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	F	H	F	OH	H	H
XVII-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	F	H	F	OH	H	H
XVII-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	F	H	F	OH	H	H
XVII-10-8	p-I-Ph	*	H	*	CH_3	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-11-1	CH_3	H	H	H	Et	F	H	F	OH	H	H
XVII-11-2	CH_3	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-11-5	CH_3	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-11-8	CH_3	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-12-1	Et	H	H	H	Et	F	H	F	OH	H	H
XVII-12-2	Et	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-12-3	Et	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-12-5	Et	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-12-6	Et	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-12-8	Et	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00380

Table XVII-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-13-1	^{i}Pr	H	H	H	Et	F	H	F	OH	H	H
XVII-13-2	^{i}Pr	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-13-5	^{i}Pr	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-13-8	^{i}Pr	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-14-1	^{t}Bu	H	H	H	Et	F	H	F	OH	H	H
XVII-14-2	^{t}Bu	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-14-5	^{t}Bu	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-14-8	^{t}Bu	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-15-1	Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-15-2	Ph	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-15-3	Ph	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-15-5	Ph	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-15-6	Ph	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-15-8	Ph	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00381

Table XVII-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-16-1	p-Me-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-16-2	p-Me-Ph	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-16-5	p-Me-Ph	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-16-8	p-Me-Ph	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-17-1	p-F-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-17-2	p-F-Ph	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-17-5	p-F-Ph	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-17-8	p-F-Ph	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-18-1	p-Cl-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-18-2	p-Cl-Ph	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-18-8	p-Cl-Ph	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00382

Table XVII-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-19-1	p-Br-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-19-2	p-Br-Ph	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-19-5	p-Br-Ph	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-19-8	p-Br-Ph	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-20-1	p-I-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-20-2	p-I-Ph	H	H	CH_3	Et	F	H	F	OH	H	H
XVII-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	F	H	F	OH	H	H
XVII-20-5	p-I-Ph	H	H	CH_2Ph	Et	F	H	F	OH	H	H
XVII-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	F	H	F	OH	H	H
XVII-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	F	H	F	OH	H	H
XVII-20-8	p-I-Ph	*	H	*	Et	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-21-1	CH_3	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-21-2	CH_3	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-21-8	CH_3	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00383

Table XVII-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-22-1	Et	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-22-2	Et	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-22-5	Et	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-22-8	Et	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-23-1	^{i}Pr	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-23-8	^{i}Pr	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-24-1	^{t}Bu	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-24-8	^{t}Bu	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00384

Table XVII-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-25-1	Ph	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-25-2	Ph	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-25-5	Ph	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-25-8	Ph	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-26-1	p-Me-Ph	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-26-8	p-Me-Ph	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-27-1	p-F-Ph	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-27-8	p-F-Ph	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00385

Table XVII-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-28-1	p-Cl-Ph	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-28-8	p-Cl-Ph	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-29.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-29-1	p-Br-Ph	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-29-8	p-Br-Ph	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-30-1	p-I-Ph	H	H	H	^{i}Pr	F	H	F	OH	H	H
XVII-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	F	H	F	OH	H	H
XVII-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	F	H	F	OH	H	H
XVII-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	F	H	F	OH	H	H
XVII-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	F	H	F	OH	H	H
XVII-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	F	H	F	OH	H	H
XVII-30-8	p-I-Ph	*	H	*	^{i}Pr	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00386

Table XVII-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-31-1	CH_3	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-31-2	CH_3	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-31-8	CH_3	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-32-1	Et	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-32-2	Et	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-32-5	Et	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-32-8	Et	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-33-1	^{i}Pr	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-33-8	^{i}Pr	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00387

Table XVII-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-34-1	^{t}Bu	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-34-8	^{t}Bu	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-35-1	Ph	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-35-2	Ph	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-35-5	Ph	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-35-8	Ph	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-36-1	p-Me-Ph	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-36-8	p-Me-Ph	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00388

Table XVII-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-37-1	p-F-Ph	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-37-8	p-F-Ph	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-38-1	p-Cl-Ph	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-38-8	p-Cl-Ph	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-39-1	p-Br-Ph	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-39-8	p-Br-Ph	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00389

Table XVII-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-40-1	p-I-Ph	H	H	H	^{n}Bu	F	H	F	OH	H	H
XVII-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	F	H	F	OH	H	H
XVII-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	F	H	F	OH	H	H
XVII-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	F	H	F	OH	H	H
XVII-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	F	H	F	OH	H	H
XVII-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	F	H	F	OH	H	H
XVII-40-8	p-I-Ph	*	H	*	^{n}Bu	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-41-1	CH_3	H	H	H	Bz	F	H	F	OH	H	H
XVII-41-2	CH_3	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-41-5	CH_3	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H
XVII-41-8	CH_3	*	H	*	Bz	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-42-1	Et	H	H	H	Bz	F	H	F	OH	H	H
XVII-42-2	Et	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-42-3	Et	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-42-5	Et	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-42-6	Et	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H
XVII-42-8	Et	*	H	*	Bz	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00390

Table XVII-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-43-1	^{i}Pr	H	H	H	Bz	F	H	F	OH	H	H
XVII-43-2	^{i}Pr	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-43-5	^{i}Pr	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H
XVII-43-8	^{i}Pr	*	H	*	Bz	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-44.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-44-1	^{t}Bu	H	H	H	Bz	F	H	F	OH	H	H
XVII-44-2	^{t}Bu	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-44-3	^{t}Bu	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-44-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-44-5	^{t}Bu	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-44-6	^{t}Bu	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-44-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H
XVII-44-8	^{t}Bu	*	H	*	Bz	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-45.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-45-1	Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-45-2	Ph	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-45-3	Ph	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-45-4	Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-45-5	Ph	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-45-6	Ph	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-45-7	Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H
XVII-45-8	Ph	*	H	*	Bz	F	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00391

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-46.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-46-1	p-Me-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-46-2	p-Me-Ph	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-46-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-46-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-46-5	p-Me-Ph	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-46-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-46-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H
XVII-46-8	p-Me-Ph	*	H	*	Bz	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-47.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-47-1	p-F-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-47-2	p-F-Ph	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-47-3	p-F-Ph	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-47-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-47-5	p-F-Ph	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-47-6	p-F-Ph	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-47-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H
XVII-47-8	p-F-Ph	*	H	*	Bz	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-48.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-48-1	p-Cl-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-48-2	p-Cl-Ph	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-48-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-48-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-48-5	p-Cl-Ph	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-48-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-48-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00392

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-48-8	p-Cl-Ph	*	H	*	Bz	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-49.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-49-1	p-Br-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-49-2	p-Br-Ph	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-49-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-49-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-49-5	p-Br-Ph	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-49-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-49-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H
XVII-49-8	p-Br-Ph	*	H	*	Bz	F	H	F	OH	H	H


*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVII-50.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVII-50-1	p-I-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-50-2	p-I-Ph	H	H	CH_3	Bz	F	H	F	OH	H	H
XVII-50-3	p-I-Ph	H	H	$CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-50-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Bz	F	H	F	OH	H	H
XVII-50-5	p-I-Ph	H	H	CH_2Ph	Bz	F	H	F	OH	H	H
XVII-50-6	p-I-Ph	H	H	CH_2-indol-3-yl	Bz	F	H	F	OH	H	H
XVII-50-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Bz	F	H	F	OH	H	H
XVII-50-8	p-I-Ph	*	H	*	Bz	F	H	F	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00393



XVIII

Table XVIII-1.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-1-1	CH_3	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-1-2	CH_3	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-1-3	CH_3	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-1-4	CH_3	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-1-5	CH_3	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-1-6	CH_3	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-1-7	CH_3	H	H	$CH_2CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-1-8	CH_3	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-2.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-2-1	Et	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-2-2	Et	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-2-3	Et	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-2-4	Et	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-2-5	Et	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-2-6	Et	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-2-7	Et	H	H	$CH_2CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-2-8	Et	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00394

Table XVIII-3.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-3-1	^{i}Pr	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-3-2	^{i}Pr	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-3-3	^{i}Pr	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-3-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-3-5	^{i}Pr	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-3-6	^{i}Pr	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-3-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-3-8	^{i}Pr	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-4.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-4-1	^{t}Bu	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-4-2	^{t}Bu	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-4-3	^{t}Bu	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-4-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-4-5	^{t}Bu	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-4-6	^{t}Bu	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-4-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-4-8	^{t}Bu	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-5.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-5-1	Ph	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-5-2	Ph	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-5-3	Ph	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-5-4	Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-5-5	Ph	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-5-6	Ph	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-5-7	Ph	H	H	$CH_2CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-5-8	Ph	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00395

Table XVIII-6.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-6-1	p-Me-Ph	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-6-2	p-Me-Ph	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-6-3	p-Me-Ph	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-6-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-6-5	p-Me-Ph	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-6-6	p-Me-Ph	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-6-7	p-Me-Ph	H	H	$CH_3CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-6-8	p-Me-Ph	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-7.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-7-1	p-F-Ph	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-7-2	p-F-Ph	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-7-3	p-F-Ph	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-7-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-7-6	p-F-Ph	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-7-7	p-F-Ph	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-7-8	p-F-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-7-20	p-F-Ph	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-8.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-8-1	p-Cl-Ph	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-8-2	p-Cl-Ph	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-8-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-8-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-8-5	p-Cl-Ph	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-8-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-8-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-8-8	p-Cl-Ph	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00396

Table XVIII-9.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-9-1	p-Br-Ph	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-9-2	p-Br-Ph	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-9-3	p-Br-Ph	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-9-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-9-6	p-Br-Ph	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-9-7	p-Br-Ph	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-9-8	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-9-20	p-Br-Ph	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-10.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-10-1	p-I-Ph	H	H	H	CH_3	OCH_3	F	H	OH	H	H
XVIII-10-2	p-I-Ph	H	H	CH_3	CH_3	OCH_3	F	H	OH	H	H
XVIII-10-3	p-I-Ph	H	H	$CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-10-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	CH_3	OCH_3	F	H	OH	H	H
XVIII-10-5	p-I-Ph	H	H	CH_2Ph	CH_3	OCH_3	F	H	OH	H	H
XVIII-10-6	p-I-Ph	H	H	CH_2-indol-3-yl	CH_3	OCH_3	F	H	OH	H	H
XVIII-10-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	CH_3	OCH_3	F	H	OH	H	H
XVIII-10-8	p-I-Ph	*	H	*	CH_3	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-11.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-11-1	CH_3	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-11-2	CH_3	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-11-3	CH_3	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-11-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-11-5	CH_3	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H
XVIII-11-6	CH_3	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-11-7	CH_3	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H
XVIII-11-8	CH_3	*	H	*	Et	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00397

Table XVIII-12.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-12-1	Et	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-12-2	Et	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-12-3	Et	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-12-4	Et	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-12-5	Et	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H
XVIII-12-6	Et	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-12-7	Et	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H
XVIII-12-8	Et	*	H	*	Et	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-13.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-13-1	^{i}Pr	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-13-2	^{i}Pr	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-13-3	^{i}Pr	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-13-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-13-5	^{i}Pr	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H
XVIII-13-6	^{i}Pr	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-13-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H
XVIII-13-8	^{i}Pr	*	H	*	Et	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-14.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-14-1	^{t}Bu	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-14-2	^{t}Bu	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-14-3	^{t}Bu	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-14-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-14-5	^{t}Bu	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H
XVIII-14-6	^{t}Bu	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-14-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H
XVIII-14-8	^{t}Bu	*	H	*	Et	OCH_3	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00398

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-15.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-15-1	Ph	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-15-2	Ph	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-15-3	Ph	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-15-4	Ph	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-15-5	Ph	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H
XVIII-15-6	Ph	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-15-7	Ph	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H
XVIII-15-8	Ph	*	H	*	Et	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-16.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-16-1	p-Me-Ph	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-16-2	p-Me-Ph	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-16-3	p-Me-Ph	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-16-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-16-5	p-Me-Ph	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H
XVIII-16-6	p-Me-Ph	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-16-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H
XVIII-16-8	p-Me-Ph	*	H	*	Et	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-17.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-17-1	p-F-Ph	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-17-2	p-F-Ph	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-17-3	p-F-Ph	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-17-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-17-5	p-F-Ph	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H
XVIII-17-6	p-F-Ph	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-17-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00399

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-17-8	p-F-Ph	*	H	*	Et	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-18.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-18-1	p-Cl-Ph	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-18-2	p-Cl-Ph	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-18-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-18-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-18-5	p-Cl-Ph	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H
XVIII-18-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-18-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H
XVIII-18-8	p-Cl-Ph	*	H	*	Et	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-19.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-19-1	p-Br-Ph	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-19-2	p-Br-Ph	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-19-3	p-Br-Ph	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-19-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-19-5	p-Br-Ph	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H
XVIII-19-6	p-Br-Ph	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-19-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H
XVIII-19-8	p-Br-Ph	*	H	*	Et	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-20.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-20-1	p-I-Ph	H	H	H	Et	OCH_3	F	H	OH	H	H
XVIII-20-2	p-I-Ph	H	H	CH_3	Et	OCH_3	F	H	OH	H	H
XVIII-20-3	p-I-Ph	H	H	$CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-20-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	Et	OCH_3	F	H	OH	H	H
XVIII-20-5	p-I-Ph	H	H	CH_2Ph	Et	OCH_3	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00400

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-20-6	p-I-Ph	H	H	CH_2-indol-3-yl	Et	OCH_3	F	H	OH	H	H
XVIII-20-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	Et	OCH_3	F	H	OH	H	H
XVIII-20-8	p-I-Ph	*	H	*	Et	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-21.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-21-1	CH_3	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-21-2	CH_3	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-21-3	CH_3	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-21-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-21-5	CH_3	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-21-6	CH_3	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-21-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-21-8	CH_3	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-22.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-22-1	Et	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-22-2	Et	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-22-3	Et	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-22-4	Et	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-22-5	Et	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-22-6	Et	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-22-7	Et	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-22-8	Et	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-23.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-23-1	^{i}Pr	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-23-2	^{i}Pr	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-23-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00401

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-23-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-23-5	^{i}Pr	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-23-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-23-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-23-8	^{i}Pr	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-24.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-24-1	^{t}Bu	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-24-2	^{t}Bu	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-24-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-24-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-24-5	^{t}Bu	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-24-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-24-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-24-8	^{t}Bu	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-25.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-25-1	Ph	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-25-2	Ph	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-25-3	Ph	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-25-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-25-5	Ph	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-25-6	Ph	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-25-7	Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-25-8	Ph	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-26.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-26-1	p-Me-Ph	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00402

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-26-2	p-Me-Ph	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-26-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-26-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-26-5	p-Me-Ph	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-26-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-26-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-26-8	p-Me-Ph	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-27.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-27-1	p-F-Ph	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-27-2	p-F-Ph	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-27-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-27-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-27-5	p-F-Ph	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-27-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-27-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-27-8	p-F-Ph	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-28.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-28-1	p-Cl-Ph	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-28-2	p-Cl-Ph	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-28-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-28-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-28-5	p-Cl-Ph	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-28-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-28-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-28-8	p-Cl-Ph	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-29.

Gilead Exhibit 2015
PGR2023-00046 - Page 00403

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-29-1	p-Br-Ph	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-29-2	p-Br-Ph	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-29-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-29-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-29-5	p-Br-Ph	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-29-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-29-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-29-8	p-Br-Ph	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-30.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-30-1	p-I-Ph	H	H	H	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-30-2	p-I-Ph	H	H	CH_3	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-30-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-30-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-30-5	p-I-Ph	H	H	CH_2Ph	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-30-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-30-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{i}Pr	OCH_3	F	H	OH	H	H
XVIII-30-8	p-I-Ph	*	H	*	^{i}Pr	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-31.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-31-1	CH_3	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-31-2	CH_3	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-31-3	CH_3	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-31-4	CH_3	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-31-5	CH_3	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-31-6	CH_3	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-31-7	CH_3	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-31-8	CH_3	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00404

Table XVIII-32.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-32-1	Et	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-32-2	Et	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-32-3	Et	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-32-4	Et	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-32-5	Et	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-32-6	Et	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-32-7	Et	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-32-8	Et	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-33.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-33-1	^{i}Pr	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-33-2	^{i}Pr	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-33-3	^{i}Pr	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-33-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-33-5	^{i}Pr	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-33-6	^{i}Pr	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-33-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-33-8	^{i}Pr	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-34.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-34-1	^{t}Bu	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-34-2	^{t}Bu	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-34-3	^{t}Bu	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-34-4	^{t}Bu	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-34-5	^{t}Bu	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-34-6	^{t}Bu	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-34-7	^{t}Bu	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-34-8	^{t}Bu	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00405

Table XVIII-35.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-35-1	Ph	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-35-2	Ph	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-35-3	Ph	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-35-4	Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-35-5	Ph	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-35-6	Ph	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-35-7	Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-35-8	Ph	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-36.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-36-1	p-Me-Ph	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-36-2	p-Me-Ph	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-36-3	p-Me-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-36-4	p-Me-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-36-5	p-Me-Ph	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-36-6	p-Me-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-36-7	p-Me-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-36-8	p-Me-Ph	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-37.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-37-1	p-F-Ph	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-37-2	p-F-Ph	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-37-3	p-F-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-37-4	p-F-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-37-5	p-F-Ph	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-37-6	p-F-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-37-7	p-F-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-37-8	p-F-Ph	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00406

Table XVIII-38.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-38-1	p-Cl-Ph	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-38-2	p-Cl-Ph	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-38-3	p-Cl-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-38-4	p-Cl-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-38-5	p-Cl-Ph	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-38-6	p-Cl-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-38-7	p-Cl-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-38-8	p-Cl-Ph	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-39.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-39-1	p-Br-Ph	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-39-2	p-Br-Ph	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-39-3	p-Br-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-39-4	p-Br-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-39-5	p-Br-Ph	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-39-6	p-Br-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-39-7	p-Br-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-39-8	p-Br-Ph	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-40.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-40-1	p-I-Ph	H	H	H	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-40-2	p-I-Ph	H	H	CH_3	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-40-3	p-I-Ph	H	H	$CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-40-4	p-I-Ph	H	H	$CH_2CH(CH_3)_2$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-40-5	p-I-Ph	H	H	CH_2Ph	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-40-6	p-I-Ph	H	H	CH_2-indol-3-yl	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-40-7	p-I-Ph	H	H	$CH_2CH_2SCH_3$	^{n}Bu	OCH_3	F	H	OH	H	H
XVIII-40-8	p-I-Ph	*	H	*	^{n}Bu	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Gilead Exhibit 2015
PGR2023-00046 - Page 00407

Table XVIII-41.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-41-1	CH_3	H	H	H	Bz	OCH_3	F	H	OH	H	H
XVIII-41-2	CH_3	H	H	CH_3	Bz	OCH_3	F	H	OH	H	H
XVIII-41-3	CH_3	H	H	$CH(CH_3)_2$	Bz	OCH_3	F	H	OH	H	H
XVIII-41-4	CH_3	H	H	$CH_2CH(CH_3)_2$	Bz	OCH_3	F	H	OH	H	H
XVIII-41-5	CH_3	H	H	CH_2Ph	Bz	OCH_3	F	H	OH	H	H
XVIII-41-6	CH_3	H	H	CH_2-indol-3-yl	Bz	OCH_3	F	H	OH	H	H
XVIII-41-7	CH_3	H	H	$CH_2CH_2SCH_3$	Bz	OCH_3	F	H	OH	H	H
XVIII-41-8	CH_3	*	H	*	Bz	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-42.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-42-1	Et	H	H	H	Bz	OCH_3	F	H	OH	H	H
XVIII-42-2	Et	H	H	CH_3	Bz	OCH_3	F	H	OH	H	H
XVIII-42-3	Et	H	H	$CH(CH_3)_2$	Bz	OCH_3	F	H	OH	H	H
XVIII-42-4	Et	H	H	$CH_2CH(CH_3)_2$	Bz	OCH_3	F	H	OH	H	H
XVIII-42-5	Et	H	H	CH_2Ph	Bz	OCH_3	F	H	OH	H	H
XVIII-42-6	Et	H	H	CH_2-indol-3-yl	Bz	OCH_3	F	H	OH	H	H
XVIII-42-7	Et	H	H	$CH_2CH_2SCH_3$	Bz	OCH_3	F	H	OH	H	H
XVIII-42-8	Et	*	H	*	Bz	OCH_3	F	H	OH	H	H

*R^2 and R^{3b} joined together by $(CH_2)_3$ to form five-membered ring.

Table XVIII-43.

№	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8
XVIII-43-1	^{i}Pr	H	H	H	Bz	OCH_3	F	H	OH	H	H
XVIII-43-2	^{i}Pr	H	H	CH_3	Bz	OCH_3	F	H	OH	H	H
XVIII-43-3	^{i}Pr	H	H	$CH(CH_3)_2$	Bz	OCH_3	F	H	OH	H	H
XVIII-43-4	^{i}Pr	H	H	$CH_2CH(CH_3)_2$	Bz	OCH_3	F	H	OH	H	H
XVIII-43-5	^{i}Pr	H	H	CH_2Ph	Bz	OCH_3	F	H	OH	H	H
XVIII-43-6	^{i}Pr	H	H	CH_2-indol-3-yl	Bz	OCH_3	F	H	OH	H	H
XVIII-43-7	^{i}Pr	H	H	$CH_2CH_2SCH_3$	Bz	OCH_3	F	H	OH	H	H
XVIII-43-8	^{i}Pr	*	H	*	Bz	OCH_3	F	H	OH	H	H

Gilead Exhibit 2015
PGR2023-00046 - Page 00408