

Easy Set® Pools

Intex's line of beautiful Easy Set® Pools will ensure years of backyard family fun.

Intex is the company that has brought the enjoyment of backyard swimming to millions of people around the world. Our high quality, easy to assemble, reliable pools are the best value on the market today - and we make them in a range of popular sizes and accessories that are sure to satisfy your customers.

ACCESSORIES INCLUDED IN CERTAIN MODELS



New saltwater system included in select 15' (457cm) sets. Also available separately (see page 32)

Filter pump included in select 8' (244cm), 10' (305cm), 12' (366cm), 15' (457cm) and 18' (549cm) sets. Also available separately (see page 34)



Pool cover and ground cloth included in select 15' (457cm) and all 18' (549cm) sets. Also available separately (see page 36 & 37)

Ladder included in select 15' (457cm) and all 18' (549cm) sets. Also available separately (see page 37)



Pool maintenance kit included in select 15' (457cm) sets. Also available separately (see page 38)

Improved deluxe maintenance kit included in 18' (549cm) sets. Also available separately (see page 38)



English and multi-language international packaging available

Easy Set® Pools
U.S. Patent #6,571,405
U.S. Patent #6,257,890

Easy Set® Pools



Our 8' (244cm), 10' (305cm), and 12' (366cm) Easy Set® pools are great for smaller children, smaller yards, or for families making their first pool purchase. They're "easy" for consumers to carry home, "easy" to assemble, and "easy" to enjoy!

8' x 30" (244cm x 76cm)	FEATURES	56970 / E	56971 / E	56972
	Approximate Set-up Size	8' x 30" (244cm x 76cm)	8' x 30" (244cm x 76cm)	8' x 30" (244cm x 76cm)
	Water Capacity (80%)	639 gal. (2,419 L)	639 gal. (2,419 L)	639 gal. (2,419 L)
	Filter Pump	—	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	—	530 gallons (2,006 L)	530 gallons (2,006 L)
	Ready for Water in	10 Minutes	10 Minutes	10 Minutes
	Instructional DVD	Yes	Yes	Yes
	Retail Packaging	Shelf box	Shelf box	Shelf box
	Case Pack	1 Ea.	1 Ea.	1 Ea.
	Case Weight	14.4 Lb. (6.5kg)	21.7 Lb. (9.9kg)	21.6 Lb. (9.8kg)



Filter pump included in select sets. Also available separately (see page 34)

10' x 30" (305cm x 76cm)	FEATURES	56920 / E	56921 / E	56922
	Approximate Set-up Size	10' x 30" (305cm x 76cm)	10' x 30" (305cm x 76cm)	10' x 30" (305cm x 76cm)
	Water Capacity (80%)	1,018 gal. (3,853 L)	1,018 gal. (3,853 L)	1,018 gal. (3,853 L)
	Filter Pump	—	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	—	530 gallons (2,006 L)	530 gallons (2,006 L)
	Ready for Water in	10 Minutes	10 Minutes	10 Minutes
	Instructional DVD	Yes	Yes	Yes
	Retail Packaging	Shelf box	Shelf box	Shelf box
	Case Pack	1 Ea.	1 Ea.	1 Ea.
	Case Weight	19.3 Lb. (8.8kg)	27.0 Lb. (12.3kg)	27.0 Lb. (12.3kg)

ACCESSORIES

We've put a lot of thought into providing the best combination of accessories for each Intex pool. Our accessories are built to the same demanding standards of quality and value as our pools. With years of experience selling millions of pools, we've learned the right mix of accessories that will ensure that Intex pools will fly off your shelves!

12' x 30" (366cm x 76cm)	FEATURES	56420 / E	56421 / E	56422
	Approximate Set-up Size	12' x 30" (366cm x 76cm)	12' x 30" (366cm x 76cm)	12' x 30" (366cm x 76cm)
	Water Capacity (80%)	1,485 gal. (5,621 L)	1,485 gal. (5,621 L)	1,485 gal. (5,621 L)
	Filter Pump	—	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	—	530 gallons (2,006 L)	530 gallons (2,006 L)
	Ready for Water in	10 Minutes	10 Minutes	10 Minutes
	Instructional DVD	Yes	Yes	Yes
	Retail Packaging	Shelf box	Shelf box	Shelf box
	Case Pack	1 Ea.	1 Ea.	1 Ea.
	Case Weight	29.3 Lb. (13.3kg)	36.3 Lb. (16.5kg)	36.2 Lb. (16.5kg)

12' x 36" (366cm x 91cm)	FEATURES	56930 / E	56931 / E	56932
	Approximate Set-up Size	12' x 36" (366cm x 91cm)	12' x 36" (366cm x 91cm)	12' x 36" (366cm x 91cm)
	Water Capacity (80%)	1,779 gal. (6,734 L)	1,779 gal. (6,734 L)	1,779 gal. (6,734 L)
	Filter Pump	—	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	—	530 gallons (2,006 L)	530 gallons (2,006 L)
	Ready for Water in	10 Minutes	10 Minutes	10 Minutes
	Instructional DVD	Yes	Yes	Yes
	Retail Packaging	Shelf box	Shelf box	Shelf box
	Case Pack	1 Ea.	1 Ea.	1 Ea.
	Case Weight	33.5 Lb. (15.2kg)	40.3 Lb. (18.3kg)	40.2 Lb. (18.3kg)



Easy Set® Pools



Our range of 15' (457cm) Easy Set® pools comes in three popular heights.
The 42" (107cm) and 48" (122cm) are available with the new Intex Saltwater System!

FEATURES	56411 / E	56412	56413 / E	56414
Approximate Set-up Size	15' x 36" (457cm x 91cm)	15' x 36" (457cm x 91cm)	15' x 36" (457cm x 91cm)	15' x 36" (457cm x 91cm)
Water Capacity (80%)	2,822 gal. (10,681 L)	2,822 gal. (10,681 L)	2,822 gal. (10,681 L)	2,822 gal. (10,681 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)
Ready for Water in	15 Minutes	15 Minutes	15 Minutes	15 Minutes
Ladder	—	—	Yes	Yes
Ground Cloth	—	—	Yes	Yes
Pool Cover	—	—	Yes	Yes
Maintenance Kit	—	—	Yes	Yes
Surface Skimmer	—	—	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	57.0 Lb. (25.9kg)	57.0 Lb. (25.9kg)	94.3 Lb. (42.9kg)	94.1 Lb. (42.8kg)

FEATURES	56408 / E	56409	54408 / E	54409
Approximate Set-up Size	15' x 42" (457cm x 107cm)	15' x 42" (457cm x 107cm)	15' x 42" (457cm x 107cm)	15' x 42" (457cm x 107cm)
Water Capacity (80%)	3,284 gal. (12,430 L)	3,284 gal. (12,430 L)	3,284 gal. (12,430 L)	3,284 gal. (12,430 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)
Ready for Water in	15 Minutes	15 Minutes	15 Minutes	15 Minutes
Saltwater System	—	—	ST-56605	ST-56606
Ladder	Yes	Yes	Yes	Yes
Ground Cloth	Yes	Yes	Yes	Yes
Pool Cover	Yes	Yes	Yes	Yes
Maintenance Kit	Yes	Yes	Yes	Yes
Surface Skimmer	Yes	Yes	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	100.5 Lb. (45.7kg)	100.5 Lb. (45.7kg)	125.4 Lb. (57.0kg)	125.8 Lb. (57.2kg)

FEATURES	56911 / E	56912	54411 / E	54412
Approximate Set-up Size	15' x 48" (457cm x 122cm)	15' x 48" (457cm x 122cm)	15' x 48" (457cm x 122cm)	15' x 48" (457cm x 122cm)
Water Capacity (80%)	3,736 gal. (14,141 L)	3,736 gal. (14,141 L)	3,736 gal. (14,141 L)	3,736 gal. (14,141 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)
Ready for Water in	15 Minutes	15 Minutes	15 Minutes	15 Minutes
Saltwater System	—	—	ST-56605	ST-56606
Ladder	Yes	Yes	Yes	Yes
Ground Cloth	Yes	Yes	Yes	Yes
Pool Cover	Yes	Yes	Yes	Yes
Maintenance Kit	Yes	Yes	Yes	Yes
Surface Skimmer	Yes	Yes	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	110.5 Lb. (50.2kg)	110.9 Lb. (50.4kg)	135.7 Lb. (61.7kg)	136.2 Lb. (61.9kg)



New saltwater system included in select sets.
Also available separately (see page 32)



Filter pump included in select sets.
Also available separately (see page 34)



Ladder included in select sets.
Also available separately (see page 37)



Pool cover and ground cloth included in select sets.
Also available separately (see page 36 & 37)



Pool maintenance kit included in select sets.
Also available separately (see page 38)



Wall mount surface skimmer included in select sets.
Also available separately (see page 39)

Easy Set® Pools



Deluxe saltwater system included in select sets.
Also available separately (see page 32)



High volume filter pump included in select sets.
Also available separately (see page 34)



Ladder included in all 18' (549cm) sets.
Also available separately (see page 37)

Our large and popular 18' (549cm)
Easy Set® pool is easy to assemble like our
other Easy Set® pools. It's big enough for any
family and a neighborhood full of friends!
A truly amazing pool that's an amazing value!

FEATURES	56416 / E	56417
Approximate Set-up Size	18' x 42" (549cm x 107cm)	18' x 42" (549cm x 107cm)
Water Capacity (80%)	4,786 gal. (18,115 L)	4,786 gal. (18,115 L)
Filter Pump	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,500 gallons (5,678 L)	1,500 gallons (5,678 L)
Ready for Water in	30 Minutes	30 Minutes
Ladder	Yes	Yes
Ground Cloth	Yes	Yes
Pool Cover	Yes	Yes
Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes
Instructional DVD	Yes	Yes
Retail Packaging	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.
Case Weight	147.7 Lb. (67.1kg)	148.1 Lb. (67.3kg)

18' x 42" (549cm x 107cm)



FEATURES	56904 / E	56905	57928 / E	57929
Approximate Set-up Size	18' x 48" (549cm x 122cm)	18' x 48" (549cm x 122cm)	18' x 48" (549cm x 122cm)	18' x 48" (549cm x 122cm)
Water Capacity (80%)	5,455 gal. (20,647 L)	5,455 gal. (20,647 L)	5,455 gal. (20,647 L)	5,455 gal. (20,647 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,500 gallons (5,678 L)	1,500 gallons (5,678 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
Ready for Water in	30 Minutes	30 Minutes	30 Minutes	30 Minutes
Saltwater System	—	—	CG-56611	CG-56612
Ladder	Yes	Yes	Yes	Yes
Ground Cloth	Yes	Yes	Yes	Yes
Pool Cover	Yes	Yes	Yes	Yes
Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	159.9 Lb. (72.7kg)	160.6 Lb. (73.0kg)	190.9 Lb. (86.8kg)	192.3 Lb. (87.4kg)

18' x 48" (549cm x 122cm)

FEATURES	57931/E	57932
Approximate Set-up Size	18' x 52" (549cm x 132cm)	18' x 52" (549cm x 132cm)
Water Capacity (80%)	5,894 gal. (22,309 L)	5,894 gal. (22,309 L)
Filter Pump	110-120 volt	220-240 volt
Filter Pump Output (per hour)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
Ready for Water in	30 Minutes	30 Minutes
Saltwater System	CG-56611	CG-56612
Ladder	Yes	Yes
Ground Cloth	Yes	Yes
Pool Cover	Yes	Yes
Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes
Instructional DVD	Yes	Yes
Retail Packaging	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.
Case Weight	197.0 Lb. (89.5kg)	198.5 Lb. (90.2kg)

18' x 52" (549cm x 132cm)

ACCESSORIES INCLUDED IN CERTAIN MODELS

Intex's 18' (549cm) Easy Set®
pools are available with an
impressive range of accessories
including a powerful 1,500 gph
(5,678 L/hr) filter pump,
Deluxe Maintenance Kit, and
Intex Deluxe Saltwater System.



Pool cover included in all 18' (549cm) sets.



Ground cloth included in all 18' (549cm) sets.



Improved deluxe maintenance kit included in all
18' (549cm) sets. Also available separately
(see page 38)

Oval Frame Pools

The value of an Easy Set® Pool combined with the classic shape of a rectangular pool!

For many consumers, a rectangular pool is their preferred choice. Intex's oval shaped pools let them enjoy the benefits of an Easy Set® pool - quick, easy assembly, with a rectangular shape - perfect for narrow backyards, volleyball games, or swimming laps!

ACCESSORIES INCLUDED IN CERTAIN MODELS



Deluxe saltwater system included in select sets.
Also available separately (see page 32)



High volume filter pump included in select sets.
Also available separately (see page 34)



Pool cover and ground cloth included



Pool volleyball set included



Ladder included. Also available separately
(see page 37)



Improved deluxe maintenance kit included.
Also available separately (see page 38)



English and multi-language
international packaging available

Oval frame Pools:
U.S. Patent #6,257,350

24' x 12' x 48" (732cm x 366cm x 122cm)	FEATURES	57985 / E	57986	57987 / E	57988
	Approximate Set-up Size	24' x 12' x 48" (732cm x 366cm x 122cm)	24' x 12' x 48" (732cm x 366cm x 122cm)	24' x 12' x 48" (732cm x 366cm x 122cm)	24' x 12' x 48" (732cm x 366cm x 122cm)
	Water Capacity (80%)	5,407 gal. (20,465 L)	5,407 gal. (20,465 L)	5,407 gal. (20,465 L)	5,407 gal. (20,465 L)
	Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	1,500 gallons (5,678 L)	1,500 gallons (5,678 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
	Ready for Water in	45 Minutes	45 Minutes	45 Minutes	45 Minutes
	Saltwater System	—	—	CG-56611	CG-56612
	Ladder	Yes	Yes	Yes	Yes
	Ground Cloth	Yes	Yes	Yes	Yes
	Pool Cover	Yes	Yes	Yes	Yes
	Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes	Yes	Yes
	Volleyball Set	Yes	Yes	Yes	Yes
	Instructional DVD	Yes	Yes	Yes	Yes
	Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
	Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
	Case Weight	253.3 Lb. (115.1kg)	254.1 Lb. (115.5kg)	282.4 Lb. (128.4kg)	284.2 Lb. (129.2kg)

28' x 12' x 48" (853cm x 366cm x 122cm)	FEATURES	57971 / E	57972	NEW! 54495 / E	NEW! 54496
	Approximate Set-up Size	28' x 12' x 48" (853cm x 366cm x 122cm)	28' x 12' x 48" (853cm x 366cm x 122cm)	28' x 12' x 48" (853cm x 366cm x 122cm)	28' x 12' x 48" (853cm x 366cm x 122cm)
	Water Capacity (80%)	6,420 gal. (24,300 L)	6,420 gal. (24,300 L)	6,420 gal. (24,300 L)	6,420 gal. (24,300 L)
	Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	1,500 gallons (5,678 L)	1,500 gallons (5,678 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
	Ready for Water in	60 Minutes	60 Minutes	60 Minutes	60 Minutes
	Saltwater System	—	—	CG-56611	CG-56612
	Ladder	Yes	Yes	Yes	Yes
	Ground Cloth	Yes	Yes	Yes	Yes
	Pool Cover	Yes	Yes	Yes	Yes
	Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes	Yes	Yes
	Volleyball Set	Yes	Yes	Yes	Yes
	Instructional DVD	Yes	Yes	Yes	Yes
	Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
	Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
	Case Weight	301.1 Lb. (136.9kg)	301.8 Lb. (137.2kg)	330.2 Lb. (150.1kg)	331.9 Lb. (150.9kg)



Pool volleyball set included.



Ladder included. Also available separately (see page 37)



Improved deluxe maintenance kit included. Also available separately (see page 38)

Metal Frame Pools



Intex's beautiful Metal Frame Pools – classic beauty at a great value!

Nobody builds a metal frame pool like Intex! With our SUPER-TOUGH™ liners and our high quality, incredibly strong metal frames, your customers will enjoy a pool that is easy to assemble, beautiful to look at, and certain to provide years of fun!

ACCESSORIES INCLUDED IN CERTAIN MODELS



New saltwater system included in select 15' (457cm) sets. Also available separately (see page 32)



Deluxe saltwater system included in select sets. Also available separately (see page 32)



High volume filter pump included in select sets. Also available separately (see page 34)



Volleyball set included in select sets.



Ladder included in select sets. Also available separately (see page 37)



Improved deluxe maintenance kit included in select sets. Also available separately (see page 38)



English and multi-language international packaging available

Metal Frame Pools



FEATURES	56998 / E	56999
Approximate Set-up Size	10' x 30" (305cm x 76cm)	10' x 30" (305cm x 76cm)
Water Capacity (90%)	1,185 gal. (4,485 L)	1,185 gal. (4,485 L)
Filter Pump	110-120 volt	220-240 volt
Filter Pump Output	530 gallons (2,006 L)	530 gallons (2,006 L)
Ready for Water in	30 Minutes	30 Minutes
Instructional DVD	Yes	Yes
Retail Packaging	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.
Case Weight	55.1 Lb. (25.1kg)	55.2 Lb. (25.1kg)

FEATURES	56995 / E	56996
Approximate Set-up Size	12' x 30" (366cm x 76cm)	12' x 30" (366cm x 76cm)
Water Capacity (90%)	1,718 gal. (6,503 L)	1,718 gal. (6,503 L)
Filter Pump	110-120 volt	220-240 volt
Filter Pump Output	530 gallons (2,006 L)	530 gallons (2,006 L)
Ready for Water in	30 Minutes	30 Minutes
Instructional DVD	Yes	Yes
Retail Packaging	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.
Case Weight	70.3 Lb. (32.0kg)	70.3 Lb. (32.0kg)

FEATURES	56941 / E	56942	54441 / E	54442
Approximate Set-up Size	15' x 36" (457cm x 91cm)	15' x 36" (457cm x 91cm)	15' x 36" (457cm x 91cm)	15' x 36" (457cm x 91cm)
Water Capacity (90%)	3,282 gal. (12,422 L)	3,282 gal. (12,422 L)	3,282 gal. (12,422 L)	3,282 gal. (12,422 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)
Ready for Water in	45 Minutes	45 Minutes	45 Minutes	45 Minutes
Saltwater System	-	-	ST-56605	ST-56606
Ladder	Yes	Yes	Yes	Yes
Ground Cloth	Yes	Yes	Yes	Yes
Pool Cover	Yes	Yes	Yes	Yes
Maintenance Kit	Yes	Yes	Yes	Yes
Surface Skimmer	Yes	Yes	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	149.2 Lb. (67.8kg)	148.9 Lb. (67.7kg)	176.4 Lb. (80.2kg)	176.4 Lb. (80.2kg)

FEATURES	56948 / E	56949	54443 / E	54444
Approximate Set-up Size	15' x 42" (457cm x 107cm)	15' x 42" (457cm x 107cm)	15' x 42" (457cm x 107cm)	15' x 42" (457cm x 107cm)
Water Capacity (90%)	3,861 gal. (14,614 L)	3,861 gal. (14,614 L)	3,861 gal. (14,614 L)	3,861 gal. (14,614 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)
Ready for Water in	45 Minutes	45 Minutes	45 Minutes	45 Minutes
Saltwater System	-	-	ST-56605	ST-56606
Ladder	Yes	Yes	Yes	Yes
Ground Cloth	Yes	Yes	Yes	Yes
Pool Cover	Yes	Yes	Yes	Yes
Maintenance Kit	Yes	Yes	Yes	Yes
Surface Skimmer	Yes	Yes	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	158.8 Lb. (72.2kg)	159.1 Lb. (72.3kg)	186.1 Lb. (84.6kg)	186.1 Lb. (84.6kg)

FEATURES	56945 / E	56946	54445 / E	54446
Approximate Set-up Size	15' x 48" (457cm x 122cm)	15' x 48" (457cm x 122cm)	15' x 48" (457cm x 122cm)	15' x 48" (457cm x 122cm)
Water Capacity (90%)	4,440 gal. (16,805 L)	4,440 gal. (16,805 L)	4,440 gal. (16,805 L)	4,440 gal. (16,805 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)	1,000 gallons (3,785 L)
Ready for Water in	45 Minutes	45 Minutes	45 Minutes	45 Minutes
Saltwater System	-	-	ST-56605	ST-56606
Ladder	Yes	Yes	Yes	Yes
Ground Cloth	Yes	Yes	Yes	Yes
Pool Cover	Yes	Yes	Yes	Yes
Maintenance Kit	Yes	Yes	Yes	Yes
Surface Skimmer	Yes	Yes	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	175.1 Lb. (79.6kg)	175.8 Lb. (79.9kg)	200.2 Lb. (91.0kg)	200.6 Lb. (91.2kg)



New saltwater system included in select sets. Also available separately (see page 32)



Filter pump included. Also available separately (see page 34)



Ladder included in select sets. Also available separately (see page 37)



Pool cover and ground cloth included in select sets. Also available separately (see page 36 & 37)



Pool maintenance kit included in select sets. Also available separately (see page 38)



Wall mount surface skimmer included in select sets. Also available separately (see page 39)

Metal Frame Pools



RUST-RESISTANT GALVANIZED STEEL FRAME POOLS!

With the added protective finish of galvanized steel, frame pools can now be manufactured in even larger sizes, such as our 24' diameter (732cm) pool with a 52" (132cm) depth, which is capable of supporting over 12,400 gallons (47,000 L) of water.

- SUPER-TOUGH™ sidewalls are triple strong. Made with 3 separate layers of material for extra strength and durability - two outer layers of heavy-gauge PVC laminated to an inner layer of polyester mesh for extra reinforcement.
- Separate laminated band provides additional wall support.
- Reinforced polypropylene rope wraps around the bottom of the pool liner to keep the legs firmly in position.
- Convenient drain plug for easy draining. Connects to garden hose so the water can be drained away from the pool area.

FEATURES	56951 / E	56952	57953 / E	57954
Approximate Set-up Size	18' x 48" (549cm x 122cm)	18' x 48" (549cm x 122cm)	18' x 48" (549cm x 122cm)	18' x 48" (549cm x 122cm)
Water Capacity (90%)	6,423 gal. (24,311 L)	6,423 gal. (24,311 L)	6,423 gal. (24,311 L)	6,423 gal. (24,311 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,500 gallons (5,678 L)	1,500 gallons (5,678 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
Ready for Water in	60 Minutes	60 Minutes	60 Minutes	60 Minutes
Saltwater System	—	—	CG-56611	CG-56612
Ladder	Yes	Yes	Yes	Yes
Ground Cloth	Yes	Yes	Yes	Yes
Pool Cover	Yes	Yes	Yes	Yes
Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes	Yes	Yes
Volleyball Set	Yes	Yes	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	233.0 Lb. (105.9kg)	233.8 Lb. (106.3kg)	261.4 Lb. (118.8kg)	263.2 Lb. (119.6kg)



Deluxe saltwater system included in select sets. Also available separately (see page 32)



High volume filter pump included in select 18' (549cm) sets. Also available separately (see page 34)



High volume filter pump included in select 24' (732cm) sets. Also available separately (see page 34)



Improved deluxe maintenance kit included. Also available separately (see page 38)

FEATURES	57965 / E	57966	57967 / E	57968
Approximate Set-up Size	24' x 52" (732cm x 132cm)	24' x 52" (732cm x 132cm)	24' x 52" (732cm x 132cm)	24' x 52" (732cm x 132cm)
Water Capacity (90%)	12,481 gal. (47,241 L)	12,481 gal. (47,241 L)	12,481 gal. (47,241 L)	12,481 gal. (47,241 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	2,500 gallons (9,462 L)	2,500 gallons (9,462 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
Ready for Water in	60 Minutes	60 Minutes	60 Minutes	60 Minutes
Saltwater System	—	—	CG-56611	CG-56612
Ladder	Yes	Yes	Yes	Yes
Ground Cloth	Yes	Yes	Yes	Yes
Pool Cover	Yes	Yes	Yes	Yes
Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes	Yes	Yes
Volleyball Set	Yes	Yes	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	2 Shelf boxes	2 Shelf boxes	2 Shelf boxes	2 Shelf boxes
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	353.5 Lb. (160.7kg)	355.4 Lb. (161.5kg)	378.2 Lb. (171.9kg)	380.0 Lb. (172.7kg)



Pool cover and ground cloth included.



Ladder included. Also available separately (see page 37)



Volleyball set included.

Ultra Frame™ Pools

Here's the next step in Metal Frame pool and beauty - Ultra Frame™ Metal Frame pool! This frame with its unique shape is stronger than traditional round metal frames. And it's easier to assemble - the shape allows for the pieces to fit together so smoothly and securely - no separate locking pins are needed! Which means a cleaner, even better looking pool than our traditional metal frames!



Pool maintenance kit included in 16' (488cm) sets. Also available separately (see page 38)

Ladder included.



Wall mount surface skimmer included in 16' (488cm) sets. Also available separately (see page 39)

Improved deluxe maintenance kit included in 18' (549cm) sets. Also available separately (see page 38)

16' x 48" (488cm x 122cm)	FEATURES	54451 / E	54452	NEW! 54469 / E	NEW! 54470
	Approximate Set-up Size	16' x 48" (488cm x 122cm)	16' x 48" (488cm x 122cm)	16' x 48" (488cm x 122cm)	16' x 48" (488cm x 122cm)
	Water Capacity (90%)	5,061 gal. (19,156 L)	5,061 gal. (19,156 L)	5,061 gal. (19,156 L)	5,061 gal. (19,156 L)
	Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	1,500 gallons (5,678 L)	1,500 gallons (5,678 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
	Ready for Water in	45 Minutes	45 Minutes	45 Minutes	45 Minutes
	Saltwater System	-	-	CG-56611	CG-56612
	Ladder	Yes	Yes	Yes	Yes
	Ground Cloth	Yes	Yes	Yes	Yes
	Pool Cover	Yes	Yes	Yes	Yes
	Maintenance Kit	Yes	Yes	Yes	Yes
	Surface Skimmer	Yes	Yes	Yes	Yes
	Instructional DVD	Yes	Yes	Yes	Yes
	Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
	Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
	Case Weight	226.4 Lb. (102.9kg)	227.3 Lb. (103.3kg)	255.0 Lb. (115.9kg)	256.7 Lb. (116.7kg)



Deluxe saltwater system included in select sets. Also available separately (see page 32)



High volume filter pump included in select 16' (488cm) sets. Also available separately (see page 34)



High volume filter pump included in select 18' (549cm) sets. Also available separately (see page 34)

18' x 52" (549cm x 132cm)	FEATURES	54455 / E	54456	NEW! 54471 / E	NEW! 54472
	Approximate Set-up Size	18' x 52" (549cm x 132cm)	18' x 52" (549cm x 132cm)	18' x 52" (549cm x 132cm)	18' x 52" (549cm x 132cm)
	Water Capacity (90%)	6,981 gal. (26,423 L)	6,981 gal. (26,423 L)	6,981 gal. (26,423 L)	6,981 gal. (26,423 L)
	Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	2,500 gallons (9,462 L)	2,500 gallons (9,462 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
	Ready for Water in	60 Minutes	60 Minutes	60 Minutes	60 Minutes
	Saltwater System	-	-	CG-56611	CG-56612
	Ladder	Yes	Yes	Yes	Yes
	Ground Cloth	Yes	Yes	Yes	Yes
	Pool Cover	Yes	Yes	Yes	Yes
	Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes	Yes	Yes
	Volleyball Set	Yes	Yes	Yes	Yes
	Instructional DVD	Yes	Yes	Yes	Yes
	Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
	Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
	Case Weight	289.5 Lb. (131.6kg)	292.4 Lb. (132.9kg)	312.2 Lb. (141.9kg)	314.2 Lb. (142.8kg)



Pool cover and ground cloth included.



Volleyball set included.

Rectangular Frame Pools



Rectangular Frame Pools
U.S. Patent #6,247,550

Nothing matches an
Intex® Rectangular Frame Pool.

Nothing matches an Intex rectangular frame pool. Size, strength, durability, and flexibility are all combined into our Rectangular pools. Now available in 7 sizes, including our largest pool - which at 32' x 16' x 52" (975cm x 488cm x 132cm) and with over 14,364 gallons (54,368 L) of water is larger than many in-ground pools!

ACCESSORIES INCLUDED IN CERTAIN MODELS



Deluxe saltwater system included in select sets.
Also available separately (see page 32)



High volume filter pump included in select sets.
Also available separately (see page 34)



New high volume filter pump included in select
32' x 16' x 52" (975cm x 488cm x 132cm) sets.
Also available separately (see page 34)



Pool volleyball set included in select sets.



Ladder included.



Improved deluxe maintenance kit included in select sets.
Also available separately (see page 38)



English and multi-language
international packaging available

Rectangular Frame Pools



FEATURES	58983 / E	58980 / E	58981 / E	58982 / E
Approximate Set-up Size	96 1/2" x 59" x 23 1/2" (2.2m x 1.5m x 0.60m)	102 1/2" x 63" x 25 1/2" (2.6m x 1.6m x 0.65m)	118" x 78 1/2" x 29 1/2" (3.0m x 2.0m x 0.75m)	177 1/2" x 86 1/2" x 33" (4.5m x 2.2m x 0.84m)
Water Capacity (90%)	439 gal. (1,662 L)	603 gal. (2,262 L)	1,013 gal. (3,834 L)	1,883 gal. (7,127 L)
Ready for Water in	30 Minutes	30 Minutes	30 Minutes	30 Minutes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	38.5 Lb. (17.5kg)	43.4 Lb. (19.7kg)	51.7 Lb. (23.5kg)	88.8 Lb. (40.4kg)

Accessories



Deluxe saltwater system included in select sets. Also available separately (see page 32)



High volume filter pump included in select sets. Also available separately (see page 34)



Pool cover and ground cloth included.



Pool volleyball set included.



Ladder included.



Improved deluxe maintenance kit included. Also available separately (see page 38)

Rectangular Ultra Frame™ Pools



Beauty, strength, and flexibility in a size that will fit in any yard!

Intex's 18' x 9' x 52" (549cm x 274cm x 132cm) rectangular pool comes in a striking gray color. Combined with our super strong Ultra Frame, it gives pool owners an incredible pool ownership experience that will be the envy of the neighborhood.

FEATURES	54481 / E	54482	NEW!	NEW!
			54473 / E	54474
Approximate Set-up Size	18' x 9' x 52" (549cm x 274cm x 132cm)	18' x 9' x 52" (549cm x 274cm x 132cm)	18' x 9' x 52" (549cm x 274cm x 132cm)	18' x 9' x 52" (549cm x 274cm x 132cm)
Water Capacity (90%)	4,545 gal. (17,203 L)	4,545 gal. (17,203 L)	4,545 gal. (17,203 L)	4,545 gal. (17,203 L)
Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
Filter Pump Output (per hour)	1,500 gallons (5,678 L)	1,500 gallons (5,678 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
Ready for Water in	60 Minutes	60 Minutes	60 Minutes	60 Minutes
Saltwater System	-	-	CG-56611	CG-56612
Ladder	Yes	Yes	Yes	Yes
Ground Cloth	Yes	Yes	Yes	Yes
Pool Cover	Yes	Yes	Yes	Yes
Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes	Yes	Yes
Volleyball Set	Yes	Yes	Yes	Yes
Instructional DVD	Yes	Yes	Yes	Yes
Retail Packaging	Shelf box	Shelf box	Shelf box	Shelf box
Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
Case Weight	310.0 Lb. (140.9kg)	311.1 Lb. (141.4kg)	338.8 Lb. (154.0kg)	340.8 Lb. (154.9kg)

Rectangular Ultra Frame™ Pools

Years of fun in three great sizes!

Our larger Rectangular Pools are designed for pool enthusiasts with an eye for value and beauty.

The ultimate in above ground pools - our 18' x 9' x 52" (549cm x 274cm x 132cm), 24' x 12' x 52" (732cm x 366cm x 132cm) and 32' x 16' x 52" (975cm x 488cm x 132cm) rectangular pools now come in a beautiful gray color with our sleek, extra-strong Ultra Frame.

Combine these great pools with our broad line of accessories, and you will have satisfied customers for years to come!

The rectangular configuration allows many homeowners with smaller yards to use space more efficiently and enjoy more swimming area vs. a comparable round pool. And the rectangular shape is great for serious volleyball teams and lap swimmers!



24' x 12' x 52" (732cm x 366cm x 132cm)	FEATURES	54477 / E	54478	NEW! 54475 / E	NEW! 54476
	Approximate Set-up Size	24' x 12' x 52" (732cm x 366cm x 132cm)	24' x 12' x 52" (732cm x 366cm x 132cm)	24' x 12' x 52" (732cm x 366cm x 132cm)	24' x 12' x 52" (732cm x 366cm x 132cm)
	Water Capacity (90%)	8,403 gal. (31,805 L)	8,403 gal. (31,805 L)	8,403 gal. (31,805 L)	8,403 gal. (31,805 L)
	Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	2,500 gallons (9,462 L)	2,500 gallons (9,462 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
	Ready for Water in	60 Minutes	60 Minutes	60 Minutes	60 Minutes
	Saltwater System	-	-	CG-56611	CG-56612
	Ladder	Yes	Yes	Yes	Yes
	Ground Cloth	Yes	Yes	Yes	Yes
	Pool Cover	Yes	Yes	Yes	Yes
	Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes	Yes	Yes
	Volleyball Set	Yes	Yes	Yes	Yes
	Instructional DVD	Yes	Yes	Yes	Yes
	Retail Packaging	2 Shelf boxes	2 Shelf boxes	2 Shelf boxes	2 Shelf boxes
	Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
	Case Weight	436.7 Lb. (198.5kg)	439.8 Lb. (199.9kg)	463.1 Lb. (210.5kg)	464.9 Lb. (211.3kg)



Deluxe saltwater system included in select sets. Also available separately (see page 32)



High volume filter pump included in select sets. Also available separately (see page 34)



New high volume filter pump included in select sets. Also available separately (see page 34)



Ladder included.

32' x 16' x 52" (975cm x 488cm x 132cm)	FEATURES	54485 / E	54486	NEW! 54489 / E	NEW! 54490
	Approximate Set-up Size	32' x 16' x 52" (975cm x 488cm x 132cm)	32' x 16' x 52" (975cm x 488cm x 132cm)	32' x 16' x 52" (975cm x 488cm x 132cm)	32' x 16' x 52" (975cm x 488cm x 132cm)
	Water Capacity (90%)	14,364 gal. (54,368 L)	14,364 gal. (54,368 L)	14,364 gal. (54,368 L)	14,364 gal. (54,368 L)
	Filter Pump	110-120 volt	220-240 volt	110-120 volt	220-240 volt
	Filter Pump Output (per hour)	4,000 gallons (15,140 L)	4,000 gallons (15,140 L)	2,000 gallons (7,570 L)	2,000 gallons (7,570 L)
	Ready for Water in	90 Minutes	90 Minutes	90 Minutes	90 Minutes
	Saltwater System	-	-	CG-56611	CG-56612
	Ladder	Yes	Yes	Yes	Yes
	Ground Cloth	Yes	Yes	Yes	Yes
	Pool Cover	Yes	Yes	Yes	Yes
	Deluxe Maintenance Kit (includes surface skimmer)	Yes	Yes	Yes	Yes
	Volleyball Set	Yes	Yes	Yes	Yes
	Instructional DVD	Yes	Yes	Yes	Yes
	Retail Packaging	2 Shelf boxes	2 Shelf boxes	2 Shelf boxes	2 Shelf boxes
	Case Pack	1 Ea.	1 Ea.	1 Ea.	1 Ea.
	Case Weight	599.9 Lb. (272.7kg)	602.8 Lb. (274.0kg)	608.1 Lb. (276.4kg)	609.8 Lb. (277.2kg)



Improved deluxe maintenance kit included. Also available separately (see page 38)



Pool cover and ground cloth included.

SEQUOIA SPIRIT™ Wood-Grain Frame Pools

NEW!

Intex's beautiful Sequoia Spirit™ Wood-Grain Frame Pools – classic beauty at a great value!

Nothing matches an Intex Sequoia Spirit™ Wood-Grain Frame Pool. Size, strength, durability, and flexibility all in one. Our new wood-grain pool comes in a popular size - 16' 8" x 49" (508cm x 124cm) that is sure to fit most backyards. A Sequoia Spirit™ Wood-Grain Frame Pool is a beautiful addition to any home!

ACCESSORIES INCLUDED IN CERTAIN MODELS



Deluxe subwater system included in select sets. Also available separately (see page 32).



High volume filter pump included in select sets. Also available separately (see page 34).



Deluxe pool cover included. Also available separately (see page 37).



Ground cloth included.



Pool ladder



Improved deluxe maintenance kit included. Also available separately (see page 38).



English and multi-language international packaging available

Wood-Grain Frame Pools
U.S. Patent #6,257,530

KRYSTAL CLEAR™ Saltwater Systems

A natural way to destroy bacteria, viruses and algae!

Intex now offers three breakthrough Saltwater Systems that allow pool owners to eliminate the costly and hazardous use of traditional packaged chlorine! And each one is so easy to use! There's nothing like swimming in completely fresh, clean, crystal clear water!

Simply install as directed and the Intex Saltwater System will do the rest!

The pool's water is automatically converted to an effective algicide. There's no need to buy, handle and store packaged chlorine.

There is nothing like the comfort of swimming in a pool treated with an Intex Saltwater System.



- #56605 / E NEW!**
Saltwater System (Salt in Tank) ST-56605
- 110 - 120 volt
 - Requires a filter pump with a flow rate between 500 - 1,000 gph (1,892 - 3,785 L/hr)
 - Heavy-duty Saltwater System easily connects to most Intex above ground pool filter pumps
 - Add the specified amount of salt only to the system's tank
 - Self-cleaning titanium-coated electrolytic cells
 - Control dial allows user to pre-program operating hours based on actual usage requirements
 - Flow sensor alerts user to operating conditions
 - Easy to use test strips (50 count) included to check performance
 - Shelf box
 - 1 Ea., 25.5 lb. (11.6kg)

- #56606 NEW!**
Saltwater System (Salt in Tank) ST-56606
- Same as 56605 except 220 - 240 volt
 - Shelf box
 - 1 Ea., 25.5 lb. (11.6kg)



- #56601**
Deluxe Saltwater System (Salt in Pool) CG-56601
- 110 - 120 volt
 - Requires a filter pump with a flow rate between 700 - 4,000 gph (2,650 - 15,140 L/hr)
 - Heavy-duty stand-alone Saltwater System easily hooks into most Intex above ground filter pump systems
 - Add the specified amount of salt directly into the pool
 - Includes hose attachments and electrical cord
 - Self-cleaning titanium-coated electrolytic cell for continued performance
 - Touch-sensitive control panel allows user to pre-program operating hours
 - Flow sensor system alerts operator to adverse operating conditions
 - Keypad locking system ensures settings are not changed accidentally
 - Easy to use test strips (50 count) included to check performance
 - 24 hr. auto-clock
 - Shelf box
 - 2 Ea., 49.3 lb. (22.4kg)

- #56602**
Deluxe Saltwater System (Salt in Pool) CG-56602
- Same as 56601 except 220 - 240 volt
 - Shelf box
 - 2 Ea., 47.9 lb. (21.8kg)



- #56611**
Deluxe Saltwater System (Salt in Pool) & Filter Pump CG-56611
- 110 - 120 volt
 - Same as 56601 with additional 2,000 gal. (7,570 L) per hour filter pump set
 - Shelf box
 - 1 Ea., 48.4 lb. (22.0kg)

- #56612**
Deluxe Saltwater System (Salt in Pool) & Filter Pump CG-56612
- Same as 56611 except 220 - 240 volt
 - Shelf box
 - 1 Ea., 48.7 lb. (22.2kg)

BENEFITS

IMPROVED SAFETY!

- Virtually eliminates the need to buy, handle, and store dangerous pool chlorine.
- Saltwater pools offer better swimming environment than a traditional chemical pool does.

INCREDIBLE SWIMMING COMFORT!

- No more red, burning eyes, dry skin, or faded swimsuits.
- Saltwater pool's salt level is undetectable by swimmers! So it feels like clear, clean, fresh water.

MORE CONVENIENCE!

- An easy control dial adjusts running time to different pool sizes.
- Built-in timer automatically turns unit off after daily operating cycle.



Intex Saltwater System works as easily as 1-2-3! (ST-56605/56606 shown)

- 1 Connect to your pool's filter pump.
- 2 Add inexpensive, all-natural salt as directed.
- 3 Turn on Saltwater System to eliminate bacteria, algae, and other contaminants without dangerous packaged chlorine.

ST-56605/56606 are compatible with Intex above ground pools 15' (457cm) and below:

Item#	Voltage	Easy Set® Pool Models	Frame Pool Models	Case Pack	Case Weight lb. (kg)
56605 / E	110-120	8' 10" / 12' 15" (244cm / 305cm / 366cm / 457cm)	10' 12" / 15' (305cm / 366cm / 457cm)	1	25.5 (11.6)
56606	220-240	8' 10" / 12' 15" (244cm / 305cm / 366cm / 457cm)	10' 12" / 15' (305cm / 366cm / 457cm)	1	25.5 (11.6)



English and multi-language international packaging available

CG-56601/56602/56611/56612 are compatible with Intex above ground pools 15' (457cm) and above:

Item#	Voltage	Easy Set® Pool Models	Frame Pool Models	Oval Frame Pool Models	Rectangular Frame Pool Models	Water Flow Gal. (L)/hr	Case Pack	Case Weight lb. (kg)
56601 / E	110-120	15' 18" (457/549cm)	15' 16" / 18' 24" (457/488/549/732cm)	20' 24' / 28' x 12" (610/732/853cm x 366cm)	18' x 9' / 24' x 12' / 32' x 16' (549 x 274cm / 732 x 366cm / 975 x 488cm)	-	2	49.3 (22.4)
56602	220-240	15' 18" (457/549cm)	15' 16" / 18' 24" (457/488/549/732cm)	20' 24' / 28' x 12" (610/732/853cm x 366cm)	18' x 9' / 24' x 12' / 32' x 16' (549 x 274cm / 732 x 366cm / 975 x 488cm)	-	2	47.9 (21.8)
56611 / E	110-120	15' 18" (457/549cm)	15' 16" / 18' 24" (457/488/549/732cm)	20' 24' / 28' x 12" (610/732/853cm x 366cm)	18' x 9' / 24' x 12' / 32' x 16' (549 x 274cm / 732 x 366cm / 975 x 488cm)	2,000 (7,570)	1	48.4 (22.0)
56612	220-240	15' 18" (457/549cm)	15' 16" / 18' 24" (457/488/549/732cm)	20' 24' / 28' x 12" (610/732/853cm x 366cm)	18' x 9' / 24' x 12' / 32' x 16' (549 x 274cm / 732 x 366cm / 975 x 488cm)	2,000 (7,570)	1	48.7 (22.2)

KRYSTAL CLEAR™ Accessories

FILTER PUMPS

Filter pump features include:

- Easy installation – just hook-up hoses and plug in
- Double insulated pump
- Air release valve for air trapped inside filter chamber
- Sediment flush valve at bottom of filter chamber (56635/56636/56633/56621/56622)
- Comforms to UL/CSA standards (110-120 volt models)
- CE approved (220-240 volt models)
- Shelf box

Efficient filtration is essential for a quality swim experience. Who wants to swim in a dirty pool?

Intex's line of pumps and cartridges have been greatly improved to guarantee a cleaner pool with:

- More powerful pumps in several of our most popular pool sets.
- Filter cartridges with thicker, heavier paper and more pleats.
- Improved water inlet jets for enhanced water flow back into the pool.

The results will be faster water circulation, improved filtration, and best of all – a superior swim experience!



Item#	Voltage	Easy Set® Pool Models	Frame Pool Models	Oval Frame Pool Models	Rectangular Frame Pool Models	Water Flow Gal. /L/hr	Case Pack	Case Weight Lb. (Kg)
58603 / E	110-120	8'10"/12' (244/305cm/366cm)	10'12' (305/366cm)	–	–	530 (2,006)	4	30.5 (13.9)
58604	220-240	8'10"/12' (244/305cm/366cm)	10'12' (305/366cm)	–	–	530 (2,006)	4	29.1 (13.2)
56637 / E	110-120	15' (457cm)	15'16' (457/488cm)	–	–	1,000 (3,785)	4	35.4 (16.1)
56638	220-240	15' (457cm)	15'16' (457/488cm)	–	–	1,000 (3,785)	4	34.2 (15.6)
56635 / E	110-120	18' (549cm)	18' (549cm)	20'24'28' x 12' (610/732/853cm x 366cm)	18' x 9' (549 x 274cm)	1,500 (5,678)	1	18.6 (8.5)
56636	220-240	18' (549cm)	18' (549cm)	20'24'28' x 12' (610/732/853cm x 366cm)	18' x 9' (549 x 274cm)	1,500 (5,678)	1	18.5 (8.4)
56633 / E	110-120	–	24' (732cm)	–	24' x 12' (732 x 366cm)	2,500 (9,462)	1	24.5 (11.1)
56634	220-240	–	24' (732cm)	–	24' x 12' (732 x 366cm)	2,500 (9,462)	1	26.0 (11.8)
56621 / E	110-120	–	32' (975cm)	–	32' x 16' (975 x 488cm)	4,000 (15,140)	1	40.7 (18.5)
56622	220-240	–	32' (975cm)	–	32' x 16' (975 x 488cm)	4,000 (15,140)	1	42.5 (19.3)

FILTER CARTRIDGES

Filter cartridge features include:

- Easy to clean Dacron filter material
- Shrink wrapped with litho label
- Replace filter cartridge every two weeks



IMPROVED!

Filter cartridge B has been improved with a thicker, heavier paper.

Item#	Type	For Filter Pump Item#	Case Pack	Case Weight Lb. (Kg)
59900 / E	A	58603/58604/56637/56638/56635/56636	6	3.0 (1.4)
59905 / E	B	56633/56634/56621/56622/56611/56612	6	7.0 (3.2)



ELECTRIC POOL HEATER

One of the toughest things about owning a pool is not being able to enjoy it because of cold water. Now Intex has the solution – enjoy swimming when your pool water would otherwise be too chilly. A great way to extend your customers' swimming seasons too!



#56683 / E Heater

- 110 - 120 volt
- Compatible with round Easy Set® or Metal Frame pools 12' (366cm) diameter or smaller
- Easy hook-up and operation
- Water level sensor
- Easily connects to new or existing pool filter system
- Shelf box
- 4 Ea., 36.6 lb. (16.6kg)

#56684 Heater

- Compatible with round Easy Set® or Metal Frame pools 15' (457cm) diameter or smaller
- Other features same as 56683 except 220 - 240 volt
- Shelf box
- 4 Ea., 32.9 lb. (15.0kg)

FLOATING LED POOL LIGHT



#56693 / E NEW!

Floating LED Pool Light

- Illuminates pool
- Rechargeable for easy and economical use (110 - 120 volt power supply for charger)
- Automatic over-temperature cut off for unit safety
- High current cut off during charging or discharging for unit safety
- Shelf box
- 4 Ea., 19.5 lb. (8.9kg)

#56694 NEW!

Floating LED Pool Light

- Same as 56693 except 220 - 240 volt power supply for charger
- Shelf box
- 4 Ea., 21.2 lb. (9.6kg)



KRYSTAL CLEAR™ Accessories

POOL MAINTENANCE



#58944



#58944

- #58944 / E**
Pool Maintenance Kit
 • Includes 94" (239cm) telescoping aluminum shaft for use with 16" (488cm) and below pools
 • Interchangeable vacuum and skimmer heads
 • Pegable box
 6 Ea., 20.1 lb. (9.1kg)



#58947



#58947

- #58947 / E IMPROVED!**
Deluxe Pool Maintenance Kit
 • Includes 110" (279cm) telescoping aluminum shaft for use with 18" (549cm) diameter pools and above
 • Requires an Intex filter pump with a minimum flow rate of 1,500 gph (5,678 L/hr)
 • Vacuum sucks debris off the pool floor and through the filter
 • Skimmer has a deep, durable polypropylene mesh netting
 • Works as deluxe wall mount surface skimmer #58949
 • Shelf box
 2 Ea., 30.3 lb. (13.8kg)



POOL MAINTENANCE



- #58949 / E NEW!**
Deluxe Wall Mount Surface Skimmer
 • Attaches to filter pump for automatic skimming
 • Requires an Intex filter pump with a minimum flow rate of 1,500 gph (5,678 L/hr)
 • Easily mounts to Easy Set® or metal frame pool sidewalls with adjustable bracket
 • Helps catch leaves and other debris before they sink to the bottom of the pool
 • Durable polypropylene plastic is not affected by pool chemicals
 • Strainer basket pulls out for easy cleaning
 • Shelf box
 4 Ea., 21.8 lb. (9.9kg)



DETACHABLE SIDE TRAY



- #58957 / E**
Detachable Side Tray
 • Durable material
 • Sturdy clamp on shelf to keep drinks and sunglasses within easy reach
 • 4 handy hooks to hang towels on
 • Shelf box
 3 Ea., 11.1 lb. (5.1kg)



- #59635 / E**
3-Way Test Strips
 • 3-way easy use test strips 50 count
 24 Ea., 2.4 lb. (1.1kg)

TEST STRIPS

Essential for the pool owner who wants an easy, yet sure way to measure the condition of their pool water. These strips provide a quick read on three key ingredients to pool water quality: free chlorine level, pH level, and total alkalinity.

AUTO POOL CLEANER



- #58948 / E IMPROVED!**
Auto Pool Cleaner
 • Cleans your pool without effort!
 • Requires a filter pump with a flow rate between 2,000 - 4,000 gph (7,570 - 15,140 L/hr)
 • Automatically vacuums the entire pool floor with venturi effect suction
 • Attaches to the inlet connector in the pool with a 26" (792cm) hose
 • For Intex above ground pools with 1 1/2" (38mm) hose fittings
 • Not suitable for in-ground pools
 • Shelf box
 1 Ea., 20.3 lb. (9.2kg)



#58948