

INTEX®



10
2010



Introduction

Intex has set the standard for innovation and excellence.

Intex is committed to your success and to your customers' satisfaction – both today and for years to come.


That's why Intex manufactures the broadest and most complete line of above ground swimming pools in the world. And they're sold in more countries than any other brand.

There's an Intex pool for every consumer. From our world-famous Easy Set® pools that are great for families on a budget, to our deluxe Ultra Frame™ pools that are beautiful, incredibly strong, and large enough for the whole neighborhood to swim in! And our amazing Sequoia Spirit™ wood-grain frame pool that is designed for consumers who want their pool and backyard to be a true showpiece.

And no pool is complete without accessories. That's why Intex manufactures and sells a complete line of filter pumps, filter cartridges, ladders, ground cloths, debris covers, maintenance kits, lights, solar covers, and even heaters that will extend your customers' swimming season, and keep them coming back for more. And most importantly, Intex offers the incredible Krystal Clear Saltwater System™ – the most affordable and easy to operate saltwater system on the market today, available as a separate unit, and combined with a 2,000 gph (7,570 L/hr) filter pump.



Intex manufacturing and distribution complex, Xiamen, China



Intex Development Co. Ltd., Hong Kong



Intex Recreation Corp., Long Beach, CA, USA



Intex Trading B.V., The Netherlands

TABLE OF CONTENTS

Easy Set® Pools.....	4-9
Metal Frame Pools.....	10-13
Ultra Frame™ Pools.....	14-15
Rectangular Frame Pools.....	16
Rectangular Ultra Frame™ Pools.....	17-19

Sequoia Spirit™ Wood-Grain Frame Pools.....	20-21
Krystal Clear Saltwater System™.....	22-23
Krystal Clear™ Accessories.....	24-29
LED Light.....	30-31

The Intex Family of companies has a strong and never-ending commitment to developing and manufacturing the highest quality products at the lowest possible price, and backing those products with uncompromising Customer Service. The 100+ independently owned and locally operated companies that make up the Intex Family all embrace this commitment to quality, service and price and are committed to working together to assure the satisfaction of the families and individuals in countries across the globe who enjoy these products. This has become the hallmark of Intex around the world.

Everything that Intex sells is backed up by the most extensive network of Customer Service organizations in the industry. We have a trained staff of phone operators on call in 31 locations around the world to make sure that your customers have a great experience with their Intex products – and keep coming back to you for more purchases season after season!

That's why when you purchase an Intex product you can be confident that you are buying the best product, at the best price, backed by the best Customer Service. We want happy customers, and we want you to have happy customers.



Intex Customer Service Center



Phone operators are ready to answer customer questions quickly and accurately



Extensive training ensures that Customer Service Centers are staffed with knowledgeable members

Intex introduces two additional designations in our catalog that highlight additional safety features that are included on a number of our pools.

These designations are:

EG Pools with these letters after the 5-digit item code incorporate a GFCI (ground fault circuit interrupter) built into the filter pump. The GFCI unit is an added safety feature and is designed to instantly shut the pump off if electrical current comes into contact with water. GFCI units are included in select 110-120 volt pool sets.

GS Pools with the GS designation after the 5-digit item code will contain filter pumps that operate with a 12 volt step-down transformer, which reduces the voltage dramatically while retaining the same performance level as the 220-240 volt version. The 12 volt pumps are designed to meet special national requirements in some EU markets.

AGE GRADING



An icon indicates an item has an age recommendation

TRADEMARKS

®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to Intex Trading Ltd., Intex Development Co., Ltd. and Intex Recreation Corp.

ALL ELECTRICAL ACCESSORIES:

- Comforms to UL/CSA standards (110-120 volt models)
- CE approved (220-240 volt models)
- TUV approved (12 volt models)

As a part of our program of product development and improvement, the detail specifications of the products shown in this catalog may be changed. For current specifications on any product, please contact your supplier of Intex products.

Easy Set® Pools



Easy Set® Pools:



Intex's line-up of Easy Set® pools is the broadest in the world. From our 8' x 30" (244cm x 76cm) model, which holds 639 gallons (2,419 L) and is perfect for a starter pool, to our huge 18' x 52" (549cm x 132cm) model which holds 5,894 gallons (22,309 L) and is perfect for the whole family, also great for the neighborhood as well!



English and multi-language international packaging available

4

Approximate Set-up Size: 8' x 30" (244cm x 76cm)				
Water Capacity (80%): 639 gal. (2,419 L) Ready for Water in 10 Minutes				
FEATURES	Voltage		Case Pack	Case Weight
56970 / E	—	—	1 Ea. 1 Box	14.1 Lb. (6.4kg)
56971	110-120 volt	530 gal. (2,006 L)	1 Ea. 1 Box	20.6 Lb. (9.4kg)
56971EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	20.9 Lb. (9.5kg)
56972	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	20.5 Lb. (9.3kg)
56972GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	23.2 Lb. (10.5kg)

DVD not included

Approximate Set-up Size: 10' x 30" (305cm x 76cm)				
Water Capacity (80%): 1,018 gal. (3,853 L) Ready for Water in 10 Minutes				
FEATURES	Voltage		Case Pack	Case Weight
56920 / E	—	—	1 Ea. 1 Box	18.9 Lb. (8.6kg)
56921	110-120 volt	530 gal. (2,006 L)	1 Ea. 1 Box	25.3 Lb. (11.5kg)
56921EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	25.6 Lb. (11.7kg)
56922	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	25.3 Lb. (11.5kg)
56922GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	27.9 Lb. (12.7kg)

DVD not included

Nobody can meet all of your customers' needs like Intex can. In addition to our complete line of beautiful pools, we offer a wide range of pool accessories that will keep your customers happy and coming back. Many of our pools come with ladders, filter pumps, ground cloths, debris covers, maintenance kits, and the incredible Intex Krystal Clear Saltwater Systems™!



Filter Pump



Krystal Clear Saltwater System™



Krystal Clear Saltwater System™ & Filter Pump



Ground Cloth



Pool Cover



Ladder



Pool Maintenance Kit



Pool Maintenance Kit



Surface Skimmer

All pool accessories available separately except Surface Skimmer (see page 22-29)

Approximate Set-up Size: 12' x 30" (366cm x 76cm)				
Water Capacity (80%): 1,485 gal. (5,621 L) Ready for Water in 10 Minutes				
FEATURES	Voltage		Case Pack	Case Weight
56420 / E	—	—	1 Ea. 1 Box	28.5 Lb. (12.9kg)
56421	110-120 volt	530 gal. (2,006 L)	1 Ea. 1 Box	34.6 Lb. (15.7kg)
56421EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	34.8 Lb. (15.8kg)
56422	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	34.5 Lb. (15.7kg)
56422GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	37.1 Lb. (16.9kg)

DVD not included

Approximate Set-up Size: 12' x 36" (366cm x 91cm)				
Water Capacity (80%): 1,779 gal. (6,734 L) Ready for Water in 10 Minutes				
FEATURES	Voltage		Case Pack	Case Weight
56930 / E	—	—	1 Ea. 1 Box	32.6 Lb. (14.8kg)
56931	110-120 volt	530 gal. (2,006 L)	1 Ea. 1 Box	38.8 Lb. (17.6kg)
56931EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	39.1 Lb. (17.7kg)
56932	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	38.7 Lb. (17.6kg)
56932GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	41.4 Lb. (18.8kg)

DVD not included

Easy Set® Pools



Intex 15' (457cm) Easy Set® come in three popular heights!

Approximate Set-up Size: 15' x 36" (457cm x 91cm)									
Water Capacity (80%): 2,822 gal. (10,681 L) Ready for Water in 15 Minutes									
FEATURES	Voltage							Case Pack	Case Weight
56410 / E	—	—	—	—	—	—	—	1 Ea. 1 Box	46.0 Lb. (20.9kg)
56411	110-120 volt	1,000 gal. (3,785 L)	—	—	—	—	—	1 Ea. 1 Box	53.2 Lb. (24.2kg)
NEW! 56411EG	110-120 volt W/GFCI	1,000 gal. (3,785 L)	—	—	—	—	—	1 Ea. 1 Box	53.5 Lb. (24.3kg)
56412	220-240 volt	1,000 gal. (3,785 L)	—	—	—	—	—	1 Ea. 1 Box	53.2 Lb. (24.2kg)
56412GS	12 volt	900 gal. (3,407 L)	—	—	—	—	—	1 Ea. 1 Box	57.0 Lb. (25.9kg)
56413	110-120 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	91.2 Lb. (41.5kg)
NEW! 56413EG	110-120 volt W/GFCI	1,000 gal. (3,785 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	92.4 Lb. (42.0kg)
56414	220-240 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	91.4 Lb. (41.5kg)
56414GS	12 volt	900 gal. (3,407 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	95.0 Lb. (43.2kg)

ACCESSORIES

We've put a lot of thought into providing the best combination of accessories for each Intex pool. Our accessories are built to the same demanding standards of quality and value as our pools. With years of experience selling millions of pools, we've learned the right mix of accessories that will ensure that Intex pools will fly off your shelves!



Filter Pump



Ground Cloth



Pool Cover



Pool Maintenance Kit



Surface Skimmer



Ladder

All pool accessories available separately (see page 22-29)

Approximate Set-up Size: 15' x 42" (457cm x 107cm)									
Water Capacity (85%): 3,490 gal. (13,210 L) Ready for Water in 15 Minutes									
FEATURES	Voltage							Case Pack	Case Weight
56408	110-120 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	97.0 Lb. (44.1kg)
NEW! 56408EB	110-120 volt	1,000 gal. (3,785 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	97.2 Lb. (44.2kg)
56409	220-240 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	96.9 Lb. (44.0kg)
56409GS	12 volt	900 gal. (3,407 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	100.8 Lb. (45.8kg)

Approximate Set-up Size: 15' x 48" (457cm x 122cm)									
Water Capacity (80%): 3,736 gal. (14,141 L) Ready for Water in 15 Minutes									
FEATURES	Voltage							Case Pack	Case Weight
56911	110-120 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	106.5 Lb. (48.4kg)
NEW! 56911EB	110-120 volt	1,000 gal. (3,785 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	107.7 Lb. (49.0kg)
56912	220-240 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	106.4 Lb. (48.4kg)
56912GS	12 volt	900 gal. (3,407 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	110.4 Lb. (50.2kg)

Easy Set® Pools

Our large and popular 18' (549cm) Easy Set® pool is easy to assemble like our other Easy Set® pools. And it's big enough for any family and a neighborhood full of friends! A truly amazing pool that's an amazing value!



18' Easy Set® Pools:
U.S. Patent #6,571,405

DVD
included

8

NEW!

Approximate Set-up Size: 18' x 42" (549cm x 107cm)								
Water Capacity (85%): 5,085 gal. (19,247 L) Ready for Water in 30 Minutes								
FEATURES	Voltage						Case Pack	Case Weight
56416	110-120 volt	1,500 gal. (5,678 L)	Yes	Yes	Yes	Yes	1 Ea. 1 Box	142.3 Lb. (64.7kg)
56416EB	110-120 volt	1,500 gal. (5,678 L)	Yes Barrier Included	Yes	Yes	Yes	1 Ea. 1 Box	142.3 Lb. (64.7kg)
56417	220-240 volt	1,500 gal. (5,678 L)	Yes	Yes	Yes	Yes	1 Ea. 1 Box	142.7 Lb. (64.9kg)
56417GS	12 volt	1,500 gal. (5,678 L)	Yes	Yes	Yes	Yes	1 Ea. 1 Box	148.4 Lb. (67.5kg)



Filter Pump



Krystal Clear Saltwater System™ & Filter Pump



Ladder



Ground Cloth



Pool Cover



Deluxe Maintenance Kit

All pool accessories available separately except Ground Cloth and Pool Cover (see page 22-29)

Approximate Set-up Size: 18' x 48" (549cm x 122cm)

Water Capacity (80%): 5,455 gal. (20,647 L) Ready for Water in 30 Minutes

FEATURES	Voltage							Case Pack	Case Weight
56904	110-120 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	1 Ea. 1 Box	154.6 Lb. (70.2kg)
NEW! 56904EB	110-120 volt	1,500 gal. (5,678 L)	—	Yes Barrier Included	Yes	Yes	Yes	1 Ea. 1 Box	155.5 Lb. (70.7kg)
56905	220-240 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	1 Ea. 1 Box	155.7 Lb. (70.8kg)
56905GS	12 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	1 Ea. 1 Box	161.5 Lb. (73.4kg)
57928	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	1 Ea. 1 Box	188.4 Lb. (85.6kg)
NEW! 57928EB	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	1 Ea. 1 Box	190.3 Lb. (86.5kg)
57929	220-240 volt	—	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	1 Ea. 1 Box	190.3 Lb. (86.5kg)

Approximate Set-up Size: 18' x 52" (549cm x 132cm)

Water Capacity (80%): 5,894 gal. (22,309 L) Ready for Water in 30 Minutes

FEATURES	Voltage						Case Pack	Case Weight
57931	110-120 volt	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	1 Ea. 1 Box	193.9 Lb. (88.1kg)
NEW! 57931EB	110-120 volt	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	1 Ea. 1 Box	195.8 Lb. (89.0kg)
57932	220-240 volt	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	1 Ea. 1 Box	195.9 Lb. (89.0kg)

Metal Frame Pools



Frame Pools: 6+

DVD
included

Beautiful, easy-to-assemble, durable, and designed for years of family and neighborhood fun, Metal Frame Pools have become a backyard classic. And Intex Metal Frame Pools are the best in class. Nothing beats an Intex Metal Frame Pool.

And nobody offers consumers more Metal Frame Pools than Intex. From our 10' (305cm) starter pool, which is great for a family's first pool and perfect for smaller children, to our huge 24' (732cm) pool which can hold all the neighbors' kids, there is an Intex Metal Frame Pool for every family and for every occasion!

10

Approximate Set-up Size: 10' x 30" (305cm x 76cm)				
Water Capacity (90%): 1,185 gal. (4,485 L) Ready for Water in 30 Minutes				
FEATURES	Voltage		Case Pack	Case Weight
56997 / E	—	—	1 Ea. 1 Box	43.5 Lb. (19.8kg)
56998	110-120 volt	530 gal. (2,006 L)	1 Ea. 1 Box	49.4 Lb. (22.5kg)
NEW! 56998EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	49.7 Lb. (22.6kg)
56999	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	49.3 Lb. (22.4kg)
56999GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	52.1 Lb. (23.7kg)

Approximate Set-up Size: 12' x 30" (366cm x 76cm)				
Water Capacity (90%): 1,718 gal. (6,503 L) Ready for Water in 30 Minutes				
FEATURES	Voltage		Case Pack	Case Weight
56994 / E	—	—	1 Ea. 1 Box	57.2 Lb. (26.0kg)
56995	110-120 volt	530 gal. (2,006 L)	1 Ea. 1 Box	63.7 Lb. (29.0kg)
56995EG	110-120 volt W/GFCI	530 gal. (2,006 L)	1 Ea. 1 Box	64.0 Lb. (29.1kg)
56996	220-240 volt	530 gal. (2,006 L)	1 Ea. 1 Box	63.6 Lb. (28.9kg)
56996GS	12 volt	600 gal. (2,271 L)	1 Ea. 1 Box	66.4 Lb. (30.2kg)



Filter Pump



Pool Cover & Ground Cloth



Ladder

All pool accessories available separately (see page 22-29)

Approximate Set-up Size: 15' x 36" (457cm x 91cm)

Water Capacity (90%): 3,282 gal. (12,422 L) Ready for Water in 45 Minutes

FEATURES	Voltage							Case Pack	Case Weight
56940 / E	—	—	—	—	—	—	—	1 Ea. 1 Box	97.2 Lb. (44.2kg)
56941	110-120 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	142.9 Lb. (64.9kg)
NEW! 56941EG	110-120 volt W/GFCI	1,000 gal. (3,785 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	144.0 Lb. (65.5kg)
56942	220-240 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	142.8 Lb. (64.9kg)
56942GS	12 volt	900 gal. (3,407 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	146.8 Lb. (66.7kg)

Approximate Set-up Size: 15' x 42" (457cm x 107cm)

Water Capacity (90%): 3,861 gal. (14,614 L) Ready for Water in 45 Minutes

FEATURES	Voltage							Case Pack	Case Weight
56948	110-120 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	151.4 Lb. (68.8kg)
NEW! 56948EB	110-120 volt	1,000 gal. (3,785 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	151.9 Lb. (69.0kg)
56949	220-240 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	151.4 Lb. (68.8kg)
56949GS	12 volt	900 gal. (3,407 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	155.3 Lb. (70.6kg)

Approximate Set-up Size: 15' x 48" (457cm x 122cm)

Water Capacity (90%): 4,440 gal. (16,805 L) Ready for Water in 45 Minutes

FEATURES	Voltage							Case Pack	Case Weight
56945	110-120 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	164.4 Lb. (74.7kg)
NEW! 56945EB	110-120 volt	1,000 gal. (3,785 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	165.9 Lb. (75.4kg)
56946	220-240 volt	1,000 gal. (3,785 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	164.4 Lb. (74.7kg)
56946GS	12 volt	900 gal. (3,407 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	168.3 Lb. (76.5kg)

Metal Frame Pools



Pool Cover & Ground Cloth



Ladder



Volleyball Set

All pool accessories available separately except Pool Cover, Ground Cloth and Volleyball Set (see page 22-29)

Approximate Set-up Size: 18' x 48" (549cm x 122cm)

Water Capacity (90%): 6,423 gal. (24,311 L) Ready for Water in 60 Minutes

FEATURES	Voltage								Case Pack	Case Weight
56951	110-120 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	221.9 Lb. (100.9kg)
NEW! 56951EB	110-120 volt	1,500 gal. (5,678 L)	—	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	224.0 Lb. (101.8kg)
56952	220-240 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	223.7 Lb. (101.7kg)
56952GS	12 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	229.4 Lb. (104.3kg)
57953	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	251.7 Lb. (114.4kg)
NEW! 57953EB	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	253.9 Lb. (115.4kg)
57954	220-240 volt	—	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	253.8 Lb. (115.4kg)



RUST-RESISTANT GALVANIZED STEEL FRAME POOLS!

With the added protective finish of galvanized steel, frame pools can now be manufactured in even larger sizes, such as our 24' (732cm) diameter pool with a 52" (132cm) depth, which is capable of supporting over 12,400 gallons (47,000 L) of water.

- SUPER-TOUGH™ sidewalls are triple strong. Made with 3 separate layers of material for extra strength and durability - two outer layers of heavy-gauge PVC laminated to an inner layer of polyester mesh for extra reinforcement
- Separate laminated band provides additional wall support
- Reinforced polypropylene rope wraps around the bottom of the pool liner to keep the legs firmly in position
- Convenient drain plug for easy draining. Connects to garden hose so the water can be drained away from the pool area



Krystal Clear Saltwater System™
& Filter Pump



Filter Pump



Filter Pump



Deluxe Maintenance Kit

Approximate Set-up Size: 24' x 52" (732cm x 132cm)										
Water Capacity (90%): 12,481 gal. (47,241 L) Ready for Water in 60 Minutes										
FEATURES	Voltage								Case Pack	Case Weight
57965	110-120 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	339.4 Lb. (154.3kg)
NEW! 57965EB	110-120 volt	2,500 gal. (9,462 L)	—	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	341.4 Lb. (155.2kg)
57966	220-240 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	343.6 Lb. (156.2kg)
57967	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	358.4 Lb. (162.9kg)
NEW! 57967EB	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	360.3 Lb. (163.8kg)
57968	220-240 volt	—	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	360.5 Lb. (163.9kg)

Ultra Frame™ Pools

Here's the next step in Metal Frame pool and beauty - the Ultra Frame™ Metal Frame pool! This frame with its unique shape is stronger than traditional round metal frames. And it's easier to assemble - the shape allows for the pieces to fit together so smoothly and securely - no separate locking pins are needed! Which means a cleaner, even better looking pool than our traditional metal frames!



Krystal Clear Saltwater System™ & Filter Pump



Filter Pump



Filter Pump

All pool accessories available separately except Pool Cover, Ground Cloth and Volleyball Set (see page 22-29)

Approximate Set-up Size: 16' x 48" (488cm x 122cm)

Water Capacity (90%): 5,061 gal. (19,156 L) Ready for Water in 45 Minutes

FEATURES	Voltage								Case Pack	Case Weight
54451	110-120 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	206.6 Lb. (93.9kg)
NEW! 54451EB	110-120 volt	1,500 gal. (5,678 L)	—	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	207.7 Lb. (94.4kg)
54452	220-240 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	207.8 Lb. (94.5kg)
54452GS	12 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	213.6 Lb. (97.1kg)
54469	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	236.4 Lb. (107.5kg)
NEW! 54469EB	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	237.5 Lb. (107.9kg)
54470	220-240 volt	—	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	238.2 Lb. (108.3kg)



Pool Maintenance Kit



Ladder



Surface Skimmer



Deluxe Maintenance Kit

DVD
Included



Pool Cover & Ground Cloth



Volleyball Set

Approximate Set-up Size: 18' x 52" (549cm x 132cm)										
Water Capacity (90%): 6,981 gal. (26,423 L) Ready for Water in 60 Minutes										
FEATURES	Voltage								Case Pack	Case Weight
54455	110-120 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	273.4 Lb. (124.3kg)
NEW! 54455EB	110-120 volt	2,500 gal. (9,462 L)	—	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	275.3 Lb. (125.2kg)
54456	220-240 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	277.4 Lb. (126.1kg)
54471	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	293.1 Lb. (133.2kg)
NEW! 54471EB	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	295.2 Lb. (134.2kg)
54472	220-240 volt	—	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	295.4 Lb. (134.3kg)

Rectangular Frame Pools



Rectangular Frame Pools:



FEATURES	Approximate Set-up Size	Water Capacity	Ready for Water in	Case Pack	Case Weight
58983 / E	86 ⁵ / ₈ " x 59" x 23 ⁵ / ₈ " (2.2m x 1.5m x 0.60m)	439 gal. (1,662 L)	30 Minutes	1 Ea. 1 Box	38.8 Lb. (17.6kg)
58980 / E	102 ¹ / ₂ " x 63" x 25 ⁵ / ₈ " (2.6m x 1.6m x 0.65m)	603 gal. (2,282 L)	30 Minutes	1 Ea. 1 Box	43.5 Lb. (19.8kg)
58981 / E	118" x 78 ³ / ₄ " x 29 ¹ / ₂ " (3.0m x 2.0m x 0.75m)	1,013 gal. (3,834 L)	30 Minutes	1 Ea. 1 Box	51.3 Lb. (23.3kg)

DVD not included

Accessories



Krystal Clear Saltwater System™
& Filter Pump



Filter Pump



Pool Cover & Ground Cloth



Volleyball Set



Ladder



Deluxe Maintenance Kit

All pool accessories available separately except Pool Cover, Ground Cloth and Volleyball Set (see page 22-29)

Rectangular Ultra Frame™ Pools



Beauty, strength, and flexibility in a size that will fit in any yard!

Intex's 18' x 9' x 52" (549cm x 274cm x 132cm) rectangular pool comes in a striking gray color. Combined with our super strong Ultra Frame™, it gives pool owners an incredible pool ownership experience that will be the envy of the neighborhood.

Approximate Set-up Size: 18' x 9' x 52" (549cm x 274cm x 132cm)										
Water Capacity (90%): 4,545 gal. (17,203 L) Ready for Water in 60 Minutes										
FEATURES	Voltage								Case Pack	Case Weight
54481	110-120 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	292.9 Lb. (133.1kg)
NEW! 54481EB	110-120 volt	1,500 gal. (5,678 L)	—	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	295.1 Lb. (134.1kg)
54482	220-240 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	295.0 Lb. (134.1kg)
54482GS	12 volt	1,500 gal. (5,678 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	300.7 Lb. (136.7kg)
54473	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	322.9 Lb. (146.8kg)
NEW! 54473EB	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 1 Box	324.6 Lb. (147.5kg)
54474	220-240 volt	—	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 1 Box	325.3 Lb. (147.9kg)

Rectangular Ultra Frame™ Pools

Years of fun in three great sizes!

Our larger Rectangular Pools are designed for pool enthusiasts with an eye for value and beauty.

The ultimate in above ground pools - our 18' x 9' x 52" (549cm x 274cm x 132cm), 24' x 12' x 52" (732cm x 366cm x 132cm) and 32' x 16' x 52" (975cm x 488cm x 132cm) rectangular pools come in a beautiful gray color with our sleek, extra-strong Ultra Frame™.

Combine these great pools with our broad line of accessories, and you will have satisfied customers for years to come!

The rectangular configuration allows many homeowners with smaller yards to use space more efficiently and enjoy more swimming area vs. a comparable round pool. And the rectangular shape is great for serious volleyball teams and lap swimmers!



DVD
included



Filter Pump



Krystal Clear Saltwater System™ & Filter Pump



Volleyball Set



Ladder

All pool accessories available separately except Pool Cover, Ground Cloth and Volleyball Set (see page 22-29)

Approximate Set-up Size: 24' x 12' x 52" (732cm x 366cm x 132cm)

Water Capacity (90%): 8,403 gal. (31,805 L) Ready for Water in 60 Minutes

FEATURES	Voltage								Case Pack	Case Weight
54477	110-120 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	416.5 Lb. (189.3kg)
NEW! 54477EB	110-120 volt	2,500 gal. (9,462 L)	—	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	418.8 Lb. (190.4kg)
54478	220-240 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	420.9 Lb. (191.3kg)
54475	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	439.0 Lb. (199.5kg)
NEW! 54475EB	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	441.3 Lb. (200.6kg)
54476	220-240 volt	—	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	441.4 Lb. (200.6kg)




Deluxe Maintenance Kit



Pool Cover & Ground Cloth

Approximate Set-up Size: 32' x 16' x 52" (975cm x 488cm x 132cm) Water Capacity (90%): 14,364 gal. (54,368 L) Ready for Water in 90 Minutes										
FEATURES	Voltage								Case Pack	Case Weight
54485	110-120 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	558.0 Lb. (253.6kg)
NEW! 54485EB	110-120 volt	2,500 gal. (9,462 L)	—	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	560.1 Lb. (254.6kg)
54486	220-240 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	562.3 Lb. (255.6kg)
54489	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	579.7 Lb. (263.5kg)
NEW! 54489EB	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	582.0 Lb. (264.5kg)
54490	220-240 volt	—	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	Yes	1 Ea. 2 Boxes	582.1 Lb. (264.6kg)

Sequoia Spirit™ Wood-Grain Frame Pools



20

Wood-Grain Frame Pools:



DVD
Included

Filter pump box (enclosure) not sold
in 110-120 volt models

Intex's beautiful Sequoia Spirit™ Wood-Grain Frame Pools - classic beauty at a great value!

Nothing matches an Intex Sequoia Spirit™ Wood-Grain Frame Pool. Size, strength, durability, and flexibility all in one. Our wood-grain pool comes in a popular size - 16' 8" x 49" (508cm x 124cm) that is sure to fit most backyards. A Sequoia Spirit™ Wood-Grain Frame Pool is a beautiful addition to any home!



Krystal Clear Saltwater System™ & Filter Pump



Filter Pump



Ladder



Deluxe Pool Cover & Ground Cloth



Deluxe Maintenance Kit

All pool accessories available separately except Ground Cloth (see page 22-29)

Approximate Set-up Size: 16'8" x 49" (508cm x 124cm)									
Water Capacity (90%): 5,061 gal. (19,156 L) Ready for Water in 120 Minutes									
FEATURES	Voltage							Case Pack	Case Weight
54461	110-120 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	1 Ea. 3 Boxes	540.1 Lb. (245.5kg)
NEW! 54461EB	110-120 volt	2,500 gal. (9,462 L)	—	Yes Barrier Included	Yes	Yes	Yes	1 Ea. 3 Boxes	542.0 Lb. (246.4kg)
54462	220-240 volt	2,500 gal. (9,462 L)	—	Yes	Yes	Yes	Yes	1 Ea. 3 Boxes	558.4 Lb. (253.8kg)
54463	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	1 Ea. 3 Boxes	555.5 Lb. (252.5kg)
NEW! 54463EB	110-120 volt	—	CG-54611 2,000 gal. (7,570 L)	Yes Barrier Included	Yes	Yes	Yes	1 Ea. 3 Boxes	557.4 Lb. (253.4kg)
54464	220-240 volt	—	CG-54612 2,000 gal. (7,570 L)	Yes	Yes	Yes	Yes	1 Ea. 3 Boxes	587.7 Lb. (267.1kg)

Krystal Clear Saltwater System™

KRYSTAL CLEAR SALTWATER SYSTEM™

The Eco-friendly Pool Water Sanitizer

Intex introduces the next generation in saltwater systems for above ground pools... the Krystal Clear Saltwater System™ with new Copper Ionization algaeicide technology.

Now the Krystal Clear Saltwater System™ combines unique two-stage technology to sanitize pool water.

First, undetectable levels of natural swimmer-safe chlorine is produced when environmentally friendly natural salt is added to pool water and passes through titanium coated electrolytic cell during the filtration process. The result is soft, fresh, clean water without the potential harsh side effects of packaged pool chemicals.

Secondly, with the new copper ionization feature, highly active disinfectant ions are also released which creates a potent biocide and attack algae more aggressively than chlorine or other packaged pool chemicals.



#54601 / E NEW!

Krystal Clear Saltwater System™ CG-54601

- 110-120 volt
 - Requires a filter pump with a flow rate between 700-4,000 gph (2,650-15,140 L/hr)
 - Easy to use test strips (20 count) included to check performance
 - 24 hr. auto-clock cycle
 - Shelf box
- 2 Ea., 38.8 Lb. (17.6kg)

#54602 NEW!

Krystal Clear Saltwater System™ CG-54602

- Same as 54601 except 220-240 volt
 - Shelf box
- 2 Ea., 39.7 Lb. (18.0kg)

#54602GS NEW!

Krystal Clear Saltwater System™ CG-54602GS

- Same as 54602 except 12 volt
 - Shelf box
- 2 Ea., 41.4 Lb. (18.7kg)



#54611 / E NEW!

Krystal Clear Saltwater System™ & Filter Pump CG-54611

- 110-120 volt
 - Same as 54601 with additional 2,000 gph (7,570 L/hr) filter pump set
 - Shelf box
- 1 Ea., 46.5 Lb. (21.1kg)

#54612 NEW!

Krystal Clear Saltwater System™ & Filter Pump CG-54612

- Same as 54611 except 220-240 volt
 - Shelf box
- 1 Ea., 47.9 Lb. (21.7kg)

FEATURES	BENEFITS
Titanium coated clear electrolytic cell with self-cleaning cell	• Eliminates need for dangerous, harsh packaged chlorine • Dramatically improves swimming comfort • Low maintenance
Copper anodes	Reduces chlorine level by 70% compared to standard saltwater systems
Touch sensitive control panel	Convenient, easy to operate
24-hour timer	Set operating time once; system runs automatically on 24-hour cycle
Water flow sensor	Alerts operator to water blockage in hose and filter
Diagnostic read out with auto shut-off	Monitors salt level & service requirements. Shuts down system to prevent damage
Keypad locking system	Prevents programming from being accidentally changed
2 year warranty	Purchase confidence; backed by Intex's trained customer service representatives


How the Krystal Clear Saltwater System™ works:



Pure, natural salt is added to the pool water – the same salt that is used in residential water softeners. The amount of salt required creates salt levels only one-tenth as much as ocean water, so swimmers won't see, feel, or smell any salt. All you will feel is incredibly clean, fresh and soft water.



As part of the daily filtration cycle, the pool water passes through the system's titanium coated electrolytic cell to produce sodium hypochlorite which is instantly dissolved into the water. This process produces effective, but low levels of chlorine which is the first step in destroying bacteria and algae.



Combining copper ionization with the electrolysis process reduces the amount of chlorine required by up to 70%. This is because when the copper ions are released into the water they attach to microorganism cell walls and block photosynthesis (the process of converting light into useable food and energy). As a result, the cells die and the spread of algae is controlled.



Because salt does not evaporate, this process automatically repeats itself daily when the saltwater system is operated. When water evaporates, simply add more water – the salt level will remain the same. Unless water is splashed out of the pool, you may never have to add more salt.



Krystal Clear™ Accessories

SAND FILTER PUMPS



Sand Filter Pumps offer genuine advantages to pool owners:

- Ergonomic handle for easier operation
- Heavy duty tank
- Durable pump enclosure for more protection
- Powerful pump with leaf basket for all your pool vacuuming needs!
- Pressure gauge

#56671 NEW!

- 110-120 volt
- 16" (410mm) tank diameter
- 0.95 HP motor
- 2,100 gph (7,949 L/hr) flow
- 110 Lb. (50kg) sand capacity
- 2 pieces of 1 1/2" (38mm) hoses
- 2 year warranty
- Shelf box
- 1 Ea., 75.9 Lb. (34.5kg)



#56671EG NEW!

- Same as 56671 except with GFCI
- Shelf box
- 1 Ea., 75.9 Lb. (34.5kg)

#56672 NEW!

- Same as 56671 except with 220-240 volt
- Shelf box
- 1 Ea., 77.0 Lb. (35.0kg)

Sand Filter Pumps are the lowest maintenance option, requiring sand replacement only every 5 years on average. They represent approximately 38% of pool filtration systems, compared to approximately 35% for cartridge filters, and 27% for Diatomaceous Earth (DE) systems. Sand & Cartridge filters are growing while DE filters are declining due to the increasing number of municipalities that are banning them.



Intex's Sand Filter Pumps use a powerful 0.95 horsepower motor to achieve a 2,100 gph (7,949 L/hr) water flow rate. Best suited for above ground pools with a 16' (488cm) or larger diameter and water capacity of 5,000 gallons (18,926 L) or more. The pool owner is able to easily operate the unit in 6 modes: Standard Filtration, Backwash, Rinse, Re-circulate, Drain, and Close.

FEATURES	BENEFITS
6- function control	Enables pool owner to Filter, Backwash, Rinse, Recirculate, Drain & Close system
12-hour timer	Automatic daily setting
0.95 horse power pump with 2,100 gph (7,949 L/hr) flow	Ideal for above ground pools with a 16' (488cm) or larger diameter and water capacity of 5,000 gallons (18,926 L) or more
GFCI unit (US version)	Safety shut-off; meets UL standard
Skimmer basket	Easy-cleaning, prolongs life of sand

FILTER PUMPS

Filter pump features include:

- Easy installation - just hook-up hoses and plug in
- Double insulated pump
- Air release valve for air trapped inside filter chamber
- Sediment flush valve at bottom of filter chamber (56635/56636/56633/56634)
- Auto timer for easier use (56635/56636/56633/56634), except 56636GS
- Comforms to UL/CSA standards (110-120 volt models)
- CE approved (220-240 volt models)
- TUV approved (12 volt models)
- Shelf box

Efficient filtration is essential for a quality swim experience. Who wants to swim in a dirty pool?

Intex's line of pumps and cartridges have been greatly improved to guarantee a cleaner pool with:

- Powerful pumps in several of our most popular pool sets
- Filter cartridges with thicker, heavier paper and more pleats
- Water inlet jets for enhanced water flow back into the pool

The results will be faster water circulation, improved filtration, and best of all - a superior swim experience!



Item#	Voltage	Easy Set® Pool Models	Frame Pool Models	Rectangular Frame Pool Models	Water Flow Gal. (l)/hr	Case Pack	Case Weight Lb. (Kg)
58603 / E	110-120	8'/10'/12' (244/305/366cm)	10'/12' (305/366cm)		530 (2,006)	4	28.6 (13.0)
58604	220-240	8'/10'/12' (244/305/366cm)	10'/12' (305/366cm)		530 (2,006)	4	27.7 (12.6)
58604GS	12	8'/10'/12' (244/305/366cm)	10'/12' (305/366cm)		600 (2,271)	4	40.0 (18.2)
56637 / E	110-120	15' (457cm)	15'/16' (457/488cm)		1,000 (3,785)	4	34.1 (15.5)
56638	220-240	15' (457cm)	15'/16' (457/488cm)		1,000 (3,785)	4	33.0 (15.0)
56638GS	12	15' (457cm)	15'/16' (457/488cm)		900 (3,470)	4	50.6 (23.0)
56635 / E	110-120	18' (549cm)	18' (549cm)	18' x 9' (549 x 274cm)	1,500 (5,678)	1	18.3 (8.3)
56636	220-240	18' (549cm)	18' (549cm)	18' x 9' (549 x 274cm)	1,500 (5,678)	1	18.0 (8.2)
56636GS	12	18' (549cm)	18' (549cm)	18' x 9' (549 x 274cm)	1,500 (5,678)	1	25.7 (11.7)
56633 / E	110-120		24' (732cm)	24' x 12' (732 x 366cm) 32' x 16' (975 x 488cm)	2,500 (9,462)	1	25.3 (11.5)
56634	220-240		24' (732cm)	24' x 12' (732 x 366cm) 32' x 16' (975 x 488cm)	2,500 (9,462)	1	27.6 (12.6)

Krystal Clear™ Accessories


FILTER CARTRIDGES

Filter cartridge features include:

- Easy to clean Dacron filter material
- Shrink wrapped with litho label
- Replace filter cartridge every two weeks



Item#	Type	For Filter Pump Item#	Case Pack	Case Weight Lb. (Kg)
59900 / E	A	58603/58604/56637/56638/56635/56636	6	2.7 (1.2)
59905 / E	B	56633/56634/54611/54612	6	6.9 (3.1)



#59900

#59905

ELECTRIC POOL HEATER

One of the toughest things about owning a pool is not being able to enjoy it because of cold water. Now Intex has the solution - enjoy swimming when your pool water would otherwise be too chilly. A great way to extend your customers' swimming seasons too!



#56684

#56684

Heater

- 220-240 volt with RCD
- Compatible with round Easy Set® or Metal Frame pools 15' (457cm) diam or smaller
- Easy hook-up and operation
- Water level sensor
- Easily connects to new or existing pool filter system
- Shelf box

4 Ea., 32.9 Lb. (15.0kg)

26

AUTO POOL CLEANER



#58948 / E

Auto Pool Cleaner

- Cleans your pool without effort!
- Requires a filter pump with a flow rate between 2,000-4,000 gph (7,570-15,140 L/hr)
- Automatically vacuums the entire pool floor with venturi effect suction
- Attaches to the inlet connector in the pool with a 26' (792cm) hose
- For Intex above ground pools with 1 1/2" (38mm) hose fittings
- Not suitable for in-ground pools
- Shelf box

1 Ea., 19.8 Lb. (9.0kg)



#58948

POOL MAINTENANCE



#58949 / E

Deluxe Wall Mount Surface Skimmer

- Attaches to filter pump for automatic skimming
- Requires an Intex filter pump with a minimum flow rate of 800 gph (3,028 L/hr)
- Easily mounts to Easy Set® or metal frame pool sidewalls with adjustable bracket
- Helps catch leaves and other debris before they sink to the bottom of the pool
- Durable polypropylene plastic is not affected by pool chemicals
- Strainer basket pulls out for easy cleaning
- Shelf box

4 Ea., 19.5 Lb. (8.9kg)



#58944



#58944

#58944 / E

Pool Maintenance Kit

- Includes 94" (239cm) telescoping aluminum shaft for use with 16' (488cm) and below pools
- Interchangeable vacuum and skimmer heads
- Pegable box

6 Ea., 20.2 Lb. (9.2kg)



#58947



#58947

#58947 / E

Deluxe Pool Maintenance Kit

- Includes 110" (279cm) telescoping aluminum shaft for use with 18' (549cm) diameter pools and above
- Requires an Intex filter pump with a minimum flow rate of 800 gph (3,028 L/hr)
- Vacuum sucks debris off the pool floor and through the filter
- Skimmer has a deep, durable polypropylene mesh netting
- Works as deluxe wall mount surface skimmer #58949
- Shelf box

2 Ea., 29.2 Lb. (13.3kg)



SOLAR POOL COVERS

- Helps keep pool water warmer • Easy to use
- Available in 5 sizes • Economical! • Carry bag



#59952
#59953
#59954 (shown)
#59955



#59957

#59952 / E Solar Cover

- Fits 10' (305cm)
- Easy Set® & frame pools
- 120 micron (110 g/m²)
- 3 Ea., 8.0 Lb. (3.6kg)

#59953 / E Solar Cover

- Fits 12' (366cm)
- Easy Set® & frame pools
- 120 micron (110 g/m²)
- 2 Ea., 7.2 Lb. (3.3kg)

#59954 / E Solar Cover

- Fits 15' (457cm)
- Easy Set® & frame pools
- 160 micron (150 g/m²)
- 2 Ea., 14.8 Lb. (6.7kg)

#59955 / E Solar Cover

- Fits 18' (549cm)
- Easy Set® & frame pools
- 160 micron (150 g/m²)
- 1 Ea., 10.5 Lb. (4.8kg)

#59957 / E Solar Cover

- Fits 18' x 9' (549cm x 274cm)
- 160 micron (150 g/m²)
- 1 Ea., 7.2 Lb. (3.3kg)

POOL COVERS

- Durable 7 ga. (0.18mm) vinyl • Rope ties
- Drain holes to prevent water accumulation • Shelf box



#58406
#58411
#58901

#58406 / E Round Pool Cover

- Fits 10' (305cm) diameter pools
- 10" (25cm) overhang
- 6 Ea., 34.7 Lb. (15.8kg)

#58901 / E Round Pool Cover

- Fits 15' (457cm) diameter pools
- 10" (25cm) overhang
- 4 Ea., 45.0 Lb. (20.5kg)

#58411 / E Round Pool Cover

- Fits 12' (366cm) diameter pools
- 10" (25cm) overhang
- 6 Ea., 46.6 Lb. (21.2kg)

#58939 / E Easy Set® Pool Cover

- Fits 8' (244cm) Easy Set® pool
- 12" (30cm) overhang
- 6 Ea., 22.0 Lb. (10.0kg)

#58919 / E Easy Set® Pool Cover

- Fits 12' (366cm) Easy Set® pool
- 12" (30cm) overhang
- 6 Ea., 44.3 Lb. (20.1kg)

#58938 / E Easy Set® Pool Cover

- Fits 10' (305cm) Easy Set® pool
- 12" (30cm) overhang
- 6 Ea., 32.0 Lb. (14.6kg)

#58920 / E Easy Set® Pool Cover

- Fits 15' (457cm) Easy Set® pool
- 12" (30cm) overhang
- 4 Ea., 41.5 Lb. (18.9kg)



#58939 #58919
#58938 #58920

DELUXE POOL COVERS

- UV-resistant polyethylene material
- Rope ties
- Drain holes to prevent water accumulation
- Shelf box

#57901 / E

Deluxe Pool Cover

- Fits 16' (488cm) diameter pools
 - 8" (20cm) overhang
- 4 Ea., 33.2 Lb. (15.1kg)

#57900 / E

Deluxe Pool Cover

- Fits 18' (549cm) diameter pools
 - 8" (20cm) overhang
- 3 Ea., 30.2 Lb. (13.7kg)



#57900

#57901

POOL GROUND CLOTH

- Durable material • Shelf box
- Provide added protection for pool bottom



#58932 / E

Pool Ground Cloth

- Fits 8'/10'/12'/15' (244/305/366/457cm)
 - Easy Set® and frame pools
 - 15 1/2' (472cm) square
- 2 Ea., 9.0 Lb. (4.1kg)

#58932

POOL LADDERS

- Coated steel frame
- Hi-impact plastic steps • Shelf box

U.S. Patent #6,755,281



#58972/58976E

#58973/58977E (shown)

#58972

Pool Ladder

- For use with 36" (91cm) wall height pools
 - 2-section ladder reduces shipping cube and takes up less shelf space
- 3 Ea., 54.3 Lb. (24.7kg)

#58976E **NEW!**

Pool Ladder

- Same as 58972 except with barrier
- 3 Ea., 58.4 Lb. (26.5kg)



#58974/58978E

#58973

Pool Ladder

- For use with 42" (107cm) wall height pools
 - 2-section ladder reduces shipping cube and takes up less shelf space
- 3 Ea., 57.5 Lb. (26.1kg)

#58977E **NEW!**

Pool Ladder

- Same as 58973 except with barrier
- 3 Ea., 59.9 Lb. (27.2kg)



#58975/58979E

#58974

Pool Ladder

- For use with 48" (122cm) wall height pools
 - 2-section ladder reduces shipping cube and takes up less shelf space
- 2 Ea., 49.5 Lb. (22.5kg)

#58978E **NEW!**

Pool Ladder

- Same as 58974 except with barrier
- 2 Ea., 51.9 Lb. (23.6kg)

#58975

Pool Ladder

- For use with 52" (132cm) wall height pools
 - 2-section ladder reduces shipping cube and takes up less shelf space
- 2 Ea., 55.4 Lb. (25.2kg)

#58979E **NEW!**


Pool Ladder

- Same as 58975 except with barrier
- 2 Ea., 57.9 Lb. (26.3kg)

LED Lights

LED POOL-WALL LIGHTS

Easily illuminates up to 18' (549cm) pools



NEW

#56687 / E NEW!

- 110-120 volt
 - LED light
 - Magnetic wall mounting system
- 4 Ea., 20.2 Lb. (9.2kg)

#56688 NEW!

- 220-240 volt
 - LED light
 - Magnetic wall mounting system
- 4 Ea., 19.8 Lb. (9.0kg)

#56687
#56688



Until now, there's never been a good solution to lighting up an above ground pool. Unlike in-ground pool owners, who could flip a switch to light up their pools, above ground pool owners had to either cut a hole in their sidewall, risking leaks and damage to their pool or use a floating light which got in the way of swimmers, and always seemed to end up in the farthest corner of the pool, lighting up only a small area.

But now, Intex is introducing the next generation of above ground pool lighting. The new Intex LED light uses magnetic technology to create a light system that safely generates low voltage current THROUGH the pool's sidewall to a powerful LED light inside the pool. The advanced, energy efficient, 3-watt LED light delivers more brightness to your pool than a conventional 50-watt halogen pool light. So now, for the first time, above ground pool owners can light their pools up just like in-ground pool owners, but without the expense and damage of cutting a hole in their pool.

The LED Pool-Wall Light is the ultimate in flexibility and can be attached to any sidewall in any location - and be easily moved to different parts of the pool

for different lighting effects. If the inner light unit becomes separated from the outer power source, it will automatically float to the surface for easy retrieval.

Beauty, convenience, innovation, performance, and value - all part of the Intex LED Pool-Wall Light!



FEATURES	BENEFITS
LED light	Extra bright, long-lasting illumination
Magnetic hook-up	• Safely transfers power directly through pool sidewall so light level will never fade • No batteries to recharge • Light is flexible and can be easily moved around pool sidewall
Built-in floatation	If light becomes separated from magnet, it will automatically float to surface for easy retrieval
Below 12 volt	Low electricity level; safe to use around pool and water

LAWN BRITE™ SOLAR LED LANDSCAPE LIGHT



Eco-friendly solar landscape lights add beauty, security, and value to any home!

Traditional landscape lights can be expensive to install and require ongoing maintenance. Ordinary solar lights, while easy to install and maintain, typically provide only weak illumination.

#56695 / E **NEW!**

- Long-lasting LED light
 - Adjustable solar power
 - Lithium rechargeable batteries
- 6 Ea., 16.4 Lb. (7.5kg)

Now Intex has combined the best of both, and developed a solar light that is easy to install, easy to maintain, looks great, and delivers a dramatically superior level of light to gardens, sidewalks, pool areas, or other parts of any yard.



To provide maximum nighttime lighting, even in partially shaded areas, the solar panel on the top of every light can be tilted to absorb the greatest amount of sunlight during the day.



The Intex LAWN BRITE™ solar LED light is designed to provide maximum light, look great, and last long in any yard. Each light comes with two separate base units: one for anchoring the light firmly into a lawn or garden, the other for placing the light on a solid surface such as a patio or around a pool. Both are interchangeable, so the location can be changed as needed!

FEATURES	BENEFITS
Solar LED light with lithium rechargeable battery	Environmentally friendly, long lasting
Ground anchor	Helps keep light upright and looking professionally installed
Molded light dome	Directs maximum light to sidewalks and gardens
Adjustable solar panel	Allows lamp to absorb greater level of sunlight than other solar lights, providing more light for longer nighttime periods
LED lights	Powerful, compact light system

AGP

ABOVE GROUND POOLS

'10

INTERNATIONAL

Intex Development Co., Ltd.
8th Floor, Dah Sing Financial Centre,
108 Gloucester Road, Wanchai,
Hong Kong
Tel: (852) 2827-0000
Fax: (852) 2311-8200
E-mail: info@intexdevelopment.com
Website: www.intexdevelopment.com

USA

Intex Recreation Corp.
P.O. Box 1440,
Long Beach,
CA 90801-1440, USA
Tel: (310) 549-5400
Fax: (310) 513-6905
Website: www.intexcorp.com

EUROPE

Intex Trading B.V.
P.O. Box nr. 1075,
4700 BB Roosendaal,
The Netherlands
Tel: (31) 185-593920
Fax: (31) 185-593969
E-mail: info@intexcorp.nl
Website: www.intexcorp.nl

Intex Trading s.r.o.
Benešovská 23
101 00 Praha 10
Czech Republic
Tel: (420) 267 312 645
Fax: (420) 267 312 552
E-mail: info@intexcorp.cz
Website: www.intexdevelopment.com

Intex Service (France) S.A.S.
52, Route Nationale - BP 2
39190 Beaufort, France
Tel: (33) 384 87 30 65
Fax: (33) 384 25 18 09
E-mail: info@intexcorp.com.fr
Website: www.intex.fr

INTEX®

iINTEX®

©2009 Intex Marketing Ltd. - Intex Development Co., Ltd.
- Intex Trading Ltd. - Intex Recreation Corp.
All rights reserved. • Printed in China
®™ Trademarks used in some countries of the world under
license from Intex Marketing Ltd. to Intex Trading Ltd.,
Intex Development Co., Ltd., G.P.O. Box 28829, Hong Kong, and
Intex Recreation Corp., P.O. Box 1440, Long Beach, CA 90801.