UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

Merck Sharp & Dohme LLC,
Petitioner

v.

The Johns Hopkins University,
Patent Owner

Patent No. 11,643,462

PETITION FOR *INTER PARTES* REVIEW OF U.S. PATENT NO. 11,643,462

Halozyme EX2423
Merck v. Halozyme
PGR2025-00039

TABLE OF CONTENTS

I. INTRODUCTION 1

II. STANDING AND GROUNDS 3

III. BACKGROUND OF THE '462 PATENT 4

A. The Mechanism of the Prior Art Drug at Issue 4

B. The Prior Art MSI-H Study Record 6

C. Other Prior Art Had Recognized the Utility of PD-1 Inhibitors for Treating MSI-H Cancers, Consistent With the Fact that Merck and JHU Used Merck's PD-1 Inhibitor to Treat Such Cancer Patients in the MSI-H Study 9

IV. CLAIM CONSTRUCTION 10

V. LEVEL OF ORDINARY SKILL IN THE ART 11

VI. THE '462 PATENT CLAIMS ARE UNPATENTABLE 11

A. If JHU Is Bound to the Representations It Made During Prosecution, It Is Not Entitled to Claim Priority to the First Provisional Patent Application 11

B. Ground 1: Claims 1-2, 4-7, 9-12, 14-17, and 19-30 of the '462 Patent are Anticipated by the MSI-H Study Record 13

1. Law on Anticipation 13

2. Claim 1 16

3. Claim 2: "The method of claim 1, wherein the biological sample is tumor tissue from the patient." 27

4. Claim 4: "The method of claim 1, wherein the solid tumor is microsatellite instability high." 27

5. Claim 5: "The method of claim 1, wherein the solid tumor is DNA mismatch repair deficient." 28

6. Claim 6: "The method of claim 1, wherein the solid tumor is metastatic." 28

7. Claim 7: "The method of claim 1, wherein the pembrolizumab is administered to the patient intravenously." 28

8. Claim 9: "The method of claim 1, wherein the solid tumor is endometrial cancer, small bowel cancer, gastric cancer, ampullary cancer or cholangiocarcinoma." 29

9. Claim 10: "The method of claim 1, wherein the solid tumor is pancreatic cancer, prostate cancer, breast cancer, esophageal cancer, liver cancer, ovarian cancer, uterine cancer, cervical cancer, bladder cancer, testicular cancer or oral cancer." 29

10. Claim 11 30

11. Claim 12: "The method of claim 11, wherein the biological sample is tumor tissue from the patient." 32

12. Claim 14: "The method of claim 11, wherein the solid tumor is microsatellite instability high." 32

13. Claim 15: "The method of claim 11, wherein the solid tumor is DNA mismatch repair deficient." 32

14. Claim 16: "The method of claim 11, wherein the solid tumor is metastatic." 32

15. Claim 17: "The method of claim 11, wherein the pembrolizumab is administered to the patient intravenously." 32

16. Claim 19: "The method of claim 11, wherein the solid tumor is endometrial cancer, small bowel cancer, gastric cancer, or ampullary cancer or cholangiocarcinoma." 33

17. Claim 20: "The method of claim 11, wherein the solid tumor is pancreatic cancer, prostate cancer, breast cancer, esophageal cancer, liver cancer, ovarian cancer, uterine cancer, cervical cancer, bladder cancer, testicular cancer or oral cancer." 33

18. Claim 21: "The method of claim 1, wherein the solid tumor is endometrial cancer." 33

19. Claim 22: The method of claim 21, wherein the endometrial cancer is microsatellite instability high. 33

20. Claim 23: "The method of claim 21, wherein the endometrial cancer is DNA mismatch repair deficient." 34

21. Claim 24: "The method of claim 21, wherein the solid tumor is metastatic endometrial cancer." 34

22. Claim 25: "The method of claim 1 wherein the solid tumor is gastric cancer." 35

23. Claim 26: "The method of claim 25, wherein the gastric cancer is microsatellite instability high." 35

24. Claim 27: "The method of claim 25, wherein the gastric cancer is DNA mismatch repair deficient." 35

25. Claim 28: "The method of claim 25, wherein the solid tumor is metastatic gastric cancer." 36

26. Claim 29: "The method of claim 9, wherein the solid tumor is small bowel cancer." 36

27. Claim 30: "The method of claim 29, wherein the solid tumor is metastatic small bowel cancer." 36

C. Grounds 2-7: Claims 1-30 of the '462 Patent are Obvious Over the MSI-H Study Record in View of Various References 37

1. Law of Obviousness 37

2. Overview of the Additional Prior Art 38

3. Ground 2: Claims 1-2, 4-7, 9-12, 14-17, 19-30 of the '462 Patent Are Obvious Over the MSI-H Study Record in View of Brown, Duval, and Benson 41

4. Ground 3: Claims 1-2, 4-7, 9-12, 14-17, and 19-24 of the '462 Patent Are Obvious Over the MSI-H Study Record in View of Brown, Duval, Benson, and Koh 52

5. Ground 4: Claims 1-2, 4-7, 9, 11-12, 14-17, 19, and 25-26 of the '462 Patent Are Obvious Over the MSI-H Study Record in View of Brown, Duval, Benson, and Ajani 53

6. Ground 5: Claims 2, 8, 12 and 18 Are Obvious Over the References Discussed in Grounds 1, 2, 3, or 4, and Further in View of Chapelle 55

7. Ground 6: Claims 3 and 13 Are Obvious Over the References Discussed in Grounds 1, 2, 3, or 4, and Further in View of Steinert 58

8. Ground 7: Claims 7 and 17 Are Obvious Over the References Discussed in Grounds 1, 2, 3, or 4, and Further in View of Hamid 59

VII. DISCRETIONARY DENIAL IS NOT APPROPRIATE HERE 61

A. Discretionary Denial Under *Fintiv* Is Not Appropriate 61

B. Discretionary Denial Under 35 U.S.C. § 325(d) Is Not Appropriate 63

VIII. MANDATORY NOTICES UNDER 37 CFR § 42.8 64

IX. CONCLUSION 65

LIST OF EXHIBITS

EX1001	U.S. Patent No. 11,643,462 (the "'462 patent")
EX1002	File History of the '462 patent (U.S. Patent Application No. 17/354,653)
EX1003	Declaration of Dr. Alfred I. Neugut, M.D., Ph.D., M.P.H.
EX1004	Curriculum Vitae of Dr. Alfred I. Neugut, M.D., Ph.D., M.P.H.
EX1005	ClinicalTrials.gov, NCT01876511, "Study of MK-3475 in Patients With Microsatellite Unstable (MSI) Tumors (Cohorts A, B and C)," (June 10, 2013) available at https://clinicaltrials.gov/study/NCT01876511?tab=history&a=1 ("MSI-H Study Record"); also available at Merck Sharp & Dohme LLC v. The Johns Hopkins University, 1:22-cv-03059-BPG, ECF 1, Complaint, Exhibit B (11/29/22)
EX1006	Pernot et al, *Colorectal Cancer and Immunity: What We Know and Perspectives*, 20(14) World J. Gastroenterology 3738 (April 2014)
EX1007	Chapelle et al, *Clinical Relevance of Microsatellite Instability in Colorectal Cancer*, 28(20) J. Clinical Oncology 3380 (2010)
EX1008	Reserved
EX1009	Benson et al, *Colon Cancer, Version 3.2014: Clinical Practice Guidelines in Oncology*, 12(7) J. Nat'l Comprehensive Cancer Network 1028 (July 2014)
EX1010	Salipante et al, *Microsatellite Instability Detection by Next Generation Sequencing*, 60(9) Clinical Chemistry 1192 (June 2014)
EX1011	Hamid et al, *Safety and Tumor Responses with Lambrolizumab (Anti-PD-1) in Melanoma*, 369(2) New Eng. J. Medicine 134 (July 2013)
EX1012	Laheru et al, *Immunotherapy for Pancreatic Cancer Science Driving Clinical Progress*, 5 Nature Revs. 459 (June 2005)

EX1013	Topalian et al, Safety, *Activity, and Immune Correlates of Anti–PD-1 Antibody in Cancer*, 366(26) New Eng. J. Med. 2443 (June 28, 2012)
EX1014	Pardoll, *The Blockade of Immune Checkpoints in Cancer Immunotherapy*, 12 Nature Revs. 252 (April 2012)
EX1015	Kang et al, *Pembrolizumab KEYNOTE-001: An Adaptive Study Leading to Accelerated Approval for Two Indications and a Companion Diagnostic*, 28(6) Annals of Oncology 1388 (2017)
EX1016	ClinicalTrials.gov, NCT01848834, "Study of MK-3475 in Participants With Advanced Solid Tumors (MK-3475-012)," (October 18, 2013) available at https://classic.clinicaltrials.gov/ct2/history/NCT01848834?A=12&B=12&C=merged#StudyPageTop
EX1017	ClinicalTrials.gov, NCT02054806, "Study of Pembrolizumab (MK-3475) in Participants With Advanced Solid Tumors (MK-3475-028/KEYNOTE-28)," (July 7, 2014) available at https://clinicaltrials.gov/study/NCT02054806?tab=history&a=14
EX1018	Robinson et al, *Lynch Syndrome (Hereditary Nonpolyposis Colorectal Cancer) Diagnostics*, 99(4) J. Nat'l Cancer Inst. 291 (2007)
EX1019	Fujiwara et al, *Accumulated Clonal Genetic Alterations in Familial and Sporadic Colorectal Carcinomas with Widespread Instability in Microsatellite Sequences*, 153(4) Am. J. Pathology 1063 (1998)
EX1020	National Comprehensive Cancer Network, NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) Colon Cancer Version 3.2014 (January 27, 2014)
EX1021	Press Release, National Institutes of Health Launches "ClinicalTrials.gov" (February 20, 2000), Available at https://www.nlm.nih.gov/archive/20040831/news/press_releases/clntrlpr00.html
EX1022	File History of the '356 patent (U.S. Patent Application No. 16/144,549)

EX1023	July 27, 2017 Keytruda Package Insert, available at https://www.accessdata.fda.gov/drugsatfda_docs/label/2017/125514s014lbl.pdf
EX1024	ClinicalTrials.gov, NCT01876511, "Study of MK-3475 in Patients With Microsatellite Unstable (MSI) Tumors (Cohorts A, B and C)," (June 12, 2013) available at https://www.clinicaltrials.gov/study/NCT01876511?tab=history&a=2
EX1025	ClinicalTrials.gov, NCT01876511, "Study of MK-3475 in Patients With Microsatellite Unstable (MSI) Tumors (Cohorts A, B and C)," (September 20, 2013) available at https://www.clinicaltrials.gov/study/NCT01876511?tab=history&a=3
EX1026	ClinicalTrials.gov, NCT01876511, "Study of MK-3475 in Patients With Microsatellite Unstable (MSI) Tumors (Cohorts A, B and C)," (May 21, 2014) available at https://www.clinicaltrials.gov/study/NCT01876511?tab=history&a=4
EX1027	ClinicalTrials.gov, NCT01876511, "Study of MK-3475 in Patients With Microsatellite Unstable (MSI) Tumors (Cohorts A, B and C)," (June 25, 2014) available at https://www.clinicaltrials.gov/study/NCT01876511?tab=history&a=5
EX1028	Reserved
EX1029	*Merck Sharp & Dohme LLC v. The Johns Hopkins University*, 1:22-cv-03059-BPG, ECF 40, The Johns Hopkins University's First Amended Answer and Counterclaims to Merck's Complaint for Declaratory Relief (Filed 5/22/23)
EX1030	U.S. Provisional Patent App. No. 61/931,512
EX1031	Le et al, *PD-1 Blockade in Tumors with Mismatch-Repair Deficiency*, 372(26) New Eng. J. Medicine 2509 (June 25, 2015)

EX1032	Champiat et al, *Exomics and Immunogenics Bridging Mutational Load and Immune Checkpoints Efficacy*, 3(1) OncoImmunology e27817-1(January 2014)
EX1033	Gatalica et al, *Programmed Cell Death 1 (PD-1) and Its Ligand (PD-L1) in Common Cancers and Their Correlation with Molecular Cancer Type, Cancer*, Epidemiology, 23(12) Biomarkers & Prevention 2965 (November 12, 2014)
EX1034	Brown et al, *Neo-Antigens Predicted by Tumor Genome Meta-Analysis Correlate with Increased Patient Survival*, 24(5) Genome Research 743 (May 2014)
EX1035	Ogino et al, *Cancer Immunology - Analysis of Host and Tumor Factors for Personalized Medicine*, 8(12) Nature Revs. Clinical Oncology 711 (2011)
EX1036	Tougeron et al, *Tumor-Infiltrating Lymphocytes in Colorectal Cancers with Microsatellite Instability Are Correlated with the Number and Spectrum of Frameshift Mutations*, 22(9) Modern Pathology 1186 (2009)
EX1037	Nosho et al, *Tumour-infiltrating T-cell Subsets, Molecular Changes in Colorectal Cancer and Prognosis: Cohort Study and Literature Review*, 222(4) J. Pathology 350 (2010)
EX1038	Kim et al, *Prospects for Targeting PD-1 and PD-L1 in Various Tumor Types*, 28(supp.3) Oncology 15 (November 10, 2014)
EX1039	Llosa et al, *Immune Checkpoints Expression in MSI Versus MSS Colorectal Cancers and Their Potential Therapeutic Implications*, J. 32(15) Clinical Oncology 243s (May 2014)
EX1040	Loi et al, *Host Antitumor Immunity Plays a Role in the Survival of Patients With Newly Diagnosed Triple-Negative Breast Cancer*, 32(27) J. Clinical Oncology 2935 (July 28, 2014)
EX1041	Donnard et al, *Mutational Analysis of Genes Coding for Cell Surface Proteins in Colorectal Cancer Cell Lines Reveal Novel Altered Pathways, Druggable Mutations and Mutated Epitopes for Targeted Therapy*, 5(19) OncoTarget 199 (October 15, 2014)

EX1042	Kansara et al, *Translational Biology of Osteosarcoma*, 14(11) Nature Revs. Cancer 722 (October 16, 2014)
EX1043	U.S. Provisional Patent App. No. 62/190,977
EX1044	Tay et al, *A Combined Comparative Genomic Hybridization and Expression Microarray Analysis of Gastric Cancer Reveals Novel Molecular Subtypes1,2*, 63(12) Cancer Research 3309 (2003)
EX1045	Wahlberg et al, *Evaluation of Microsatellite Instability and Immunohistochemistry for the Prediction of Germ-Line MSH2 and MLH1 Mutations in Hereditary Nonpolyposis Colon Cancer Families*, 62(12) Cancer Research 3485 (2002)
EX1046	Taggart et al, *High-level Microsatellite Instability in Appendiceal Carcinomas*, 37(8) Am. J. Surgical Pathology 1192 (August 2013)
EX1047	Stintzing et al, *Management of Colorectal Cancer*, 6 F1000 Prime Reports 1 (November 4, 2014)
EX1048	Eisenhauer et al, *New Response Evaluation Criteria in Solid Tumours: Revised RECIST Guideline (Version 1.1)*, 45(2) Eur. J. Cancer 228 (2009)
EX1049	Matikas et al, *The Place of Targeted Agents in the Treatment of Elderly Patients with Metastatic Colorectal Cancer*, 7(1) Cancers 439 (March 13, 2015)
EX1050	Lee et al, *Novel Therapies in Development for Metastatic Colorectal Cance*r, 7(4 Supp. 1) Gastrointestinal Cancer Research 1 (September 2015)
EX1051	Lal et al, *An Immunogenomic Stratification of Colorectal Cancer: Implications for Development of Targeted Immunotherapy*, 4(3) OncoImmunology 1 (April 2, 2015)
EX1052	Reserved

EX1053	ClinicalTrials.gov, NCT02060188, "Study of Nivolumab and Nivolumab Plus Ipilimumab in Recurrent and Metastatic Colon Cancer (CheckMate 142)," (February 10, 2014) available at https://clinicaltrials.gov/study/NCT02060188?tab=history&a=1
EX1054	Ascierto et al, *Future Perspectives in Melanoma Research: Meeting Report from the "Melanoma Bridge", Napoli, December 5th-8th 2013*, 12 J. Translational Medicine 277 (October 2024)
EX1055	September 4, 2014 Keytruda Package Insert, available at https://www.accessdata.fda.gov/drugsatfda_docs/label/2014/125514lbl.pdf
EX1056	Reserved
EX1057	Lipson et al, *Durable Cancer Regression Off-Treatment and Effective Reinduction Therapy with an Anti-PD-1 Antibody*, 19(2) Clinical Cancer Research 462 (January 2015)
EX1058	Drescher et al, *Lymphocyte Recruitment into the Tumor Site is Altered in Patients with MSI-H Colon Cancer*, 8(3) Familial Cancer 231 (2009)
EX1059	Reserved
EX1060	Reserved
EX1061	Reserved
EX1062	Reserved
EX1063	DiMasi et al, *Clinical Approval Success Rates for Investigational Cancer Drugs*, 94(3) Clinical Pharmacology & Therapeutics 329 (September 2013)
EX1064	Le et al, Supplementary Appendix to *PD-1 Blockade in Tumors with Mismatch-Repair Deficiency*, 372(26) New Eng. J. Medicine 2509 (June 25, 2015), available at https://www.nejm.org/doi/suppl/10.1056/NEJMoa1500596/suppl_file/nejmoa1500596_appendix_1.pdf

EX1065	June 21, 2022 Memo From Katherine Vidal on Interim Procedure for Discretionary Denials in AIA Post-Grant Proceedings with Parallel District Court Litigation (June 21, 2022), available at https://www.uspto.gov/sites/default/files/documents/interim_proc_discretionary_denials_aia_parallel_district_court_litigation_memo_20220621_.pdf
EX1066	*Merck Sharp & Dohme LLC v. The Johns Hopkins University*, 1:22-cv-03059-BPG, ECF 57, Scheduling Order (Filed 10/16/23)
EX1067	Maryland, U.S. District Court – Judicial Caseload Profile, available at https://www.uscourts.gov/sites/default/files/data_tables/fcms_na_distprofile0630.2023.pdf
EX1068	Henry et al, *Cancer Biomarkers*, 6(2) Molecular Oncology 140 (2012)
EX1069	Garon et al, *Antitumor Activity of Pembrolizumab (Pembro; Mk-3475) and Correlation with Programmed Death Ligand 1 (Pd-L1) Expression in a Pooled Analysis of Patients (Pts) with Advanced Non–Small Cell Lung Carcinoma (Nsclc)*, 25(4) Annals of Oncology September 2014
EX1070	World Health Organization, *International Nonproprietary Names for Pharmaceutical Substances (INN)*, 27(2) WHO Drug Information (2013)
EX1071	Roth, *Frameshift Mutations*, 8 Annual Review of Genetics 319 (1974)
EX1072	Excerpt from Julien Taieb Citations, Google Scholar, available at https://scholar.google.ca/citations?user=niwd5qgAAAAJ&hl=en (accessed 8/25/23)
EX1073	Excerpt from Alexander Eggermount Citations, Google Scholar, available at https://scholar.google.com/citations?user=NWWkhzoAAAAJ&hl=en (accessed 8/25/23)

EX1074	Excerpt from Jean-Charles Soria Citations, Google Scholar, available at https://scholar.google.com/citations?user=wyFxnccAAAAJ (accessed 8/25/23)
EX1075	Henry Lynch, Research.com, available at https://research.com/u/henry-t-lynch (accessed 8/25/23)
EX1076	Excerpt from Daniel Van Hoff Citations, Google Scholar, available at https://scholar.google.com/citations?user=-NTa4oUAAAAJ&hl=en (accessed 8/25/23)
EX1077	Excerpt from Robert A. Holt, Google Scholar, available at https://scholar.google.com/citations?user=CXPlI08AAAAJ&hl=en (accessed 11/27/23)
EX1078	Young et al, *Treatment of Advanced Disease*, 321 British Medical J. 1278 (2000)
EX1079	Le et al, *Phase 2 Study of Programmed Death-1 Antibody (Anti-PD-1, MK-3475) in Patients with Microsatellite Unstable (MSI) Tumors*, 32 (15) J. Clinical Oncology (May 2014)
EX1080	Poster presented at ASCO, Le et al, *Phase 2 Study of Programmed Death-1 Antibody (Anti-PD-1, MK-3475) in Patients with Microsatellite Unstable (MSI) Tumors* (Jun. 1, 2014)
EX1081	Excerpt from Shuji Ogino, Google Scholar, available at https://scholar.google.com/citations?user=87TPyfoAAAAJ&hl=en (accessed 8/25/23)
EX1082	Charles Fuchs, Research.com, available at https://research.com/u/charles-s-fuchs (accessed 8/25/23)
EX1083	Excerpt from Jerome Galon Citations, Google Scholar, available at https://scholar.google.com/citations?user=coRgZqUAAAAJ&hl=fr (accessed 8/25/23)

EX1084	Press Release, *Caris Life Sciences Research Provides Key Clinical Insights on Immunotherapeutic Targets in a Broad Range of Cancers* (June 10, 2014), available at https://www.carislifesciences.com/about/news-and-media/caris-life-sciences-research-provides-key-clinical-insights-on-immunotherapeutic-targets-in-a-broad-range-of-cancers/?gad_source=1&gclid=EAIaIQobChMIzba8u6LlggMVGlBHAR1ZPAHNEAAYASAAEgIaFvD_BwE
EX1085	Imai et al, *Carcinogenesis and Microsatellite Instability: the Interrelationship Between Genetics and Epigenetics*, 29(4) Carcinogenesis 673 (2008)
EX1086	Cheung et al, *Current Advance in Small Bowel Tumors*, 44(1) Clinical Endoscopy 13 (2011)
EX1087	Duval et al, *The Mutator Pathway is a Feature of Immunodeficiency-Related Lymphomas*, 101(14) Proceedings of the National Academy of Sciences 5002 (2004)
EX1088	National Comprehensive Cancer Network, NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) Esophageal and Esophagogastric Junction Cancers Version 1.2014 (May 30, 2014)
EX1089	National Comprehensive Cancer Network, NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) Uterine Neoplasms Version 1.2014 (November 27, 2013)
EX1090	Garg et al, *Lynch Syndrome (Hereditary Non-Polyposis Colorectal Cancer) and Endometrial* Carcinoma, 16(1) Cancer Control 679 (2009)
EX1091	Kim et al, *Microsatellite Instability Status in Gastric Cancer: A Reappraisal of Its Clinical Significance and Relationship with Mucin Phenotypes*, 47(1) Korean J. Pathology 28 (February 2013)
EX1092	ASCO, *Developmental Therapuetics – Immunotherapy,* https://meetings.asco.org/2014-asco-annual-meeting/6670?presentation=98450#98450

EX1093	Abdul-Rahman Jazieh, 2015 Annual Meeting Tips, ASCO Connection, https://connection.asco.org/blogs/2015-annual-meeting-tips
EX1094	National Comprehensive Cancer Network, NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) Gastric Cancer Version 1.2014 (May 30, 2014)
EX1095	Koh et al, *Uterine Neoplasms, Versions 1.2014: Clinical Practice Guidelines in Oncology*, 12(2) J. Nat'l Comprehensive Cancer Network 248 (February 2014)
EX1096	Ajani et al, *Gastric Cancer, Version 2.2013: Featured Updates to the NCCN Guidelines*, 11(5) J. Nat'l Comprehensive Cancer Network 531 (May 2013)

I. INTRODUCTION

Petitioner Merck Sharp & Dohme LLC ("Petitioner" or "Merck") requests *inter partes* review of Claims 1-30 of U.S. Patent No. 11,643,462 ("the '462 patent"), which is assigned to Patent Owner The Johns Hopkins University ("JHU").

The '462 patent broadly claims the use of a prior art drug (pembrolizumab) in a treatment of a sub-population of cancer patients (patients whose cancers have a genetic instability called microsatellite instability-high ("MSI-H")) also disclosed in the prior art. It was known that MSI-H tumors were more immunogenic, and would benefit from the use of an immunotherapy drug like pembrolizumab. (EX1003, ¶¶42-49.) In fact, the specification of the JHU patent is a clinical study ***published in the prior art more than a year*** before the '462 patent's filing, which was a collaboration by Merck and JHU (the "MSI-H Study Record").

This study was consistent with the teachings of the prior art that PD-1 inhibitors naturally had more efficacy when treating tumors that (1) have many mutations, and thus are comprised of cancer cells that are easy for immune cells to recognize, and (2) are already infiltrated by many immune cells, which kill the tumor cells. (*Infra*, §III.C.) The prior art also taught that MSI-H tumors naturally displayed those characteristics. (*Infra*, §III.C.) By the relevant time period, the literature had therefore taught that MSI-H tumors exhibited the characteristics that

were most relevant for PD-1 efficacy, including many mutations and infiltration by lymphocytes. (EX1003, ¶¶42-49.)

As explained in detail below and in the Declaration of Dr. Alfred I. Neugut, M.D., Ph.D., M.P.H., all claims of the '462 patent are unpatentable, as they fail to meet several statutory requirements. (EX1003, ¶¶1-22, 50-58, 186-187.)

First, the independent claims and most dependent claims of the '462 patent are anticipated. (35 U.S.C. § 102; *infra* §VI.B; EX1003, ¶17, §VII.A.) More than a year prior to JHU's first provisional application, the MSI-H Study Record taught the claimed methods, and those methods inherently achieve any claimed efficacy from the treatment. JHU overcame the MSI-H Study Record on the ground that it did not expressly include the results flowing from the treatment, but under controlling precedent of the Court of Appeals for the Federal Circuit, which was not considered during prosecution or brought to the attention of the Examiner, that outcome was legal error.

Second, all of the '462 patent claims would have been obvious to the person of ordinary skill in the art ("POSA") as of the priority date, including all dependent claims. (35 U.S.C. § 103; *infra* §VI.C; EX1003, ¶17, §§VII.B-E.) For example, even if JHU's rationale for overcoming the MSI-H Study Record were accepted, the prior art provided a motivation to carry out the MSI-H Study Record's protocol and a reasonable expectation of success in doing so. Further, the prior art also

taught the routine methods for testing a cancer for the genetic marker of MSI-H (and the patents do not purport to have discovered any new methodology for doing so). All but one of the additional prior art references relied on in the obviousness grounds were not considered by the Examiner, and the Examiner considered none of the obviousness arguments and combinations presented in this petition.

The Board should institute trial and cancel the challenged claims.

II. STANDING AND GROUNDS

Merck certifies under 37 C.F.R. § 42.104(a) that the '462 patent is available for review and Merck is not barred or estopped from requesting review on the grounds identified herein. Merck respectfully requests review of Claims 1-30 of the '462 patent and cancellation of these claims as unpatentable. The challenged claims should be found unpatentable on the following grounds:

Ground 1: Claims 1-2, 4-7, 9-12, 14-17, and 19-30 are unpatentable under 35 U.S.C. § 102 as being anticipated by the published MSI-H Study Record (EX1005).

Ground 2: Claims 1-2, 4-7, 9-12, 14-17, 19-30 are unpatentable under 35 U.S.C. § 103 as being obvious over the MSI-H Study Record (EX1005) in view of Brown (EX1034), Duval (EX1087), and Benson (EX1009).

Ground 3: Claims 1-2, 4-7, 9-12, 14-17, and 19-24 are unpatentable under 35 U.S.C. § 103 as being obvious over the MSI-H Study Record (EX1005) in view

of Brown (EX1034), Duval (EX1087), Benson (EX1009), and Koh (EX1095).

Ground 4: Claims 1-2, 4-7, 9, 11-12, 14-17, 19, and 25-26 are unpatentable under 35 U.S.C. § 103 as being obvious over the MSI-H Study Record (EX1005) in view of Brown (EX1034), Duval (EX1087), Benson (EX1009), and Ajani (EX1096).

Ground 5: Claims 2, 8, 12, and 18 are unpatentable under 35 U.S.C. § 103 as being obvious over the references discussed in Grounds 1, 2, 3, or 4, and further in view of Chapelle (EX1007).

Ground 6: Claims 3 and 13 are unpatentable under 35 U.S.C. § 103 as being obvious over the references discussed in Grounds 1, 2, 3, or 4, and further in view of Steinert (EX1008).

Ground 7: Claims 7 and 17 are unpatentable under 35 U.S.C. § 103 as being obvious over the references discussed in Grounds 1, 2, 3, or 4, and further in view of Hamid (EX1011).

III. BACKGROUND OF THE ’462 PATENT

Unless otherwise noted, the following information was known to the skilled artisan more than a year before the earliest priority date.

A. The Mechanism of the Prior Art Drug at Issue

Claims 1 and 11 of the ’462 patent, the patent’s independent claims, are directed to identifying cancer patients who have MSI-H and mismatch repair

deficient tumors and administering Merck's immunotherapeutic drug pembrolizumab (known today by the tradename Keytruda®) to those patients. (EX1001, 25:51-27:18; EX1003, ¶22.)

An immunotherapy is a drug that helps the body fight disease by boosting the immune system. (EX1003, ¶¶30-33.) One particular type of immunotherapy is called a PD-1 inhibitor. (EX1003, ¶30.) By the relevant time period, Merck's drug pembrolizumab was a known PD-1 inhibitor undergoing clinical development, and Merck was not the only company developing anti-PD-1 therapeutics for treating cancer. (EX1003, ¶30.)

The prior art disclosed how PD-1 inhibitors treat cancer. (EX1003, ¶¶30-33.) Normally, immune cells find and kill cancer cells. In response, cancer cells put brakes on the immune system. As Dr. Neugut explains, pembrolizumab blocks receptors that otherwise inhibit the body's immune response, thereby releasing the brakes that the cancer cells put on the immune cells. (EX1003, ¶33.)

Merck began clinically developing pembrolizumab in 2010. (EX1015, 1388.) While developing pembrolizumab, Merck treated cancer patients in clinical studies, including patients having MSI-H cancers. (EX1003, ¶34.)

A person's cancer is considered MSI-H if the cancer cells' DNA contains small tracts of repeating DNA, called microsatellites, that are different in size than regularly occurring microsatellites. (EX1003, ¶¶24-29.) MSI-H is also known

throughout the literature as MSI positive, MSI-high, MSIH, or MSI+. (EX1003, ¶27.) MSI-H is caused by deficient mismatch repair ("dMMR"), also known as "Mismatch repair deficiency" or "DNA mismatch repair deficient." (EX1003, ¶28.) MSI-H and dMMR are "biologically the same" and testing for one condition was considered "equivalent" to testing for the other. (EX1003, ¶29.) By 2014, upon diagnosis of certain cancers, it was common to test tumors for MSI-H. (EX1003, ¶¶24-26.) Whether a tumor exhibited MSI-H could inform therapeutic choices, prognosis, and familiar cancer risk appraisal. (EX1003, ¶¶24, 42-49.) MSI-H was known to occur commonly in several different types of cancers, including endometrial, small bowel, and gastric cancer. (EX1003, ¶25-26.) Those tumor types, as well as colorectal, are also common in Lynch syndrome, which was known at the time to be closely associated with MSI-H. (EX1003, ¶25.)

B. The Prior Art MSI-H Study Record

In late 2012, JHU approached Merck about collaborating on a clinical study using pembrolizumab to treat cancer patients having cancers that were identified as being MSI-H. (EX1029, ¶¶90-93; EX1003, ¶33.) The Parties agreed to collaborate on the clinical study, which uses the study identifier NCT01876511 (the "MSI-H Study"). (EX1005, 3 (Collaborators); EX1003, ¶35.)

On June 10, 2013, the MSI-H Study Record detailing the parameters and protocols for that clinical study was submitted to and published on

www.clinicaltrials.gov. (EX1003, ¶36.)[1] The website, www.clinicaltrials.gov, publicizes clinical trials in a searchable and easy to understand manner in order to keep doctors and patients apprised of ongoing clinical trials. (EX1021, 1-4; EX1003, ¶37.) It was indexed by subject matter, and would have been used by the POSA to understand the state of the art. (EX1003, ¶37.)

During prosecution of the '462 patent and its family members, named inventor Andrew Pardoll, M.D., Ph.D., admitted that the MSI-H Study Record published as early as June 12, 2013. (EX1002, June 28, 2022 Declaration, 7-8, ¶22.) And more recently, in district court litigation, JHU similarly admitted that the MSI-H Study Record was published on June 10, 2013 (and on June 12, 2013). (EX1029, ¶¶22, 103.)

---

[1] The MSI-H Study Record was periodically resubmitted (e.g., on June 12, 2013, September 20, 2013, May 21, 2014, and June 25, 2014). (EX1024; EX1025; EX1026; EX1027; EX1003, ¶36.) Those versions are substantively identical. In any event, however, all submissions remain available in view of the practice of www.clinicaltrials.gov of maintaining archived versions of each submission. (*See, e.g.*, EX1005, 1-2; *see also* EX1003, ¶37.)

The MSI-H Study Record is prior art under § 102(a) and not covered by any of the exceptions under § 102(b). *See Fresenius Kabi USA, LLC v. Chugai Seiyaku Kabushiki Kaisha*, IPR2021-01288, Paper 30 at 14-24 (PTAB Feb. 23, 2022); *Grünenthal GMBH v. Antecip Bioventures II LLC*, PGR2019-00003, Paper 22 at 17-18 (PTAB May 5, 2020).

It was not until more than one year after the MSI-H Study Record published that JHU filed the First Provisional (without Merck's knowledge). (EX1030, PDF p. 1.) Yet the '462 patent's claimed subject matter derives directly from the MSI-H Study. (*See* EX1002, June 28, 2022 Declaration, 7-8, ¶¶22-23 (connecting the '462 patent, the MSI-H Study Record, and a New England Journal of Medicine article (EX1031) that discusses the results of the MSI-H Study); EX1005, 2 (using study identifier number NCT0187511); EX1031, 2509 (discussing the results of the MSI-H Study using study identifier number NCT0187511); EX1003, ¶¶38-41.) Indeed, all of the '462 patent's examples, tables, and figures are devoted to the design and results of the MSI-H Study, a "small phase 2 trial of pembrolizumab." (EX1001, 6:53-22:40, 3:19-21; Figs. 1-13; EX1005; EX1003, ¶40.) For instance, Examples 1-4 (EX1001, 8:9-16:8) are the design of the MSI-H Study, and Examples 5-11 (EX1001, 16:10-18.67) report its results. Further, Tables 1-3 (EX1001, 19:1-22:40) and Figures 1-13 also report the MSI-H Study's results.

The Examiner considered the MSI-H Study Record during prosecution of a family member of the '462 patent, U.S. Patent No. 10,934,356 (the '356 patent") and recognized that the MSI-H Study Record disclosed treating patients having MSI-H cancer with pembrolizumab and measuring the patients' responses. (EX1022, August 26, 2020 Non-Final Rejection, 26-27.) The Examiner nonetheless allowed the '356 patent over the MSI-H Study Record on the rationale that it did not affirmatively disclose the results flowing from the disclosed treatment. (EX1022, December 14, 2020 Notice of Allowance, 3.) The Examiner's requirement for an express disclosure of an inherent result of the disclosed treatment was incorrect as a matter of law, as shown in detail below. (*See infra*, §VI.B.1; *see also infra*, §VII.B (explaining why the Board should not exercise its discretion to deny institution under 35 U.S.C. § 325(d)).)

C. Other Prior Art Had Recognized the Utility of PD-1 Inhibitors for Treating MSI-H Cancers, Consistent With the Fact that Merck and JHU Used Merck's PD-1 Inhibitor to Treat Such Cancer Patients in the MSI-H Study

In addition to the MSI-H Study Record, before JHU filed the First Provisional, others in the field had published on the use of PD-1 inhibitors to treat patients whose cancers were MSI-H. For example, another clinical study record (EX1003, ¶47) and a number of publicly available articles had already

recommended evaluating the treatment of patients whose cancers were MSI-H with immunotherapeutic agents like pembrolizumab. (EX1003, ¶¶42-49.)

Indeed, in April 2014, Pernot taught that MSI-H cancers are "good candidates for immunotherapy." (EX1006, 3740-41.) Further, Champiat taught in January 2014 that "it will be interesting to evaluate the clinical activity of PD-1/PD-L1 agents in DNA mismatch repair (MM)-deficient tumors . . . ." (EX1032, e27817-5; EX1003, ¶48.) Those suggestions built upon the previously established knowledge that the MSI-H condition made it easier for a patient's immune system to detect and attack the cancer. (EX1003, ¶46.)

Additionally, the prior art taught that PD-1 inhibitors inherently had more efficacy when treating tumors that are (1) comprised of cancer cells that are easy for immune cells to recognize (EX1003, ¶¶43-44) and (2) already infiltrated by many immune cells (EX1003, ¶¶43, 45). And the prior art taught that MSI-H tumors naturally displayed those characteristics. (EX1003, ¶46.)

IV. CLAIM CONSTRUCTION

The Board only construes the claims when necessary to resolve the underlying controversy. *Toyota Motor Corp. v. Cellport Sys., Inc.*, IPR2015-00633, Paper 11 at 16 (PTAB. Aug. 14, 2015). Given the correlation between the MSI-H Study Record, the written description of the '462 patent, and the challenged claims, the Board need not construe any terms of the challenged

claims to resolve the underlying controversy, as any reasonable construction reads on the prior art. Merck reserves all rights to raise claim construction and other arguments in other venues.

V. LEVEL OF ORDINARY SKILL IN THE ART

The POSA for purposes of the '462 patent would be a medical doctor or a professional in a related field with at least five years of experience with treating cancer. (EX1003, ¶19.) The POSA would also have experience in or access to a person with knowledge of clinical studies for therapeutics and how they work and a pathologist with comparable experience. (EX1003, ¶19.) The inherent anticipation and obviousness grounds discussed herein would not change due to a modestly lesser or greater level of experience.

VI. THE '462 PATENT CLAIMS ARE UNPATENTABLE

A. If JHU Is Bound to the Representations It Made During Prosecution, It Is Not Entitled to Claim Priority to the First Provisional Patent Application

On its face, the '462 patent cites two provisional patent applications: the First Provisional and U.S. Patent Application No. 62/190,977 (filed July 10, 2015) (the "Second Provisional").

For a non-provisional utility application to be afforded the priority date of a provisional application, "the written description of the provisional must adequately support the claims of the non-provisional application." *Amgen Inc. v. Sanofi*, 872

F.3d 1367, 1380 (Fed. Cir. 2017) (citations and quotations omitted) (emphasis removed).

Here, JHU submitted declarations during prosecution of the patent family, seeking to distance the applications from the MSI-H Study, by arguing that data from the clinical study was the basis for patentability (which thus led the Examiner to a legally erroneous rationale for allowing the patent to issue). (*See* EX1022, February 4, 2020 Declaration, 7-8, ¶22; *see also* June 8, 2020 Declaration, 8-9, ¶¶27-28.) The First Provisional, however, did not include the data referred to in the declarations. Thus, even though JHU was wrong to assert that the reporting of the data from the MSI-H Study could create patentability for the treatment disclosed in the prior art), JHU must be bound to its positions – JHU cannot claim priority to the First Provisional without contradicting its sworn positions during prosecution. In other words, the First Provisional lacks the disclosure of the data (inherent in the performance of the study), which JHU nonetheless argued was necessary for patentability. As such, applying JHU's own sworn positions, the July 10, 2015 filing date of the Second Provisional is the applicable critical date for purposes of analyzing the prior art.[2]

---

[2] To be clear, each ground of invalidity discussed in this Petition applies even if the

B. Ground 1: Claims 1-2, 4-7, 9-12, 14-17, and 19-30 of the '462 Patent are Anticipated by the MSI-H Study Record

1. Law on Anticipation

"A patent is invalid for anticipation if a single prior art reference discloses each and every limitation of the claimed invention. Moreover, a prior art reference may anticipate without disclosing a feature of the claimed invention if that missing characteristic is necessarily present, or inherent, in the single anticipating reference." *Schering Corp. v. Geneva Pharms.*, 339 F.3d 1373, 1377 (Fed. Cir. 2003) (citations omitted). "[I]f granting patent protection on the disputed claim would allow the patentee to exclude the public from practicing the prior art, then that claim is anticipated." *Id.* at 1379.

In *Schering*, the Federal Circuit clarified that "[a]nticipation does not require the actual creation or reduction to practice of the prior art subject matter;

First Provisional were a basis for priority. And Merck disagrees that the declarations are sufficient to avoid the prior art, both because the inherent efficacy of the treatment taught in the prior art cannot render the treatment itself patentable (*see infra*, §VI.B.1), and because a prior art disclosure may anticipate even if it that same disclosure could not support a claim of priority (*see Rasmusson v. SmithKline Beecham Corp.*, 413 F.3d 1318, 1325-26 (Fed. Cir. 2005)).

anticipation requires only an enabling disclosure." *Schering*, 339 F.3d at 1380. For example, *Schering* explained that the prior art disclosure of a method of treatment by administering loratadine, an antihistamine, inherently anticipated a later patent seeking to claim the metabolite naturally produced *in vivo*, even though, at the time of the filing of the metabolite patent, the loratadine method had not been practiced, and the metabolite was neither disclosed in the prior art or even in actual existence. *Schering*, 339 F.3d at 1378, 1380.[3] It was sufficient for anticipation that, if one of skill practiced the use described in the prior art, the metabolite would be produced by the body *in vivo*. *Schering*, 339 F.3d at 1380. The Federal Circuit reaffirmed that principle as recently as April 2023. *Arbutus Biopharma Corp. v. ModernaTX, Inc.*, 65 F.4th 656, 662 (Fed. Cir. 2023). In *Arbutus*, the claimed morphology of a composition was inherently anticipated by

---

[3] *Schering* also brought clarity to prior precedent. *Schering*, 339 F.3d at 1377-80 ("This court recognizes that this may be a case of first impression, because the prior art supplies no express description of any part of the claimed subject matter."). The Examiner may very well have been unfamiliar with this area of the law of anticipation.

following a prior art reference's formulations using that same reference's methods. *Arbutus*, 65 F.4th at 664.

The law established by *Schering* has specifically been applied in the context of clinical studies prior to publication of the data from the study. In *In re Montgomery*, the Federal Circuit held that a document disclosing a planned clinical study inherently anticipated method of treatment claims even where the method of treatment had not yet been practiced. *In re Montgomery*, 677 F.3d 1375, 1381, 1385 (Fed. Cir. 2012). In rejecting the argument that the claimed method must have actually been performed, the Federal Circuit explained that, "even if [the documents disclosing the planned clinical study] merely proposed the administration of [the drug] for treatment or prevention of [the recited condition] (without actually doing so), it would still anticipate." *Id.* at 1382. The Federal Circuit went on to further hold that, "even if the claim includes an efficacy requirement, efficacy is inherent in carrying out the claim steps." *Id.* at 1381; *see also In re Couvaras*, 70 F.4th 1374, 1380 (Fed. Cir. 2023) ("Newly discovered results of known processes directed to the same purpose are not patentable because such results are inherent.") (citing *In re Montgomery*, 677 F.3d at 1381). The Federal Circuit has also made clear that "[e]xtrinsic evidence can be used to demonstrate what is necessarily present in a prior art embodiment even if the

extrinsic evidence is not itself prior art." *Hospira, Inc. v. Fresenius Kabi USA, LLC*, 946 F.3d 1322, 1329 (Fed. Cir. 2020) (quotations omitted).

The MSI-H Study Record inherently anticipates Claims 1, 2, 4-7, 9-12, 14-17, and 19-30 of the '462 patent because the claims are directed to the methods disclosed in the MSI-H Study Record. Indeed, anticipation could not possibly be clearer because the treatment disclosed in the prior art MSI-H Study Record is written description support for the treatment method of the claims. For example, the MSI-H Study Record teaches the claimed drug, given at the only therapeutically effective dosage described in the '462 patent, and given to the claimed patient population. (EX1005, 4 (Arms and Interventions); *see also id*., 2 (Study Identification), 3 (Study Description), 4-5 (Outcome Measures), 5-6 (Eligibility); EX1003, ¶¶38-41.)

2. Claim 1

a. [1.pre.a]: "A method for treating a patient

The Arms and Interventions section of the MSI-H Study Record discloses a method of treating a patient. (EX1005, 4 (Arms and Interventions); *see also id.*, 2 (Study Identification), 3 (Study Description), 4 (Primary Outcome Measures), 5 (Inclusion Criteria).) This is the method set forth in the claim. (EX1003, ¶¶59-60.)

b. [1.pre.b]: "having a solid tumor"

The title and Eligibility section of the MSI-H Study Record disclose that patients have "tumors" and "measurable" disease. (EX1005, 2 (Study Identification), 5-6 (Eligibility).) Measurability is a property of solid tumors. (EX1048, 228, 230-31; EX1003, ¶60.) Thus, patients had solid tumors. (EX1003, ¶61.)

c. [1.pre.c]: "selected from the group consisting of endometrial cancer, small bowel cancer, gastric cancer, ampullary cancer, choloangiocarcinoma, pancreatic cancer, prostate cancer, breast cancer, esophageal cancer, liver cancer, ovarian cancer, uterine cancer, cervical cancer, bladder cancer, testicular cancer and oral cancer"

The Arms and Interventions section of the MSI-H Study Record discloses treating patients having non-colorectal MSI-H cancer. (EX1005, 4 (Arms and Interventions); *see also id.*, 2 (Study Identification), 3 (Study Description), 4 (Primary Outcome Measures), 5 (Inclusion Criteria).) MSI-H was known to occur commonly in several different types of cancers, including endometrial, small bowel cancer, and gastric cancer. (EX1085, 673, 675; EX1086, 14; EX1003, ¶¶25, 63.) Those tumor types, as well as colorectal, are also common in Lynch syndrome, which was known at the time to be closely associated with MSI-H. (EX1085, 673-74; EX1003, ¶¶25, 63.) Thus, the POSA would have at once envisaged treating patients having endometrial, small bowel, and gastric cancer

with the MSI-H Study Record's methods. *See Kennametal, Inc. v. Ingersoll Cutting Tool Co*., 780 F.3d 1376, 1381 (Fed. Cir. 2015) ("A reference can anticipate a claim even if it 'd[oes] not expressly spell out' all the limitations arranged or combined as in the claim, if a person of skill in the art, reading the reference, would 'at once envisage' the claimed arrangement or combination.") (quoting *In re Petering*, 49 CCPA 993, 301 F.2d 676, 681 (1962)); *VirnetX Inc. v. Apple Inc.*, 665 F. App'x 880, 888 (Fed. Cir. 2016) ("Substantial evidence supports the PTAB's finding that Wesinger's disclosure of the genus 'computer' encompasses the 'notebook computer' species"); *see also Genentech, Inc. v. Hospira, Inc.*, 946 F.3d 1333, 1340 (Fed. Cir. 2020) ("Anticipation is established when one skilled in the art would reasonably understand or infer from the prior art reference's teaching that every claim limitation was disclosed in that single reference.") (citations, quotations, and brackets omitted). Indeed, the specification did not differentiate between different non-colorectal cancers when analyzing the efficacy of the method. (EX1001, Fig. 11, Example 7, Tables 1-2; EX1003, ¶63.)

Thus the MSI-H Study Record discloses this limitation. (EX1003, ¶64.) *See Brown v. 3M*, 265 F.3d 1349, 1351 (Fed. Cir. 2001) ("When a claim covers several structures or compositions, either generically or as alternatives, the claim is deemed anticipated if any of the structures or compositions within the scope of the claim is known in the prior art.").

d. [1.pre.d]: "that has progressed following at least one prior treatment, the method comprising:"

The MSI-H Study Record's title and Eligibility section disclose that patients in the Phase II study must have "tumors" and "measurable disease." (EX1005, 2 (Study Identification), 4 (Study Design), 5-6 (Eligibility).) In addition, the MSI-H Study discloses treating patients with MSI-H non-colorectal cancer in a Phase II clinical study. (EX1005, 3 (Study Description), 3-4 (Conditions), 4 (Study Design, Arms and Interventions), 5 (Outcome Measures), 5 (Inclusion Criteria).) And the Eligibility section of the MSI-H Study Record excludes "[p]atients who have had prior treatment with anti PD-1, anti-PD-L1, anti-PD-L2, anti-CD137, anti-OX-40, anti-CD40, or anti CTLA-4 antibodies" from the clinical study. (EX1005, 5-6 (Eligibility); EX1003, ¶65.) In the context of the MSI-H Study Record, these disclosures demonstrate that patients would have received a prior cancer therapy drug and had their solid tumors progress after receiving that prior treatment. (EX1003, ¶65.)

As discussed above, the POSA would have at once envisaged treating endometrial, small bowel, and gastric cancer in the MSI-H Study. (*Supra*, §VI.B.2.c.) The prior art taught that patients having "measurable" endometrial, small bowel, and gastric cancer in the context of a clinical study treating patients having tumors, like the MSI-H Study Record, refers to patients having metastatic,

advanced, and recurrent cancer. (EX1089, PDF p. 17 (endometrial); EX1020,[4] PDF p. 25 (small bowel); EX1094, PDF p. 15; EX1003, ¶66.) Further, if metastatic patients were not included, that would have been highly unusual, especially because the treatment in the study record was not directed to a local treatment, such as radiation or surgery. (EX1003, ¶66.)

Patients having metastatic and advanced endometrial, small bowel, and gastric cancer that would participate in a clinical study, like the MSI-H Study, would have generally received at least one prior drug therapy, such as standard of care chemotherapy, and had their cancers progress after that drug therapy. (EX1089, PDF p. 17 (endometrial); EX1020, PDF p. 25 (small bowel); EX1094, PDF p. 12, 15 (gastric cancer patients would generally receive a standard first line therapy, unless diagnosis was late stage); *see also* EX1009, 1034; EX1047, 4-7; EX1003, ¶67.) And indeed, the POSA would have expected that all of the patients selected for a clinical study would have been similarly situated with respect to

---

[4] References directed to methods for treating colorectal cancer also reflect methods for treating small bowel cancer. (*See* EX1020, PDF pp. 6-7, 37, 48-49; EX1003, ¶66.)

prior drug therapies. (*See* EX1005, 3 (Study Description), 4 (Study Design, Arms and Interventions), EX1003, ¶67.)

It is in this context that the Eligibility section of the MSI-H Study Record excludes "[p]atients who have had prior treatment with anti PD-1, anti-PD-L1, anti-PD-L2, anti-CD137, anti-OX-40, anti-CD40, or anti CTLA-4 antibodies" from the clinical study. (EX1005, 5-6 (Eligibility); EX1003, ¶68.) In other words, the MSI-H Study Record informs the POSA that patients would have received prior cancer drug therapies, and because of that, makes it a point to exclude those that received "anti PD-1, anti-PD-L1, anti-PD-L2, anti-CD137, anti-OX-40, anti-CD40, or anti CTLA-4 antibodies." (EX1003, ¶68.) Additionally, because the patients were disclosed to still have a "tumor" and "measurable disease," it would mean that the cancer had progressed following that prior treatment. (EX1003, ¶68.) Indeed, the POSA would have found it highly unusual for the patient population of those who had received prior drug treatments and had their cancer progress after those treatments to not be included in the MSI-H Study Record, especially without any explicit carve-out. (EX1003, ¶68.)

For all of the reasons above, the MSI-H Study Record disclosed to the POSA a method treating patients whose cancer has progressed following at least one prior treatment. (EX1003, ¶¶65-69.) *See Acoustic Tech., Inc. v. Itron Networked Sols., Inc.*, 949 F.3d 1366, 1373 (Fed. Cir. 2020) ("In an anticipation

analysis, the dispositive question is whether a skilled artisan would 'reasonably understand or infer' from a prior art reference that every claim limitation is disclosed in that single reference"); *Genentech, Inc.*, 946 F.3d at 1340 (same); *In re Baxter Travenol Labs*., 952 F.2d 388, 390 (Fed. Cir. 1991) (same).

Indeed, Petitioner's understanding of the MSI-H Study Record is confirmed by additional evidence. In particular, a poster presentation describing the same clinical study at issue in the MSI-H Study Record indicated that the study required that patients have "progressive disease," that colorectal cancer patients have "at least 2 prior therapies," and that non-colorectal cancer patients have "at least 1 prior therapy." (*See* EX1080,[5] Eligibility Criteria.)

---

[5] EX1080 is a poster that Merck and JHU presented at the American Society of Clinical Oncology that confirms how the POSA would have understood the MSI-H Study Record. *See Yeda Rsch. v. Mylan Pharms. Inc.*, 906 F.3d 1031, 1041 (Fed. Cir. 2018). EX1080 is prior art. It was displayed for 3.75 hours at ASCO, which is an annual public conference that would have been attended by tens of thousands of oncologists, including world class experts. (EX1092; EX1093; EX1003, ¶70.) EX1080 indicates that one of the reasons that the poster was on display was increasing attending doctors' awareness of the ongoing MSI-H Study including to

e. [1.1]: "testing or having tested a biological sample obtained from the patient to determine whether the solid tumor is microsatellite instability high or DNA mismatch repair deficient; and"

The Arms and Interventions section of the MSI-H Study Record discloses three study arms, one of which consists of patients having MSI-H non-colorectal cancer. (EX1005, 4 (Arms and Interventions); *see also id.*, 2 (Study Identification), 3 (Study Description), 4-5 (Outcome Measures), 5-6 (Eligibility).) That disclosure reads on this limitation. (EX1003, ¶¶71-75.)[6]

The prior art taught that the MSI-H Study Record's disclosure of "MSI positive" patients refers to "MSI-H" patients. (*See, e.g.*, EX1010, 1193, 1196; EX1018, 293; EX1019, 1065; EX1003, ¶¶27, 72; *see also supra* §III.A.) Further, named inventor Dr. Pardoll represented in a sworn declaration to the patent office

---

potentially expand the patient pool. (EX1080, Abstract, Methods; EX1003, ¶70.) Thus, there was no expectation of confidentiality. (EX1003, ¶70.) *See also In re Klopfenstein* 380 F.3d 1345, 1350 (Fed. Cir. 2004).

[6] As discussed above, "MSI positive non-colorectal cancer" would be understood by the POSA to mean "microsatellite instability high" and "mismatch repair deficient" non-colorectal cancer. (*Supra*, §III.A.)

that the MSI-H Study Record concerns MSI-H patients. (EX1002, June 28, 2022 Declaration, 7-8, ¶¶ 21-23.)

The MSI-H Study Record's disclosure of treating patients with "MSI positive" cancer also discloses treating patients with a mismatch repair deficiency ("dMMR"). (EX1003, ¶¶27-29, 73.) For example, the art taught that "[p]atients determined to have defective MMR (dMMR) status are biologically the same population as those with MSI-H status." (EX1020, MS-12 (PDF p. 51); EX1001, 7:61-8:28 (using MSI status to characterize patients as dMMR).) And, in his declaration, Dr. Pardoll equated MSI-H and dMMR patients. (EX1002, June 28, 2022 Declaration, 7-8, ¶23.) Moreover, because MSI-H is caused by dMMR, all cancers that are MSI-H are dMMR. (EX1010, 1192; EX1003, ¶¶27-29, 73; *see also* EX1001, 1:28-30.)[7]

According to the MSI-H Study Record's disclosure, the MSI-H Study Record required testing or having tested "a biological sample obtained from a

---

[7] Because "[p]atients determined to have defective MMR (dMMR) status are biologically the same population as those with MSI-H status" (EX1020, PDF p. 51), this Petition's use of MSI-H should be read to mean MSI-H and dMMR, unless otherwise noted.

patient" in order to place the patients into the proper arm. (EX1005, 4 (Arms and Interventions); *see also id.*, 2 (Study Identification), 3 (Study Description), 4-5 (Outcome Measures), 5-6 (Eligibility); EX1003, ¶74.) That is, to determine a patient's cancer is MSI-H is to test for specific biomarkers. (EX1003, ¶74.)

f. [1.2]: "in response to determining that the solid tumor is microsatellite instability high or DNA mismatch repair deficient, treating the patient determined to have a solid tumor that is microsatellite instability high or DNA mismatch repair deficient with a therapeutically effective amount of pembrolizumab."

The Arms and Interventions section of the MSI-H Study Record discusses treating patients having MSI-H non-colorectal cancer with 10 mg/kg of pembrolizumab every 14 days. (EX1005, 4 (Arms and Interventions); *see also id.*, 2 (Study Identification), 3 (Study Description), 4-5 (Outcome Measures), 5-6 (Eligibility); EX1003, ¶¶35, 76.) That disclosure reads on this limitation. (EX1003, ¶¶76-79.)

The MSI-H Study Record does not expressly use the phrase "therapeutically effective" in providing the dosage for the treatment therapy. Nonetheless, the dosage described in the MSI-H Study Record, 10 mg/kg MK-3475 (pembrolizumab), is identical to the dosage described as being "therapeutically effective" in the '462 patent, and any required efficacy is thus inherent to that dosage. (EX1003, ¶¶40-41, 77-78.)

Indeed, the '462 patent itself, which only describes one dosage (EX1001, 8:51-58, 13:30-37)—the same one in the MSI-H Study Record (EX1005, 4 (Arms and Interventions)—asserts that this dosage is effective. (EX1001, 4:23-36 , 16:12-17, 17:7-17, 21:1-20, Figs. 2, 11; EX1003, ¶78.) "To anticipate, the prior art need only meet the inherently disclosed limitation to the extent the patented method does." *See King Pharms., Inc. v. Eon Labs, Inc.*, 616 F.3d 1267, 1276 (Fed. Cir. 2010). Other sources reporting the results of the MSI-H Study similarly confirm the efficacy of the dosage used in the MSI-H Study Record. (EX1031, 2509, 2514; Table 1, Table 2, Table 3, Figure 1, Figure 2; EX1064; EX1029, ¶¶89, 105, 110, 117; EX1003, ¶78.)

The MSI-H Study Record is also enabled for the purposes of anticipation. In the context of treating cancer, "proof of efficacy is not required in order for a reference to be enabled for purposes of anticipation," and disclosure of the method enables the reference. *Rasmusson*, 413 F.3d at 1326. Here, as discussed above, the MSI-H Study Record discloses administering pembrolizumab 10 mg/kg every 14 days to cancer patients having MSI-H non-colorectal cancer. (EX1005, 4 (Arms and Interventions); *see also id.*, 2 (Study Identification), 3 (Study Description), 4-5 (Outcome Measures), 5-6 (Eligibility); EX1003, ¶35.)

3. Claim 2: "The method of claim 1, wherein the biological sample is tumor tissue from the patient."

As discussed above in Section VI.B.2.e, the Arms and Interventions section of the MSI-H Study Record discloses determining whether the patient's cancer is MSI-H. (*See also infra*, §VI.C.6.) Further, the Eligibility section of the MSI-H Study Record requires each patient to "[a]gree to have a biopsy of their cancer." (EX1005, 5-6 (Eligibility).) The POSA would have understood that a biopsy of a patient's tumor obtains tumor tissue for testing. As such, in the context of the MSI-H Study Record, where patients are separated into three separate cohorts based, in part, on whether a patient's cancer is MSI-H, the POSA would have understood that the biopsy would obtain tumor tissue to test whether the patient's cancer's is MSI-H. (EX1007, 3380, 3383; EX1044, 3309; EX1045, 3485; EX1046, 1193; EX1003, ¶80; *see also* EX1001, 8:13-15.) Therefore, the MSI-H Study Record's disclosure of treating MSI-H patients and the MSI-H Study Record's requirement that patients agree to have a biopsy demonstrates that the MSI-H Study Record discloses the claimed limitation. (EX1003, ¶80-81.)

4. Claim 4: "The method of claim 1, wherein the solid tumor is microsatellite instability high."

As explained in Sections VI.B.2.e-f, the Arms and Interventions section of the MSI-H Study Record discloses treating cancer patients whose tumors were determined to be MSI-H. (EX1003, ¶¶82-83.)

5. Claim 5: "The method of claim 1, wherein the solid tumor is DNA mismatch repair deficient."

As explained in Sections VI.B.2.e-f, the Arms and Interventions section of the MSI-H Study Record discloses treating cancer patients whose tumors were determined to be dMMR. (EX1003, ¶¶84-85.)

6. Claim 6: "The method of claim 1, wherein the solid tumor is metastatic."

As discussed in the analysis for limitation [1.pre.d], the patients in the MSI-H Study Record would have had metastatic cancer. (EX1003, ¶¶65-70, 86-87.) Indeed, prior art concerning the MSI-H Study indicates that the physicians understood postings on clinicaltrials.gov indicated that patients had "metastatic tumors." (EX1049, 444; *see also* EX1050, S4; EX1003, ¶86.) *See Yeda*, 906 F.3d at 1041.

7. Claim 7: "The method of claim 1, wherein the pembrolizumab is administered to the patient intravenously."

As discussed above in Section VI.B.2.f, the Arms and Interventions section of the MSI-H Study Record discloses administering 10 mg/kg of pembrolizumab every 14 days. The POSA would have understood that, at the time of the alleged invention, pembrolizumab for the treatment of cancer was administered intravenously. (*E.g.* EX1011, 134 ("We administered [pembrolizumab]

intravenously."); EX1054, 3; *see also* EX1055, 1 ("Administer 2 mg/kg as an intravenous infusion over 30 minutes every 3 weeks."); EX1003, ¶¶88-89.)

8. Claim 9: "The method of claim 1, wherein the solid tumor is endometrial cancer, small bowel cancer, gastric cancer, ampullary cancer or cholangiocarcinoma."

As discussed above in Section VI.B.2, based on the MSI-H Study Record's disclosure, the POSA would have at once envisaged treating endometrial cancer, small bowel, and gastric cancer. (EX1003, ¶90.) *See Kennametal, Inc. v. Ingersoll Cutting Tool Co.*, 780 F.3d 1376, 1381 (Fed. Cir. 2015) (quoting *In re Petering*, 49 CCPA 993, 301 F.2d 676, 681 (1962)); *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340. Thus, the MSI-H Study Record anticipates Claim 9's additional limitation. (EX1003, ¶91.) *See Brown*, 265 F.3d at 1351.

9. Claim 10: "The method of claim 1, wherein the solid tumor is pancreatic cancer, prostate cancer, breast cancer, esophageal cancer, liver cancer, ovarian cancer, uterine cancer, cervical cancer, bladder cancer, testicular cancer or oral cancer."

As discussed above in Section VI.B.2, the POSA would have at once envisaged treating endometrial cancer. Endometrial cancer is a type of uterine cancer. (EX1089, PDF p. 39.) Thus, the MSI-H Study Record anticipates Claim 8's additional limitation. (EX1003, ¶¶92-93.) *See Brown*, 265 F.3d at 1351.

10. Claim 11

a. [11.pre.a]: "A method for prescribing a treatment for"

The MSI-H Study discloses a method of prescribing treatment. (EX1005, 4 (Arms and Interventions); EX1003, ¶94-95.) Specifically, it discloses a doctor recommending a course of treatment to patients. (EX1005, 4 (Study Design, Arms and Interventions), 4-5 (outcome measures), 6 (Contacts/Locations); EX1003, ¶94.)

b. [11.pre.b]: "a solid tumor"

The title and Eligibility section of the MSI-H Study Record disclose that patients have "tumors" and "measurable" disease. (EX1005, 2 (Study Identification), 5-6 (Eligibility).) Measurability is a property of solid tumors. (EX1048, 228, 230-31; EX1003, ¶95.) Thus, patients had solid tumors. (EX1003, ¶¶96-97.)

c. [11.pre.c]: "selected from the group consisting of endometrial cancer, small bowel cancer, gastric cancer, ampullary cancer, cholangiocarcinoma, pancreatic cancer, prostate cancer, breast cancer, esophageal cancer, liver cancer, ovarian cancer, uterine cancer, cervical cancer, bladder cancer, testicular cancer and oral cancer"

As discussed in Section VI.B.2.c, the POSA would have at once envisaged selecting patients having endometrial, small bowel, and gastric cancer with the

MSI-H Study Record's methods. Thus, the MSI-H Study Record discloses this limitation. (EX1003, ¶¶98-99.) *See Brown*, 265 F.3d at 1351.

d. [11.pre.d]: "that has progressed following at least one prior cancer treatment, the method comprising:"

The additional limitation recited in limitation [11.pre.d] is substantively the same as the additional limitation recited in limitation [1.pre.d] and disclosed for the same reasons. (*Supra*, §VI.B.2.d; EX1003, ¶¶65-70, 100.)

e. [11.1]: "testing or having tested a biological sample obtained from the patient to determine whether the solid tumor is microsatellite instability high or DNA mismatch repair deficient; and"

The additional limitation recited in limitation [11.1] is the same as recited in limitation [1.1] and disclosed for the same reasons. (*Supra*, §VI.B.2.e; EX1003, ¶¶71-75, 101.)

f. [11.2]: "in response to determining that the solid tumor is microsatellite instability high or DNA mismatch repair deficient, prescribing treatment with a therapeutically effective amount of pembrolizumab for the patient determined to have a tumor that is microsatellite instability high or DNA mismatch repair deficient."

The additional limitation recited in limitation [11.2] is substantively the same as the additional limitation recited in limitation [1.2] and disclosed for the same reasons. (*Supra*, §VI.B.2.f; EX1003, ¶¶76-79, 102; *see also supra,* §VI.10.a.)

11. Claim 12: "The method of claim 11, wherein the biological sample is tumor tissue from the patient."

The additional limitation recited in Claim 12 is the same as recited in Claim 2 and disclosed for the same reasons. (*Supra*, §VI.B.3; EX1003, ¶103.)

12. Claim 14: "The method of claim 11, wherein the solid tumor is microsatellite instability high."

The additional limitation recited in Claim 14 is the same as recited in Claim 4 and disclosed for the same reasons. (*Supra*, §VI.B.4; EX1003, ¶104.)

13. Claim 15: "The method of claim 11, wherein the solid tumor is DNA mismatch repair deficient."

The additional limitation recited in Claim 15 is the same as recited in Claim 5 and disclosed for the same reasons. (*Supra*, §VI.B.5; EX1003, ¶105.)

14. Claim 16: "The method of claim 11, wherein the solid tumor is metastatic."

The additional limitation recited in Claim 16 is the same as recited in Claim 6 and disclosed for the same reasons. (*Supra*, §VI.B.6; EX1003, ¶106.)

15. Claim 17: "The method of claim 11, wherein the pembrolizumab is administered to the patient intravenously."

The additional limitation recited in Claim 17 is the same as recited in Claim 7 and disclosed for the same reasons. (*Supra*, §VI.B.7; EX1003, ¶107.)

16. Claim 19: "The method of claim 11, wherein the solid tumor is endometrial cancer, small bowel cancer, gastric cancer, or ampullary cancer or cholangiocarcinoma."

The additional limitation recited in Claim 19 is the same as recited in Claim 9 and disclosed for the same reasons. (*Supra*, §VI.B.8; EX1003, ¶108.)

17. Claim 20: "The method of claim 11, wherein the solid tumor is pancreatic cancer, prostate cancer, breast cancer, esophageal cancer, liver cancer, ovarian cancer, uterine cancer, cervical cancer, bladder cancer, testicular cancer or oral cancer."

The additional limitation recited in Claim 20 is the same as recited in Claim 10 and disclosed for the same reasons. (*Supra*, §VI.B.9; EX1003, ¶109.)

18. Claim 21: "The method of claim 1, wherein the solid tumor is endometrial cancer."

As discussed above in Section VI.B.2.c, the POSA would have at once envisaged treating endometrial cancer. (*See also* EX1003, ¶¶110-111.) Thus, the MSI-H Study Record discloses this limitation. *See Kennametal*, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

19. Claim 22: The method of claim 21, wherein the endometrial cancer is microsatellite instability high.

As discussed above in Sections VI.B.2.e-f, the Arms and Interventions section of the MSI-H Study Record discloses treating cancer patients whose tumors were determined to be MSI-H. Further, as discussed above, the POSA would have at once envisaged treating endometrial cancer. (*Supra*, §VI.B.18; *see also*

EX1003, ¶¶112-113.) Thus, the MSI-H Study Record discloses this limitation. *See Kennametal*, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

20. Claim 23: "The method of claim 21, wherein the endometrial cancer is DNA mismatch repair deficient."

As discussed above in Sections VI.B.2.e-f, the Arms and Interventions section of the MSI-H Study Record discloses treating cancer patients whose tumors were determined to be dMMR. Further, as discussed above, the POSA would have at once envisaged treating endometrial cancer. (*Supra*, VI.B.18; *see also* EX1003, ¶114-115.) Thus, the MSI-H Study Record discloses this limitation. *See Kennametal*, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

21. Claim 24: "The method of claim 21, wherein the solid tumor is metastatic endometrial cancer."

As discussed above in Sections VI.B.2, VI.B.6, the Arms and Interventions section of the MSI-H Study Record discloses treating patients having metastatic cancer. Further, as discussed above, the POSA would have at once envisaged treating endometrial cancer. (*Supra*, VI.B.18; *see also* EX1003, ¶¶65-70, 86-87, 116-117.) Thus, the MSI-H Study Record discloses this limitation. *See Kennametal*, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

22. Claim 25: "The method of claim 1 wherein the solid tumor is gastric cancer."

As discussed above in Section VI.B.2.c, the POSA would have at once envisaged treating gastric cancer. (*See also* EX1003, ¶¶25, 63-64, 118-119.) Thus, the MSI-H Study Record discloses this limitation. *See Kennametal*, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

23. Claim 26: "The method of claim 25, wherein the gastric cancer is microsatellite instability high."

As discussed above in Sections VI.B.2.e-f, the Arms and Interventions section of the MSI-H Study Record discloses treating cancer patients whose tumors were determined to be MSI-H. Further, as discussed above, the POSA would have at once envisaged treating gastric cancer. (*Supra*, VI.B.22; *see also* EX1003, ¶¶25, 63-64, 120-121.) Thus, the MSI-H Study Record discloses this limitation. *See Kennametal*, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

24. Claim 27: "The method of claim 25, wherein the gastric cancer is DNA mismatch repair deficient."

As discussed above in Section VI.B.2.f, the Arms and Interventions section of the MSI-H Study Record discloses treating cancer patients whose tumors were determined to be dMMR. Further, as discussed above, the POSA would have at once envisaged treating gastric cancer. (*Supra*, §VI.B.22; *see also* EX1003, 25, 63-64, 122-123.) Thus, the MSI-H Study Record discloses this limitation. *See*

Kennametal, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

25. Claim 28: "The method of claim 25, wherein the solid tumor is metastatic gastric cancer."

As discussed above in Sections VI.B.2, VI.B.6, the Arms and Interventions section of the MSI-H Study Record discloses treating patients having metastatic cancer. Further, as discussed above, the POSA would have at once envisaged treating gastric cancer. (*Supra*, §VI.B.22; *see also* EX1003, ¶¶25, 63-64, 124-125.) Thus, the MSI-H Study Record discloses this limitation. *See Kennametal*, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

26. Claim 29: "The method of claim 9, wherein the solid tumor is small bowel cancer."

As discussed above in Section VI.B.2.c, the POSA would have at once envisaged treating small bowel cancer. (*See also* EX1003, ¶¶25, 63-64, 126.) Thus, the MSI-H Study Record discloses this limitation. *See Kennametal*, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

27. Claim 30: "The method of claim 29, wherein the solid tumor is metastatic small bowel cancer."

As discussed above in Sections VI.B.2, VI.B.6, the Arms and Interventions section of the MSI-H Study Record discloses treating patients having metastatic cancer. Further, as discussed above, the POSA would have at once envisaged treating small bowel cancer. (*Supra*, §VI.B.26; *see also* EX1003, 25, 63-64,

124-125.) Thus, the MSI-H Study Record discloses this limitation. *See Kennametal*, 780 F.3d at 1381; *VirnetX*, 665 at 888; *see also Genentech, Inc.*, 946 F.3d at 1340.

C. Grounds 2-7: Claims 1-30 of the '462 Patent are Obvious Over the MSI-H Study Record in View of Various References

1. Law of Obviousness

A claim is unpatentable under 35 U.S.C. § 103(a) if the differences between the claimed subject matter and the prior art are such that the subject matter, as a whole, would have been obvious at the time the invention was made to a person having ordinary skill in the art to which the subject matter pertains. *KSR Int'l Co. v. Teleflex Inc.*, 550 U.S. 398, 406 (2007). The question of obviousness is resolved on the basis of evaluating underlying factual determinations, including: (1) the scope and content of the prior art; (2) any differences between the claimed subject matter and the prior art; (3) the level of skill in the art; and, if produced by Patent Owner, (4) so-called secondary considerations. *Graham v. John Deere Co.*, 383 U.S. 1, 17–18 (1966). Obviousness may be found, for example, where there was "an apparent reason to combine the known elements in the fashion claimed by the patent at issue." *KSR*, 550 U.S. at 418. Further, claiming the inherent results of an otherwise obvious method does not make the method itself nonobvious. *Hospira,* 946 F.3d at 1329; *In re Huai-Hung Kao*, 639 F.3d 1057, 1070 (Fed. Cir. 2011).

2. Overview of the Additional Prior Art

a. Brown

Brown is a journal article titled *Neo-Antigens Predicted by Tumor Genome Meta-Analysis Correlate with Increased Patient Survival* and was published online in Genome Research in May 2014. (EX1034; EX1003, ¶129.) Therefore, it is prior art under § 102(a) and not covered by any of the exceptions under § 102(b).

The Examiner did not consider Brown during prosecution of the ’462 patent.

b. Duval

Duval is a journal article titled *The Mutator Pathway is a Feature of Immunodeficiency-Related Lymphomas* and was published in the Proceedings of the National Academy of Sciences on April 6, 2004. (EX1087; EX1003, ¶131.) Therefore, it is prior art under § 102(a) and not covered by any of the exceptions under § 102(b).

The Examiner did not consider Duval during prosecution of the ’462 patent.

c. Benson

Benson is a journal article titled *Colon Cancer, Version 3.2014: Clinical Practice Guidelines in Oncology* and was published in the Journal of the National Comprehensive Cancer Network in July 2014. (EX1009, 1028; EX1003, ¶133.) Therefore, it is prior art under § 102(a) and not covered by any of the exceptions under § 102(b).

The Examiner did not consider Benson during prosecution of the ’462 patent.

d. Koh

Koh is a journal article titled *Uterine Neoplasms, Versions 1.2014: Clinical Practice Guidelines in Oncology* and was published in in the Journal of the National Comprehensive Cancer Network in February 2014. (EX1095, 248; EX1003, ¶150.) Therefore, it is prior art under § 102(a) and not covered by any of the exceptions under § 102(b).

The Examiner did not consider Koh during prosecution of the ’462 patent.

e. Ajani

Ajani is a journal article titled *Gastric Cancer, Version 2.2013: Featured Updates to the NCCN Guidelines* and was published in the Journal of the National Comprehensive Cancer Network in May 2013 2014. (EX1096, 531; EX1003, ¶156.) Therefore, it is prior art under § 102(a) and not covered by any of the exceptions under § 102(b).

The Examiner did not consider Ajani during prosecution of the ’462 patent.

f. Steinert

Steinert is a journal article titled *Immune Escape and Survival Mechanisms in Circulating Tumor Cells of Colorectal Cancer* and was published on March 15,

2014. (EX1008, OF2; EX1003, ¶172) Therefore, it is prior art under § 102(a) and not covered by any of the exceptions under § 102(b).

The Examiner did not consider Steinert during prosecution of the ’462 patent.

g. Chapelle

Chapelle is a journal article titled *Clinical Relevance of Microsatellite Instability in Colorectal Cancer* and was published in the Journal of Clinical Oncology in 2010. (EX1007, 3380; EX1003, ¶162.) Therefore, it is prior art under § 102(a) and not covered by any of the exceptions under § 102(b).

The Examiner did not consider Chapelle during prosecution of the ’462 patent.

h. Hamid

Hamid is a journal article titled *Safety and Tumor Responses with Lambrolizumab (Anti-PD-1) in Melanoma* and was published in the New England Journal of Medicine on July 11, 2013. (EX1011, 134; EX1003, ¶178.) Therefore, it is prior art under § 102(a) and not covered by any of the exceptions under § 102(b).

Hamid was considered during prosecution, but not in the context of the combinations and arguments presented here.

3. Ground 2: Claims 1-2, 4-7, 9-12, 14-17, 19-30 of the '462 Patent Are Obvious Over the MSI-H Study Record in View of Brown, Duval, and Benson

As discussed above, Claims 1-2, 4-7, 9-12, 14-17, 19-30 are anticipated by the MSI-H Study Record. Petitioner presents this alternative ground, however, to demonstrate that Claims 1-2, 4-7, 9-12, 14-17, 19-30, would at a minimum still be unpatentable for obviousness in view of Brown, Duval, and Benson, and the knowledge of the POSA (1) even if Patent Owner (erroneously) argues that the MSI-H Study Record cannot anticipate because it did not affirmatively disclose an improved outcome or that the POSA would not have expected such efficacy (EX1022, December 14, 2020 Notice of Allowance at 3; *see also supra,* §I), (2) to the extent Limitations [1.1] and [11.1] are interpreted to require testing the patient for MSI-H or MMR deficiency status, and to the extent Patent Owner argues (erroneously) that the MSI-H Study Record does not disclose such testing, (3) even if Patent Owner argues (erroneously) that the MSI-H Study Record does not teach limitations [1.pre.c] and [11.pre.c] and Claims 9-10 and 19-30, which require specific types of cancer, and/or (4) even if Patent Owner argues (erroneously) that the MSI-H Study Record does not teach limitations [1.pre.d] and [11.pre.d] and Claims 6, 16, 24, 28, and 30 which cover progressive and metastatic disease.

Improved Outcome/Efficacy

The POSA would have expected all patients having MSI-H tumors to respond to a sufficient degree that the POSA would have wanted to obtain the data from the MSI-H Study, thus observing the inherent properties of treating MSI-H patients with pembrolizumab at the dosage that was applied in the MSI-H Study Record. (EX1003, ¶¶135-140.)

The MSI-H Study Record is directed to a clinical study treating patients having MSI-H non-colorectal cancer with pembrolizumab, an anti-PD-1 antibody (*supra* §VI.B.2). MSI-H was known to occur commonly in several different types of cancers, including endometrial, small bowel, and gastric cancer. (EX1085, 673, 675; EX1086, 14; EX1003, ¶136.) Brown is an article directed to identifying patients who are likely to respond to PD-1 inhibitors. (*See generally* EX1034.) Brown teaches that PD-1 inhibitors inherently had more efficacy when treating tumors that are comprised of cancer cells that are easy for immune cells to recognize (EX1034, 747; EX1003, ¶¶130, 136). Duval is an article directed to MSI-H cancers. (*See generally* EX1087.) Duval teaches that MSI-H cancers have cancer cells that are easy for immune cells to recognize. (EX1087, 5002; EX1003, ¶¶132, 136.) As such, Brown and Duval would have further motivated the POSA to obtain the results of the MSI-H Study Record. (EX1003, ¶136.) Specifically, the POSA would have been motivated to treat patients having common types of

MSI-H cancers, including endometrial, small bowel, and gastric cancer in the MSI-H Study. (EX1003, ¶136.)

Indeed, the state of the art would have further compelled the POSA to carry out the clinical study with a reasonable expectation of success. (EX1003, ¶137.) Physicians were treating patients with cancers that were known to have MSI-H subpopulations in the prior art with PD-1 inhibitors (EX1005, 3 (Study Description), 3-4 (Conditions), 4 (Arms and Interventions), 5-6 (Eligibility); EX1016; EX1017.)

Additionally, prior art beyond Brown and Duval taught that PD-1 inhibitors inherently had more efficacy when treating tumors that are comprised of cancer cells that are easy for immune cells to recognize, and that all MSI-H cancer, such as endometrial, small bowel, and gastric cancer, have cancer cells that are easy for immune cells to recognize. (EX1085, 673-74, 677; EX1034, 743, 747; EX1040, 2; EX1038, 5-7, 9; EX1041, 9208-09; EX1042, 731-32; EX1032, e27817-1, 3-5.)[8]. Further, Brown and other prior art also taught that PD-1 inhibitors inherently had more efficacy when treating tumors that are already infiltrated by many immune

---

[8] This was also true for MSI-H colorectal cancer. (EX1006, 3740-41; EX1058, 231, 236-37; EX1036, 1186-87, 1193; EX1037, 2, 6; EX1035, 4; EX1039, 243s.)

cells. (EX1034, 747; EX1037, 2; EX1003, ¶138.) Moreover, many prior art references taught that MSI-H tumors, such as endometrial cancer, are naturally infiltrated by many immune cells. (EX1090, 681 (MSI-H endometrial cancer); EX1091, 28, 30, 31; EX1003, ¶138.)

Further several sources independently urged the POSA to treat MSI-H cancer with PD-1 inhibitors or other immunotherapy, like pembrolizumab. (EX1006, 3740-41; EX1032, e27817-5; EX1033, 1968-69; EX1036, 1186; EX1037, 2; EX1038, 7; EX1051, e976052-6; EX1039, 243s; EX1003, ¶139.) While these disclosures are in the context of MSI-H colorectal cancer, the POSA would have understood their teachings to be applicable to other MSI-H cancers, especially in light of the fact that small bowel cancer is often treated similarly to colorectal cancer. (*See* EX1020, PDF pp. 6-7, 37, 48-49; EX1003, ¶139.)

Given the above, the POSA would have reasonably expected patients to respond to a sufficient degree that the POSA would have wanted to obtain the data from the MSI-H Study, including determining the outcome of patients. (EX1003, ¶140; *see also* MPEP 2107.03 ("[A]s a general rule . . . Office personnel should presume that [an] applicant has established that the subject matter of [a human clinical] trial is reasonably predictive of having the asserted therapeutic utility."); *Vanda Pharms. Inc. v. Teva Pharms. USA, Inc*., No. 2023-1247, 2023 WL 3335538, at *4 (Fed. Cir. May 10, 2023) ("There is no error in the district court's

use of the then-ongoing clinical trial as one piece of evidence, combined with other prior art references, to support an obviousness determination.”).) Further, because the POSA would have known that pembrolizumab was already approved for another oncology indication in November 2014, the POSA would have had a higher expectation of success. (EX1055, 1-2 (pembrolizumab approved for melanoma); EX1063, 334-335 (for oncology drugs, 55% of second indications were successful if the first indication was successful, but only 9% of first indications were successful.) Thus, the POSA would have seen the inherent properties, discussed above in Section VI.B, of treating MSI-H endometrial, small bowel, and gastric cancer patients with pembrolizumab at the dosage that was applied in the clinical study. *See Persion Pharms. LLC v. Alvogen Malta Operations Ltd.*, 945 F.3d 1184, 1190 (Fed. Cir. 2019) (“Inherency may supply a missing claim limitation in an obviousness analysis.”).

Testing

Limitations [1.1] and [11.1] each require “testing or having tested a biological sample obtained from the patient to determine whether the solid tumor is micro satellite instability high or DNA mismatch repair deficient.” To the extent these limitations are interpreted to require testing the patient for such status, and to the extent Patent Owner argues (erroneously) that the MSI-H Study Record does

not disclose such testing, it would have been obvious to test patients for MSI-H based on the MSI-H Study Record.

As discussed directly above, the POSA would have been motivated and expected success in carrying out the MSI-H Study Record's methods. (*Supra*, §VI.C.3.) The MSI-H Study Record discusses treating patients having MSI-H cancer in two arms. (EX1005, 4 (Arms and Interventions); *see also id.*, 2 (Study Identification), 3 (Study Description), 4-5 (Outcome Measures), 5-6 (Eligibility); EX1003, ¶141). To the extent not explicitly required, this would have at least motivated the POSA to test or have tested a biological sample obtained from the patient for MSI-H because the POSA would need to place the patients into the proper study arm. (EX1003, ¶141.) Testing a biological sample from a patient was the way in which it was possible to determine if the patient had the MSI-H cancer required for placement in that arm. (EX1005, 4 (Arms and Interventions); *see also id.*, 2 (Study Identification), 3 (Study Description), 4-5 (Outcome Measures), 5-6 (Eligibility); EX1003, ¶141.) The POSA would have expected success in carrying out such testing, because testing a biological sample obtained from a patient for MSI-H was routine in the art. (EX1003, ¶141; *see also infra*, §VI.C.6.)

Treating Specific Types of MSI-H Cancers

Limitations [1.pre.c] and [11.pre.c] and Claims 9-10 and 19-30, each require specific types of cancer, such as endometrial, small bowel, gastric, and uterine cancer. The MSI-H Study Record discloses treating patients having those cancers. (*Supra*, §VI.B.2.) To the extent Patent Owner argues (erroneously) that the MSI-H Study Record does not disclose treating patients having those cancers, treating them would have been obvious to the POSA in view of the general knowledge in the art. (EX1003, ¶¶142-143.)

The Arms and Interventions section of the MSI-H Study Record discloses treating patients having non-colorectal MSI-H cancer. (EX1005, 4 (Arms and Interventions); *see also id.*, 2 (Study Identification), 3 (Study Description), 4 (Primary Outcome Measures), 5 (Inclusion Criteria).) MSI-H was known to occur commonly in several different types of cancers, including endometrial, small bowel, and gastric cancer. (EX1085, 673, 675; EX1086, 14; EX1003, ¶142.) Endometrial cancer is a type of uterine cancer. (EX1089, PDF p. 39; EX1003, ¶142.) Those tumor types, as well as colorectal, are also common in Lynch syndrome, which was known at the time to be closely associated with MSI-H. (EX1085, 673-74; EX1003, ¶142.)

As discussed above, the POSA would have been motivated and expected success in carrying out the MSI-H Study Record's methods, including treating

patients having MSI-H non-colorectal cancer. (*Supra*, §VI.C.3.) To the extent not explicitly required, this would have at least motivated the POSA to treat patients having MSI-H endometrial, small bowel, and gastric cancer. (EX1003, ¶143.) The POSA would have expected success in treating patients having those cancers, because those are common types of MSI-H non-colorectal cancer. (EX1003, ¶¶135-140, 142-143.)

Treating Patients Having Characteristics Related to Progressive and Metastatic Disease

Limitations [1.pre.d] and [11.pre.d] and Claims 6, 16, 24, 28, and 30 each require that the patients have disease that has progressed following at least one prior cancer treatment, or the patients had metastatic cancer. The MSI-H Study Record discloses treating such patients. To the extent Patent Owner argues (erroneously) that the MSI-H Study Record does not disclose treating such patients, treating such patients would have been obvious to the POSA in view of the general knowledge in the art, such as Benson. (EX1003, ¶¶144-149.)

The MSI-H Study Record discloses a Phase II clinical study, the MSI-H Study, treating colorectal and non-colorectal cancer patients having "tumors" and "measurable disease." (EX1005, 2 (Study Identification), 4 (Arms and Interventions, Study Design), 5-6 (Eligibility); *see supra,* §§VI.B.2, VI.B.6.) MSI-H was known to occur commonly in several different types of cancers, including endometrial, small bowel, and gastric cancer. (EX1085, 673, 675;

EX1086, 14; EX1003, ¶144.) Even if the MSI-H Study Record does not explicitly teach that, prior to treatment with pembrolizumab, the patient has disease that has progressed following at least one prior cancer treatment, and the patients had metastatic cancer, these patient characteristics would have been obvious to the POSA in view of the general knowledge in the art, such as Benson. (EX1003, ¶144.)

Benson is directed to the ways in which clinical studies involving colorectal and small bowel cancer are conducted. (EX1009, 1034; EX1020, PDF pp. 6-7, 48; EX1003, ¶145.) As such, the POSA would have had reason to consider Benson, which is in the same field as the MSI-H Study Record and the '462 patent. (EX1003, ¶145.)

The POSA would have had motivation to combine the MSI-H Study Record and Benson. (EX1003, ¶146.) For instance, both the MSI-H Study Record and Benson discuss treating patients having cancer in clinical studies. (EX1003, ¶146.) Further, Benson discusses that, under the standard of care, the patient population that had tumors and measurable disease that would take part in a clinical study are generally patients who have had their cancer progress after previous drug therapies. (EX1009, 1034; EX1003, ¶146.) Indeed, based on Benson and the state of the art, patients in a clinical study such as the MSI-H Study Record's study would have received standard of care treatment, not responded to that treatment,

and not be expected to respond to additional standard of care treatment. (*See* EX1009, 1034; EX1089, PDF p. 17 (endometrial); EX1020, PDF p. 25 (small bowel); EX1094, PDF p. 12, 15 (gastric cancer patients would generally receive a standard first line therapy, unless diagnosis was late stage); *see also* EX1047, 4-7; EX1003, ¶146.) As such, the POSA would have been motivated to carry out the MSI-H Study Record's method for a clinical study, wherein, prior to treatment with pembrolizumab, the patients had received a different cancer therapy drug, and the patients' cancer had progressed after the patients received the different cancer therapy drug. (EX1003, ¶146.) Further, the POSA would have expected that all of the patients selected for a clinical study would have been similarly situated with respect to prior drug therapies. (*See* EX1005, 3 (Study Description), 4 (Study Design, Arms and Interventions), EX1003, ¶146.) Indeed, this is precisely how the underlying clinical study was performed. (EX1080, Eligibility Criteria (The MSI-H Study required that patients have "progressive disease," that colorectal cancer patients have "at least 2 prior therapies," and that non-colorectal cancer patients have "at least 1 prior therapy"); EX1003, ¶146.)

Further, Benson discusses that, under the standard of care, the patient population with tumors and measurable disease that would take part in a clinical study are patients having metastatic, advanced, and recurrent disease. (EX1089, PDF p.17 (endometrial); EX1094, PDF p. 15 (gastric); EX1020, PDF p. 25 (small

bowel); EX1003, ¶147.) As such, the POSA would have been motivated to carry out that the MSI-H Study Record's method for a clinical study, wherein the patient's cancer was metastatic. (EX1003, ¶147.)

The POSA would have had a reasonable expectation of success in carrying out the MSI-H Study Record's method, wherein, prior to treatment with pembrolizumab, the patients had received a different cancer therapy drug, the patients' cancer had progressed after the patient received the different cancer therapy drug, and the patients had metastatic cancer because that is the patient population that the POSA would have expected to treat with such a method. (EX1009, 1034; EX1003, ¶148; EX1080, eligibility criteria; *see also* EX1089, PDF p. 17; EX1088, PDF. pp. 20, 29, 97.)

As discussed above, the POSA would have expected patients to respond to a sufficient degree that the POSA would have wanted to complete the study, including determining the outcome of patients. As a result, that POSA would have seen the inherent properties, discussed above in Sections VI.B.1-2, of treating patients having MSI-H cancer with pembrolizumab at the dosage that was applied in the clinical study. (*See also* EX1001, 8:31-33 (all patients had treatment-refractory, progressive and metastatic disease); 15:67-16:8 (all patients having MSI-H cancer had received more than one prior cancer treatment); EX1003, ¶149.)

4. Ground 3: Claims 1-2, 4-7, 9-12, 14-17, and 19-24 of the '462 Patent Are Obvious Over the MSI-H Study Record in View of Brown, Duval, Benson, and Koh

As discussed above, Claims 1-2, 4-7, 9-12, 14-17, and 19-24 would have been obvious based on Brown, Duval, and Benson. (*Supra*, §VI.C.3; EX1003, ¶152.) However, to the extent that Patent Owner argues that the teachings in Benson relating to patients receiving prior treatment and having progressive and metastatic disease, do not apply to Claims 1-2, 4-7, 9-12, 14-17, and 19-24 to the extent that those claims are directed towards uterine cancer and endometrial cancer (which is a form of uterine cancer), these claims at minimum would have been obvious further in view of Koh.

Koh is directed to the ways in which clinical studies involving endometrial cancer are conducted. (EX1095, 256; EX1089, PDF p. 17; EX1003, ¶¶151, 153.) As such, the POSA would have had reason to consider Koh, which is in the same field as the MSI-H Study Record and the '462 patent. (EX1003, ¶153.)

The POSA would have had motivation to combine the MSI-H Study Record and Koh. (EX1003, ¶154.) For instance, both the MSI-H Study Record and Koh discuss treating patients having cancer in clinical studies. (EX1003, ¶154.) Koh discusses that the patients having endometrial cancer that would participate in a clinical study generally would have had a tumor that has progressed following at least one prior cancer treatment and metastatic cancer. (EX1095, 256; EX1089,

PDF p. 17; EX1003, ¶¶151, 154; *see also* EX1080, Eligibility Criteria.) Thus, the POSA would have been motivated to treat such patients in a clinical study. (EX1003, ¶154.)

The POSA would have expected success in treating such patients in the MSI-H Study's clinical study because those are the types of patients that are normally treated in such a clinical study. (EX1003, ¶155.)

Thus, Claims 1-2, 4-7, 9-12, 14-17, and 19-24 would have been obvious to the POSA over the MSI-H Study Record in View of Brown, Duval, Benson, and Koh.

5. Ground 4: Claims 1-2, 4-7, 9, 11-12, 14-17, 19, and 25-26 of the '462 Patent Are Obvious Over the MSI-H Study Record in View of Brown, Duval, Benson, and Ajani

As discussed above, Claims 1-2, 4-7, 9, 11-12, 14-17, 19, and 25-26 would have been obvious based on Brown, Duval, and Benson. (*Supra*, VI.C.3; EX1003, ¶158.) However, to the extent that Patent Owner argues that the teachings in Benson relating to patients receiving prior treatment and having progressive and metastatic disease, do not apply to Claims 1-2, 4-7, 9, 11-12, 14-17, 19, and 25-26 to the extent that those claims are directed towards gastric cancer, these claims at minimum would have been obvious further in view of Ajani.

Ajani is directed to the ways in which clinical studies involving gastric cancer are conducted. (EX1096, 533-37; EX1094, PDF p. 12, 15 (gastric cancer

patients would generally receive a standard first line therapy, unless diagnosis was late stage; EX1003, ¶¶157, 159.) As such, the POSA would have had reason to consider Ajani, which is in the same field as the MSI-H Study Record and the '462 patent. (EX1003, ¶159.)

The POSA would have had motivation to combine the MSI-H Study Record and Ajani. (EX1003, ¶160.) For instance, both the MSI-H Study Record and Ajani discuss treating patients having cancer in clinical studies. (EX1003, ¶160.) Ajani discusses that the patients having gastric cancer that would participate in a clinical study generally would have had a tumor that has progressed following at least one prior cancer treatment and metastatic cancer. (EX1096, 533-37 (gastric cancer patients would generally receive a standard first line therapy, unless diagnosis was late stage); EX1094, PDF p. 12, 15 (same). Thus, the POSA would have been motivated to treat such patients in a clinical study. (EX1003, ¶160.)

The POSA would have expected success in treating such patients in the MSI-H Study's clinical study because those are the types of patients that are normally treated in such a clinical study. (EX1003, ¶161.)

Thus, Claims 1-2, 4-7, 9, 11-12, 14-17, 19, and 25-26 would have been obvious to the POSA over the MSI-H Study Record in View of Brown, Duval, Benson, and Ajani.

6. Ground 5: Claims 2, 8, 12 and 18 Are Obvious Over the References Discussed in Grounds 1, 2, 3, or 4, and Further in View of Chapelle

a. Claim 2: "The method of claim 1, wherein the biological sample is tumor tissue from the patient."

As discussed above in Section VI.B.2, the MSI-H Study Record discloses determining that the patient's cancer is MSI-H. Testing tumor tissue from the patient would have been obvious to the POSA in view of the general knowledge in the art, such as Chapelle. (EX1003, ¶¶164-166.)

Chapelle is directed towards determining whether tumors are MSI-H. (EX1007, 3380, 3383; EX1003, ¶¶163, 165.) As such, the POSA would have had reason to consider Chapelle, which is in the same field as the MSI-H Study Record and the '462 patent. (EX1003, ¶165.)

The POSA would have had motivation to combine the MSI-H Study Record (whether alone or combined with Brown, Duval, and Benson) and Chapelle to test tumor tissue from the patient, in order to test whether a tumor is MSI-H. (EX1003, ¶166.) The MSI-H Study Record discloses, or at least suggests, determining that the patient's cancer is MSI-H. (*Supra*, §§VI.B, VI.C.3.) Chapelle teaches standard methods of testing whether a tumor was MSI-H using tumor tissue. (EX1007, 3380, 3383; EX1003, ¶166.) The POSA also would have had a reasonable expectation of success given that the method of testing for MSI-H does not affect the efficacy of the use of pembrolizumab for treating cancer patients having MSI-

H tumors, and indeed such testing of tumor tissue was well known, as the '462 patent admits. (EX1001, 6:25-26; 6:35-38; EX1003, ¶166.)

b. Claim 8: "The method of claim 1, wherein the step of testing or having tested comprises assessing one or more of: BAT-25, BAT-26, MONO-27, NR-21 and NR-24."

As discussed in section VI.B.2.e above, the MSI-H Study Record discloses testing or having tested a biological sample obtained from the patient to determine whether the solid tumor is microsatellite instability high or DNA mismatch repair deficient. That method, wherein the step of testing or having tested comprises assessing one or more of: BAT-25, BAT-26, MONO-27, NR-21 and NR-24, would have been obvious to the POSA in view of the general knowledge in the art, such as Chapelle. (EX1003, ¶¶167-169.)

Chapelle is directed towards determining whether tumors are MSI-H. (EX1007, 3380, 3383; EX1003, ¶¶163, 168.) As such, the POSA would have had reason to consider Chapelle, which is in the same field as the MSI-H Study Record and the '462 patent. (EX1003, ¶168.)

The POSA would have had motivation to combine the MSI-H Study Record (whether alone or combined with Brown, Duval, and Benson) and Chapelle to assess one or more of: BAT-25, BAT-26, MONO-27, NR-21 and NR-24, in order to test whether a tumor is MSI-H. (EX1003, ¶169.) The MSI-H Study Record discloses, or at least suggests, determining that the patient's cancer is MSI-H.

(*Supra,* §§VI.B, VI.C.3.) Chapelle teaches standard methods of testing whether a tumor was MSI-H, including assessing one or more of: BAT-25, BAT-26, MONO-27, NR-21 and NR-24, in order to test whether a tumor is MSI-H. (EX1007, 3380, 3383; EX1003, ¶169.) For example, Chappelle teaches that "a standard test" using a "[p]anel consisting of . . . BAT26, BAT25" has "stood the test of time." (EX1007, 3382.) The POSA also would have had a reasonable expectation of success given that the method of testing for MSI-H does not affect the efficacy of the use of pembrolizumab for treating cancer patients having MSI-H tumors, and indeed the claimed testing was well known, as the '462 patent admits. (EX1001, 6:16-17; 6:26-29; EX1003, ¶169.)

c. Claim 12: "The method of claim 11, wherein the biological sample is tumor tissue from the patient."

Claim 12 is obvious over the combination for the same reasons Claim 2 is obvious, which are discussed in Section VI.C.6.a. (EX1003, ¶¶164-166, 170.)

d. Claim 18: "The method of claim 11, wherein the step of testing or having tested comprises assessing one or more of: BAT-25, BAT-26, MONO-27, NR-21 and NR-24."

Claim 18 is obvious over the combination for the same reasons Claim 8 is obvious, which are discussed in Section VI.C.6.b. (EX1003, ¶¶167-169, 171.)

7. Ground 6: Claims 3 and 13 Are Obvious Over the References Discussed in Grounds 1, 2, 3, or 4, and Further in View of Steinert

a. Claim 3: "The method of claim 1, wherein the biological sample is a body fluid from the patient."

As discussed above in Section VI.B.2.e, the MSI-H Study Record discloses testing or having tested a biological sample obtained from the patient to determine whether the solid tumor is microsatellite instability high or DNA mismatch repair deficient. (*See also supra*, §VI.C.6.) That method wherein the biological sample is a body fluid from the patient would have been obvious to the POSA in view of the general knowledge in the art, such as Steinert. (EX1003, ¶¶174-176.)

Steinert is directed towards determining whether a tumor is MSI-H to understand how cancer evades the immune system. (EX1008, OF1; EX1003, ¶¶173, 175.) As such, the POSA would have had reason to consider Steinert, which is in the same field as the MSI-H Study Record and the '462 patent. (EX1003, ¶175.)

The POSA would have had motivation to combine the MSI-H Study Record (whether alone or combined with Brown, Duval, and Benson) and Steinert. (EX1003, ¶176.) The MSI-H Study Record discloses, or at least suggests, determining that the patient's cancer is MSI-H. (*Supra*, §§VI.B, VI.C.3) Steinert teaches methods of testing whether a tumor was MSI-H using body fluid. (EX1008, OF6; EX1003, ¶¶173, 176.) The POSA also would have had a

reasonable expectation of success given that the method of testing for MSI-H does not change the efficacy of the use of pembrolizumab for treating cancer patients having MSI-H tumors, and indeed such testing of tumor tissue was well known, as the '462 patent admits. (EX1001, 6:26-27, 6:36-39; EX1003, ¶176.)

b. Claim 13: The method of claim 11, wherein the biological sample is a body fluid from the patient.

Claim 13 is obvious over the combination for the same reasons Claim 3 is obvious, which are discussed in Section VI.C.7.a. (EX1003, ¶¶174-176, 177.)

8. Ground 7: Claims 7 and 17 Are Obvious Over the References Discussed in Grounds 1, 2, 3, or 4, and Further in View of Hamid

a. Claim 7: "The method of claim 1, wherein the pembrolizumab is administered to the patient intravenously."

As discussed above in Section VI.B, the MSI-H Study Record discloses a Phase II clinical study, the MSI-H Study, treating three cohorts of human patients with "[pembrolizumab] 10 mg/kg every 14 days." The method of Claim 1, wherein the pembrolizumab is administered to the patient intravenously would have been obvious to the POSA in view of the general knowledge in the art, such as Hamid. (EX1003, ¶¶180-184.)

Hamid is directed towards administering pembrolizumab to cancer patients. (EX1011.) As such, the POSA would have had reason to consider Hamid, which is in the same field as the MSI-H Study Record and the '462 patent. (EX1003, ¶181.)

Hamid provides for a method wherein the pembrolizumab is administered to the patient intravenously. (EX1011, 134.). Hamid refers to pembrolizumab by the name "lambrolizumab", and the POSA would have known that "lambrolizumab" was another name for pembrolizumab. (EX1011, 134; EX1054, 3; EX1003, ¶¶179, 181.)

The POSA would have had motivation to combine the MSI-H Study Record, Brown, Duval, Benson, and Hamid. (EX1003, ¶182.) For instance, the MSI-H Study Record disclosed administering pembrolizumab to the patient. (*Supra*, §§III.B, VI.B.1-2.) Hamid demonstrated success in treating patients with advanced melanoma with pembrolizumab. (EX1011, 134; EX1003, ¶¶179, 182.) Thus, the POSA would have been motivated to combine the MSI-H Study Record Pernot, Benson, Chapelle, and Hamid. (EX1003, ¶182.)

At a minimum, a method wherein the pembrolizumab is administered to the patient intravenously would have been obvious to try. Indeed, the prior art only discloses administering the pembrolizumab to the patient intravenously to treat cancer patients. (EX1011, 134; *see also* EX1055, 1; EX1003, ¶183.) *Geo. M. Martin Co. v. All. Mach. Sys. Int'l LLC*, 618 F.3d 1294, 1302 (Fed. Cir. 2010); *Procter & Gamble Co. v. Teva Pharms. USA, Inc.*, 566 F.3d 989, 996 (Fed. Cir. 2009).

The POSA would have had a reasonable expectation of success of administering pembrolizumab to the patient intravenously, given that administering pembrolizumab by intravenous infusion had been successful in the past. (EX1011, 134; EX1003, ¶184; *see also* EX1055, 1-3, 9, 15.)

b. Claim 17: "The method of claim 11, wherein the pembrolizumab is administered to the patient intravenously."

Claim 17 is obvious over the combination for the same reasons Claim 7 is obvious, which are discussed in Section VI.C.8.a. (EX1003, ¶¶180-185.)

VII. DISCRETIONARY DENIAL IS NOT APPROPRIATE HERE

A. Discretionary Denial Under *Fintiv* Is Not Appropriate

The factors under *Apple Inc. v. Fintiv, Inc.*, IPR2020-00019, Paper 11 (PTAB Mar. 20, 2020) ("Fintiv") favor institution. As explained above, the merits of Merck's arguments are compelling and the evidence in support is substantial. (*Supra*, §§VI.B-C.) That "alone demonstrates that the PTAB should not discretionarily deny institution under *Fintiv*." (EX1065, 4-5.) But in any event, the six *Fintiv* factors do not justify denying institution.

The first *Fintiv* factor favors institution. Merck represents that it will seek a stay of the patent infringement claims in district court upon institution, if not sooner. Given the district court case between Merck and JHU is in an early stage

(*see* EX1066), there is a reasonable likelihood such a stay will be granted. Even without a stay, the remaining factors support institution.

The second *Fintiv* factor favors institution. Using the average time to trial in the relevant jurisdiction, the trial would not begin until mid-2026—over 2 years from the filing of this petition. (EX1067.) As such, a final written decision would precede trial.

The third *Fintiv* factor also favors institution. There is still significant investment required in the district court litigation. Claim construction, discovery, pre-trial motions, preparing for trial, going through the trial process, and engaging in post-trial motions practice, all lie in the future. (*See* EX1066.).

The fourth *Fintiv* factor favors institution. There will be no overlap that warrants non-institution because Merck will seek a stay in district court.

The sixth *Fintiv* factor also favors institution. There is a significant public interest against "leaving bad patents enforceable." *Thryv, Inc. v. Click-To-Call Techs., LP*, 140 S. Ct. 1367, 1374 (2020). And as noted above, Merck's arguments are compelling. And with respect to the fifth *Fintiv* factor, although the Parties are the same as in district court, that is true in nearly every case, and under the "holistic view" of whether integrity of the system and efficiency is best served, institution is favored. *Samsung Elecs. Co. Ltd. v. Dynamics Inc.*, IPR2020-00505, Paper 11 at 15 (Aug. 12, 2020).

B. Discretionary Denial Under 35 U.S.C. § 325(d) Is Not Appropriate

The MSI-H Study Record was considered during prosecution of a family member of the ’462 patent that issued as U.S. Patent No. 10,934,356. (EX1022, August 26, 2020 Rejection, 26-32.) Nonetheless, discretionary denial under 35 U.S.C. § 325(d) is inappropriate for at least three reasons.

First, the Examiner did not consider the MSI-H Study Record during prosecution of the ’462 patent. As discussed above, the full version of the MSI-H Study Record was not even in front of the Examiner. (*Supra*, §III.B.)

Second, during prosecution of the application that issued as U.S. Patent No. 10,934,356, the Examiner failed to consider whether the MSI-H Study Record inherently anticipates under Federal Circuit precedent. Specifically, the Examiner recognized the MSI-H Study Record contemplated evaluating whether pembrolizumab results in an improved outcome for a patient whose cancer is MSI-H relative to a patient whose cancer is not MSI-H. (EX1022, December 14, 2020 Notice of Allowance, 3.) The Examiner, however, allowed the ’356 patent over the MSI-H Study Record on the rationale that it did not affirmatively disclose that improved outcome and that the POSA would purportedly not have expected such efficacy. (*Id.*) That was incorrect as a matter of law, particularly given the evidence that the methods in the MSI-H Study Record were, in fact, shown to be effective, as explained above. (*See supra*, §§VI.B.1, VI.B.2.) Indeed, these

patents mean that the POSA – who practiced the prior art MSI-H Study Record just as disclosed or using obvious techniques for carrying out that MSI-H Study Record disclosure – could be accused of infringement, which is antithetical to patent law. *Schering Corp.*, 339 F.3d at 1379 (discussing the patent law principle "that which would literally infringe if later in time anticipates if earlier.").

Third, the Examiner did not consider many of the other arguments and issues raised in this Petition, including the combinations of references raised in the obviousness grounds. (*Supra*, §§III.B, VI.B-C.)

VIII. MANDATORY NOTICES UNDER 37 CFR § 42.8

Real Parties-in-Interest: Pursuant to 37 C.F.R. § 42.8(b)(1), Merck identifies Merck Sharp & Dohme LLC and Merck & Co., Inc. as the real parties-in-interest.

Related Matters: Pursuant to 37 C.F.R. § 42.8(b)(2), Merck identifies the following related matters. The '462 patent is at issue in the following pending litigation: *Merck Sharp & Dohme LLC v. The Johns Hopkins University*, 1:22-cv-03059-JRR (D. Md.). Additionally, petitions for U.S. Patent Nos. 11,591,393 (IPR2024-00240), 10,934,356 (IPR2024-00622), 11,325,974 (IPR2024-00623), 11,325,975 (IPR2024-00624), and 11,339,219 (IPR2024-00625), which are family members of the '462 patent, are pending.

Counsel and Service Information: Lead counsel is Naveen Modi (Reg. No. 46,224). Backup counsel are Bruce M. Wexler (Reg. No. 35,409), Preston K.

Ratliff II (Reg. No. 43,034), Daniel Zeilberger (Reg. No. 65,349), David J. Feigenbaum (Reg. No. 78,139), and Mark Stewart (Reg. No. 43,936). Service information is Paul Hastings LLP, 2050 M Street NW, Washington, D.C. 20036, Tel.: 202.551.1700, Fax: 202.551.1705, email: (1) PH-MSD-JHU-IPR@paulhastings.com; and (2) mark.stewart@merck.com. Petitioner consents to electronic service.

IX. CONCLUSION

Merck requests institution of IPR for Claims 1-30 of the ’462 patent based on the grounds specified in this petition.

Respectfully submitted,

Dated: March 13, 2024

By: /Naveen Modi/
Naveen Modi (Reg. No. 46,224)
Counsel for Petitioner

CERTIFICATE OF COMPLIANCE

Pursuant to 37 C.F.R. § 42.24(d), the undersigned certifies that the foregoing Petition for *Inter Partes* Review of U.S. Patent No. 11,643,462 contains, as measured by the word-processing system used to prepare this paper, 13,657 words. This word count does not include the items excluded by 37 C.F.R. § 42.24 as not counting towards the word limit.

Respectfully submitted,

Dated: March 13, 2024

By: /Naveen Modi/
Naveen Modi (Reg. No. 46,224)
Counsel for Petitioner

CERTIFICATE OF SERVICE

I hereby certify that on March 13, 2024, I caused a true and correct copy of the foregoing Petition for *Inter Partes* Review of U.S. Patent No. 11,643,462 and supporting exhibits to be served via express mail on the Patent Owner at the following correspondence address of record as listed on the USPTO's Patent Center:

FISH & RICHARDSON P.C. (JOHNS HOPKINS)
P.O. BOX 1022
MINNEAPOLIS, MN 55440-1022
UNITED STATES

A courtesy copy was also sent via electronic mail to the Patent Owner's litigation counsel at the following addresses:

Christina Brown- Marshall - brown-marshall@fr.com
Ahmed Davis - Davis@fr.com
Corrin Drakulich - Drakulich@fr.com
Dexter Whitley - whitley@fr.com
Karrie Wheatley - wheatley@fr.com
Madelyn McCormick - MMcCormick@fr.com
Frank Scherkenbach - Scherkenbach@fr.com

SERVICETOFRJHU/Merck22-3059@fr.com

By: /Naveen Modi/
Naveen Modi (Reg. No. 46,224)
Counsel for Petitioner