

WITNESS SIGNATURE / CORRECTION PAGE

No.	Page	Line	Change from	Change to	Remarks
1	6	9	Technician 99	Technetium-99m (Tc-99m)	Correcting typo
2	12	17	Larson & Larson	Larsen & Larsen	Correcting typo
3	13	22	theorems	terms	Correcting typo
4	15	16	content	contents	Correcting typo
5	16	12	content	contents	Correcting typo
6	19	5	PGR235-00040	PGR2025-00040	Correcting typo
7	29	6	Radon-224	Radium-224	Correcting typo
8	29	7	Radon-224	Radium-224	Correcting typo
9	29	22	macro-second	micro-second	Correcting typo
10	30	1	terminized	thermalized	Correcting typo
11	30	8	56-2nds	56 seconds	Correcting typo
12	30	13	dotted flowing	decay daughter	Correcting typo
13	39	18	GO chemistry	Geo-chemistry	Correcting typo
14	39	19	GO chemistry	Geo-chemistry	Correcting typo
15	39	19	Thorium-22	Thorium-232	Correcting typo
16	39	20	natatorium	natural thorium	Correcting typo
17	43	9	treble	triple	Correcting typo
18	43	15	touch	Dutch	Correcting typo
19	43	22	It marks	It is marked	Correcting typo
20	43	24	door	lower	Correcting typo
21	44	1	on a screw	Un-screwed	Correcting typo
22	44	9	surface of this-- of the Y	surface of the vial	Correcting typo
23	44	15	bathroom	bottle	Correcting typo
24	53	7	banner	basket	Correcting typo
26	55	11-12	To gather	to get rid of	Correcting typo
27	56	3	liquid gas	liquid or gas	Correcting typo
28	56	4	poros	porous	Correcting typo
29	61	16	stabilized tubes	stable isotopes	Correcting typo
30	67	3-4	so I got that	so it gets to	Correcting typo
31	79	9	title	tight	Correcting typo
32	94	19	gas with the gas tight	with a gas tight	Correcting typo
33	102	2	shift	shaft	Correcting typo
34	106	22	58	5B	Correcting typo

I, SAED MIRZADEH, do hereby certify that I have read the foregoing pages of my testimony as transcribed and that the same is a true and correct transcript of the testimony given by me in this deposition except for the changes made.

DocuSigned by:

66F538B3FA8F4BA

SAED MIRZADEH