

archive.org

AFFIDAVIT OF MINA CHING

1. I am a Records Request Processor at the Internet Archive. I make this declaration of my own personal knowledge.

2. The Internet Archive is a website that provides access to a digital library of Internet sites and other cultural artifacts in digital form. Like a paper library, we provide free access to researchers, historians, scholars, and the general public. The Internet Archive has partnered with and receives support from various institutions, including the Library of Congress.

3. The Internet Archive has created a service known as the Wayback Machine. The Wayback Machine makes it possible to browse more than 450 billion pages stored in the Internet Archive's web archive. Visitors to the Wayback Machine can search archives by URL (i.e., a website address). If archived records for a URL are available, the visitor will be presented with a display of available dates. The visitor may select one of those dates, and begin browsing an archived version of the Web. Links on archived files in the Wayback Machine point to other archived files (whether HTML pages or other file types), if any are found for the URL indicated by a given link. For instance, the Wayback Machine is designed such that when a visitor clicks on a hyperlink on an archived page that points to another URL, the visitor will be served the archived file found for the hyperlink's URL with the closest available date to the initial file containing the hyperlink.

4. The archived data made viewable and browseable by the Wayback Machine is obtained by use of web archiving software that automatically stores copies of files available via the Internet, each file preserved as it existed at a particular point in time.

5. The Internet Archive assigns a URL on its site to the archived files in the format http://web.archive.org/web/[Year in yyyy][Month in mm][Day in dd][Time code in hh:mm:ss]/[Archived URL] aka an "extended URL". Thus, the extended URL http://web.archive.org/web/19970126045828/http://www.archive.org/ would be the URL for the record of the Internet Archive home page HTML file (http://www.archive.org/) archived on January 26, 1997 at 4:58 a.m. and 28 seconds (1997/01/26 at 04:58:28). The date indicated by an extended URL applies to a preserved instance of a file for a given URL, but not necessarily to any other files linked therein. Thus, in the case of a page constituted by a primary HTML file and other separate files (e.g., files with images, audio, multimedia, design elements, or other embedded content) linked within that primary HTML file, the primary HTML file and the other files will each have their own respective extended URLs and may not have been archived on the same dates.



6. Attached hereto as Exhibit A are true and accurate copies of browser screenshots of the Internet Archive's records of the archived files for the URLs and the dates specified in the attached coversheet of each screenshot.

7. I declare under penalty of perjury under the laws of the United States of America that the foregoing is true and correct.

DATE: 07/24/2025

Mina Ching

Please see attached
All Purpose
Jurat form
for additional
Notary Events

EXHIBIT A

https://web.archive.org/web/20100620045039/http://jp.hamamatsu.com/products/sensor-ssd/pd078/pd079/pd083/index_en.html

INTERNET ARCHIVE Wayback Machine http://jp.hamamatsu.com/products/sensor-ssd/pd078/pd079/pd083/index_en.html Go APR JUN OCT 7 captur 2 Dec 2008 2008 20 2010 2011 About this capture

Si APD (to 1 um)
- NIR Type (Low Bias Operation)
- NIR Type (Low Tem. Coeffiecient)
- Short Wavelength Type
- NIR High Sensitivity Type
- Surface-mount Type
- Multi-element Type

Application/Field
Division
Wavelength

Products by Category
Products A-Z
News

Exhibition Information
Exhibitions which Hamamatsu Photonics is planning to participate.

NIR High Sensitivity Type

Contact by E-mail | Price | Quote | Other

1 - 9 of **9** results

Type No.	Active Area	Spectral Response Range	Peak Wavelength	Breakdown Voltage	Temperature Coefficient of VBR	Package Feature
S8890-02	dia.0.2 mm	400 to1100 nm	940 nm	500 V	2.5 V/deg. C	TO-5
S8890-05	dia.0.5 mm	400 to1100 nm	940 nm	500 V	2.5 V/deg. C	TO-5
S8890-10	dia.1 mm	400 to1100 nm	940 nm	500 V	2.5 V/deg. C	TO-5
S8890-15	dia.1.5 mm	400 to1100 nm	940 nm	500 V	2.5 V/deg. C	TO-5
S8890-30	dia.3 mm	400 to1100 nm	940 nm	500 V	2.5 V/deg. C	TO-8
S9251-02	dia.0.2 mm	440 to1100 nm	860 nm	250 V	1.85 V/deg. C	TO-18
S9251-05	dia.0.5 mm	440 to1100 nm	860 nm	250 V	1.85 V/deg. C	TO-18
S9251-10	dia.1 mm	440 to1100 nm	860 nm	250 V	1.85 V/deg. C	TO-5
S9251-15	dia.1.5 mm	440 to1100 nm	860 nm	250 V	1.85 V/deg. C	TO-5

1 - 9 of **9** results

Return to Top of Page

浜松ホトニクス株式会社 | Terms of Use | Privacy Policy | Help | Copyright © Hamamatsu Photonics K.K. All Rights Reserved.

https://web.archive.org/web/20100620044720/http://jp.hamamatsu.com/products/sensor-ssd/pd078/pd079/pd082/index_en.html

INTERNET ARCHIVE Wayback Machine http://jp.hamamatsu.com/products/sensor-ssd/pd078/pd079/pd082/index_en.html Go APR JUN OCT 5 captur 2 Dec 2008 2008 20 2010 2011 About this capture

Si APD (to 1 um)
NIR Type (Low Bias Operation)
NIR Type (Low Tem. Coefficient)
Short Wavelength Type
NIR High Sensitivity Type
Surface-mount Type
Multi-element Type
Application/Field
Division
Wavelength
Products by Category
Products A-Z
News
Exhibition Information
Exhibitions which Hamamatsu Photonics is planning to participate.

Short Wavelength Type

Contact by E-mail Price Quote Other

1 - 14 of **14** results

Type No.	Active Area	Spectral Response Range	Peak Wavelength	Breakdown Voltage	Temperature Coefficient of VBR	Package Feature
S5343	dia.1 mm	200 to1000 nm	620 nm	150 V	0.14 V/deg. C	TO-18
S5344	dia.3 mm	200 to1000 nm	620 nm	150 V	0.14 V/deg. C	TO-5
S5345	dia.5 mm	200 to1000 nm	620 nm	150 V	0.14 V/deg. C	TO-8
S8664-02K	dia.0.2 mm	320 to1000 nm	600 nm	400 V	0.78 V/deg. C	TO-5
S8664-05K	dia.0.5 mm	320 to1000 nm	600 nm	400 V	0.78 V/deg. C	TO-5
S8664-1010	10 x 10 mm	320 to1000 nm	600 nm	400 V	0.78 V/deg. C	
S8664-10K	dia.1 mm	320 to1000 nm	600 nm	400 V	0.78 V/deg. C	TO-5
S8664-20K	dia.2 mm	320 to1000 nm	600 nm	400 V	0.78 V/deg. C	TO-5
S8664-30K	dia.3 mm	320 to1000 nm	600 nm	400 V	0.78 V/deg. C	TO-8
S8664-50K	dia.5 mm	320 to1000 nm	600 nm	400 V	0.78 V/deg. C	TO-8
S8664-55	5 x 5 mm	320 to1000 nm	600 nm	400 V	0.78 V/deg. C	
S9073	dia.0.2 mm	200 to1000 nm	620 nm	150 V	0.14 V/deg. C	TO-18
S9074	dia.0.5 mm	200 to1000 nm	620 nm	150 V	0.14 V/deg. C	TO-18
S9075	dia.1.5 mm	200 to1000 nm	620 nm	150 V	0.14 V/deg. C	TO-5

1 - 14 of **14** results

Return to Top of Page

浜松ホトニクス株式会社 Terms of Use | Privacy Policy | Help Copyright © Hamamatsu Photonics K.K. All Rights Reserved.

JURAT ATTACHMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

STATE OF Texas }

COUNTY OF Harris }

The foregoing instrument was subscribed and sworn before me this date of 07/24/2025, by Mina Ching

This notarial act was an online notarization.



Document Notarized using a Live Audio-Video Connection

(Notary Seal)

Notary's Signature Ana Laura Salazar Uribe

Registration No.: 131757026

Commission Expiration Date: October 11, 2026