





CytoFLEX Flow Cytometer

The CytoFLEX Flow Cytometer, the first introduction to the [CytoFLEX Platform](#), provides the performance you need in an easy-to-use system, allowing you to focus on the science, not the instrumentation. Its superior sensitivity and resolution throughout all configurations give it the edge over other cytometry systems four times its size. All instruments in the platform utilize [CytExpert for CytoFLEX Acquisition and Analysis Software](#).

- ✔ Violet-Blue-Red (V-B-R) Series, fully activated with 13 colors or as few as four, [activate additional channels](#) in the future
- ✔ Includes 13 bandpass filters: 450/45, 525/40 (2), 585/42, 610/20 (2), 660/10 (2), 690/50, 712/25, 780/60 (3)
- ✔ For higher throughput applications an [optional plate loader module](#) is available, and for use in regulated environments the software contains [tools for 21 CFR Part 11 compliance](#)

Explore CytoFLEX Models ▾

Request a Quote

Features

Explore CytoFLEX Models

Technical Documents

Related Products

CytoFLEX Flow Cytometer Features

Exquisite Sensitivity

- [Unique collection of innovative technologies](#) provide exceptional detection capabilities
- Large dynamic range to resolve dim and bright populations in the same sample
- Use violet side scatter to [detect nanoparticles](#)

Platform Versatility

- Purchase the number of parameters needed now
- [Add more detection channels](#) by purchasing an activation key
- Includes full complement of repositionable bandpass filters, [non-standard filters also available](#) for even more flexibility

Low Maintenance

- Lasers, steering optics and flow cell are all [mounted onto a vibration isolated table](#), maintaining optical alignment
- [Low pressure fluidics system](#)
- Preventive Maintenance can be completed by the user, no service visit required

Automation Enabled

- [Optional 96-well plate sample loader module](#)
- API (Application Programming Interface) allows external software to control the instrument
- For automated sample processing and data acquisition, integrate with the Biomek i-Series Instrument

Learn more about the CytoFLEX Analyzer

Accessible Flow Learning Center

CytoFLEX In Action

Cost of Ownership


Startup User Guide

CytoFLEX Technology


Watch Anna in the Lab

*For Research Use Only, Not for use in diagnostic procedures

Explore CytoFLEX Models



CYTEK V. BECKMAN
PGR2025-00088
BECKMAN 2002



☐	405 nm solid state laser (8...	1
☐	638 nm solid state laser (50...	1
Package Quantity		—
☐	1	48
Power Requirements		—
☐	100-240 VAC	25
☐	50/60 Hz	25

Technical Documents

Please view Technical Documents for CytoFLEX [here](#).

Related Parts

 <p>CO6147, CytoFLEX Daily IR QC Fluorospheres</p> <p>CytoFLEX Daily IR Fluorospheres is a suspension of fluorescent microspheres used for daily ...</p>	 <p>B51503, CytoFLEX Sheath Fluid, 1 x 10 L</p> <p>A nonionic, non-fluorescent, and azide-free sheath fluid for use on CytoFLEX flow cytometers.</p>	 <p>LAB EQUIP, TEST TUBE, 12 X 75 MM, POLYPROPYLENE, BLUE (250/PK)</p> <p>Sample Tubes for FC 500 and EPICS™ XL™ Flow Cytometers.</p>
--	--	---

[Back to top](#)

Stay up to date with our newsletter

Receive timely updates on your favorite topics from the experts at Beckman Coulter Life Sciences

• Email

Please keep me informed about Beckman Coulter webinars, products, goods, and services, including products, goods, or services from our related companies.

• By Email: ☐ I Consent
☐ I DO NOT Consent

By submitting this form I confirm that I have reviewed and agree with the [Privacy Policy](#) and [Terms of Use](#). I also understand my privacy choices as they pertain to my personal data as provided in the Privacy Policy under "Your Privacy Choices".

Submit

[Careers](#)

[Contact Us](#)

[Global Locations](#)

[Help Center](#)

[Copyright/Trademark](#)

[Do Not Sell or Share My Data](#)

[Legal](#)

[Online Terms of Use](#)

[Patents](#)

[Privacy Statement](#)

[Sitemap](#)

[Cookie Preferences](#)



of the below: IVD: In Vitro Diagnostic Products. These products are labeled "For In Vitro Diagnostic Use." ASR: Analyte Specific Reagents. These reagents are labeled "Analyte Specific Reagent. Analytical and performance characteristics are not established." CE-IVD, CE: Products intended for in vitro diagnostic use and conforming to the In Vitro Diagnostic Regulation (IVDR) (EU) 2017/746. (Note: Devices may be CE marked to other directives.) RUO: Research Use Only. These products are labeled "For Research Use Only. Not for use in diagnostic procedures." LUO: Laboratory Use Only. These products are labeled "For Laboratory Use Only." No Regulatory Status: Non-Medical Device or non-regulated articles. Not for use in diagnostic or therapeutic procedures.

abcam

aldevron

BECKMAN
COUTLER
Life Sciences

Genedata

IDBS

IDT
INTEGRATED DNA TECHNOLOGIES

Leica

MOLECULAR
DEVICES

phenomenex

SCIEX