



US012274481B2

(12) **United States Patent**  
**Santrock et al.**

(10) **Patent No.:** **US 12,274,481 B2**  
(45) **Date of Patent:** **Apr. 15, 2025**

(54) **BONE POSITIONING AND PREPARING  
GUIDE SYSTEMS AND METHODS**

(71) Applicant: **Treace Medical Concepts, Inc.**, Ponte  
Vedra, FL (US)

(72) Inventors: **Robert D. Santrock**, Morgantown, WV  
(US); **Paul Dayton**, Ankeny, IA (US);  
**Daniel J. Hatch**, Greeley, CO (US); **W.  
Bret Smith**, Lexington, SC (US); **F.  
Barry Bays**, Collierville, TN (US);  
**Carlos Eduardo Gil**, Memphis, TN  
(US); **Sean F. Scanlan**, Jacksonville,  
FL (US); **Joe W. Ferguson**, Ponte  
Vedra Beach, FL (US); **John T. Treace**,  
Ponte Vedra Beach, FL (US)

(73) Assignee: **Treace Medical Concepts, Inc.**, Ponte  
Vedra, FL (US)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **18/587,921**

(22) Filed: **Feb. 26, 2024**

(65) **Prior Publication Data**

US 2024/0245437 A1 Jul. 25, 2024

**Related U.S. Application Data**

(63) Continuation of application No. 18/183,013, filed on  
Mar. 13, 2023, now Pat. No. 11,911,085, which is a  
(Continued)

(51) **Int. Cl.**  
**A61B 17/88** (2006.01)  
**A61B 17/15** (2006.01)  
(Continued)

(52) **U.S. Cl.**

CPC ..... **A61B 17/8866** (2013.01); **A61B 17/15**  
(2013.01); **A61B 17/151** (2013.01);  
(Continued)

(58) **Field of Classification Search**

CPC ..... A61B 17/88; A61B 17/8866; A61B 17/15;  
A61B 17/151; A61B 17/152; A61B  
17/17;  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,664,022 A 5/1972 Small  
4,069,824 A 1/1978 Weinstock  
(Continued)

**FOREIGN PATENT DOCUMENTS**

AU 2009227957 B2 7/2014  
CA 2491824 A1 9/2005  
(Continued)

**OTHER PUBLICATIONS**

Defendant Fusion Orthopedics LLC's Invalidation Contentions, No.  
CV-22-00490-PHX-SRB, US District Court for the District of  
Arizona, Aug. 27, 2022, 41 pages.

(Continued)


*Primary Examiner* — Christopher J Beccia

(74) *Attorney, Agent, or Firm* — Fredrikson & Byron,  
P.A.

(57) **ABSTRACT**

Methods for temporarily fixing an orientation of a bone or  
bones. Methods of correcting a bunion deformity. Bone  
positioning devices. Methods of using a bone positioning  
device. Bone preparation guides. Methods of using a bone  
preparation guide.

**30 Claims, 42 Drawing Sheets**



**Related U.S. Application Data**

continuation of application No. 17/567,879, filed on Jan. 3, 2022, now Pat. No. 11,602,387, which is a continuation of application No. 17/353,431, filed on Jun. 21, 2021, now Pat. No. 11,213,333, which is a continuation of application No. 16/998,155, filed on Aug. 20, 2020, now Pat. No. 11,039,873, which is a continuation of application No. 16/031,855, filed on Jul. 10, 2018, now Pat. No. 10,849,670, which is a continuation of application No. 15/452,236, filed on Mar. 7, 2017, now Pat. No. 10,045,807, which is a continuation of application No. 14/981,335, filed on Dec. 28, 2015, now Pat. No. 9,622,805.

(60) Provisional application No. 62/205,338, filed on Aug. 14, 2015.

(51) **Int. Cl.**

*A61B 17/16* (2006.01)

*A61B 17/17* (2006.01)

*A61B 17/80* (2006.01)

*A61B 17/00* (2006.01)

*A61B 17/02* (2006.01)

*A61B 17/56* (2006.01)

*A61B 17/66* (2006.01)

*A61B 17/68* (2006.01)

*A61B 17/90* (2006.01)

(52) **U.S. Cl.**

CPC ..... *A61B 17/152* (2013.01); *A61B 17/1682* (2013.01); *A61B 17/1728* (2013.01); *A61B 17/1739* (2013.01); *A61B 17/1775* (2016.11); *A61B 17/8061* (2013.01); *A61B 2017/00367* (2013.01); *A61B 17/025* (2013.01); *A61B 17/562* (2013.01); *A61B 2017/564* (2013.01); *A61B 2017/565* (2013.01); *A61B 17/66* (2013.01); *A61B 2017/681* (2013.01); *A61B 17/90* (2021.08)

(58) **Field of Classification Search**

CPC . *A61B 17/1775*; *A61B 17/1739*; *A61B 17/16*; *A61B 17/1682*; *A61B 17/80*; *A61B 17/8061*

See application file for complete search history.

(56) **References Cited****U.S. PATENT DOCUMENTS**

4,159,716 A 7/1979 Borchers  
4,187,840 A 2/1980 Watanabe  
4,335,715 A 6/1982 Kirkley  
4,338,927 A 7/1982 Volkov et al.  
4,349,018 A 9/1982 Chambers  
4,364,381 A 12/1982 Sher et al.  
4,409,973 A 10/1983 Neufeld  
4,440,168 A 4/1984 Warren  
4,501,268 A 2/1985 Comparetto  
4,502,474 A 3/1985 Comparetto  
4,509,511 A 4/1985 Neufeld  
4,565,191 A 1/1986 Slocum  
4,570,624 A 2/1986 Wu  
4,627,425 A 12/1986 Reese  
4,628,919 A 12/1986 Clyburn  
4,632,102 A 12/1986 Comparetto  
4,664,102 A 5/1987 Comparetto  
4,708,133 A 11/1987 Comparetto  
4,736,737 A 4/1988 Fargie et al.  
4,750,481 A 6/1988 Reese  
4,754,746 A 7/1988 Cox  
4,757,810 A 7/1988 Reese  
4,895,141 A 1/1990 Koeneman et al.

4,952,214 A 8/1990 Comparetto  
4,959,066 A 9/1990 Dunn et al.  
4,978,347 A 12/1990 Ilizarov  
4,988,349 A 1/1991 Pennig  
4,995,875 A 2/1991 Coes  
5,021,056 A 6/1991 Hofmann et al.  
5,035,698 A 7/1991 Comparetto  
5,042,983 A 8/1991 Rayhack  
5,049,149 A 9/1991 Schmidt  
5,053,039 A 10/1991 Hofmann et al.  
5,078,719 A 1/1992 Schreiber  
5,112,334 A 5/1992 Alchermes et al.  
5,147,364 A 9/1992 Comparetto  
5,176,685 A 1/1993 Rayhack  
5,207,676 A 5/1993 Canadell et al.  
5,246,444 A 9/1993 Schreiber  
5,254,119 A 10/1993 Schreiber  
5,312,412 A 5/1994 Whipple  
5,358,504 A 10/1994 Paley et al.  
5,364,402 A 11/1994 Mumme et al.  
5,374,271 A 12/1994 Hwang  
5,413,579 A 5/1995 Toit  
5,417,694 A 5/1995 Marik et al.  
5,449,360 A 9/1995 Schreiber  
5,470,335 A 11/1995 Du Toit  
5,490,854 A 2/1996 Fisher et al.  
5,529,075 A 6/1996 Clark  
5,540,695 A 7/1996 Levy  
5,578,038 A 11/1996 Slocum  
5,586,564 A 12/1996 Barrett et al.  
5,601,565 A 2/1997 Huebner  
5,613,969 A 3/1997 Jenkins, Jr.  
5,620,442 A 4/1997 Bailey et al.  
5,620,448 A 4/1997 Puddu  
5,643,270 A 7/1997 Combs  
5,667,510 A 9/1997 Combs  
H1706 H 1/1998 Mason  
5,722,978 A 3/1998 Jenkins  
5,749,875 A 5/1998 Puddu  
5,779,709 A 7/1998 Harris et al.  
5,788,695 A 8/1998 Richardson  
5,803,924 A 9/1998 Oni et al.  
5,810,822 A 9/1998 Mortier  
5,843,085 A 12/1998 Graser  
5,893,553 A 4/1999 Pinkous  
5,911,724 A 6/1999 Wehrli  
5,935,128 A 8/1999 Carter et al.  
5,941,877 A 8/1999 Viegas et al.  
5,951,556 A 9/1999 Faccioli et al.  
5,980,526 A 11/1999 Johnson et al.  
5,984,931 A 11/1999 Greenfield  
6,007,535 A 12/1999 Rayhack et al.  
6,027,504 A 2/2000 McGuire  
6,030,391 A 2/2000 Brainard et al.  
6,162,223 A 12/2000 Orsak et al.  
6,171,309 B1 1/2001 Huebner  
6,203,545 B1 3/2001 Stoffella  
6,248,109 B1 6/2001 Stoffella  
6,391,031 B1 5/2002 Toomey  
6,478,799 B1 11/2002 Williamson  
6,511,481 B2 1/2003 von Hoffmann et al.  
6,547,793 B1 4/2003 McGuire  
6,676,662 B1 1/2004 Bagga et al.  
6,719,773 B1 4/2004 Boucher et al.  
6,743,233 B1 6/2004 Baldwin et al.  
6,755,838 B2 6/2004 Trnka  
6,796,986 B2 9/2004 Duffner  
6,859,661 B2 2/2005 Tuke  
7,018,383 B2 3/2006 McGuire  
7,033,361 B2 4/2006 Collazo  
7,097,647 B2 8/2006 Segler et al.  
7,112,204 B2 9/2006 Justin et al.  
7,153,310 B2 12/2006 Ralph et al.  
7,182,766 B1 2/2007 Mogul  
7,241,298 B2 7/2007 Nemec et al.  
7,282,054 B2 10/2007 Steffensmeier et al.  
7,377,924 B2 5/2008 Raistrick et al.  
7,465,303 B2 12/2008 Riccione et al.  
7,540,874 B2 6/2009 Trumble et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

|              |         |                  |                 |         |                    |
|--------------|---------|------------------|-----------------|---------|--------------------|
| 7,572,258 B2 | 8/2009  | Stiernborg       | D720,456 S      | 12/2014 | Dacosta et al.     |
| 7,641,660 B2 | 1/2010  | Lakin et al.     | 8,900,247 B2    | 12/2014 | Tseng et al.       |
| D610,257 S   | 2/2010  | Horton           | 8,906,026 B2    | 12/2014 | Ammann et al.      |
| 7,686,811 B2 | 3/2010  | Byrd et al.      | 8,945,132 B2    | 2/2015  | Plassy et al.      |
| 7,691,108 B2 | 4/2010  | Lavallee         | 8,998,903 B2    | 4/2015  | Price et al.       |
| 7,763,026 B2 | 7/2010  | Egger et al.     | 8,998,904 B2    | 4/2015  | Zeetser et al.     |
| D629,900 S   | 12/2010 | Fisher           | 9,011,507 B2    | 4/2015  | Schelling          |
| 7,967,823 B2 | 6/2011  | Ammann et al.    | 9,023,052 B2    | 5/2015  | Lietz et al.       |
| 7,972,338 B2 | 7/2011  | O'Brien          | 9,044,250 B2    | 6/2015  | Olsen et al.       |
| D646,389 S   | 10/2011 | Claypool et al.  | 9,060,822 B2    | 6/2015  | Lewis et al.       |
| 8,057,478 B2 | 11/2011 | Kuczynski et al. | 9,089,376 B2    | 7/2015  | Medoff et al.      |
| 8,062,301 B2 | 11/2011 | Ammann et al.    | 9,101,421 B2    | 8/2015  | Blacklidge         |
| D651,315 S   | 12/2011 | Bertoni et al.   | 9,107,715 B2    | 8/2015  | Blitz et al.       |
| D651,316 S   | 12/2011 | May et al.       | 9,113,920 B2    | 8/2015  | Ammann et al.      |
| 8,080,010 B2 | 12/2011 | Schulz et al.    | D740,424 S      | 10/2015 | Dacosta et al.     |
| 8,080,045 B2 | 12/2011 | Wotton, III      | D765,844 S      | 9/2016  | DaCosta            |
| 8,083,746 B2 | 12/2011 | Novak            | D766,434 S      | 9/2016  | DaCosta            |
| 8,123,753 B2 | 2/2012  | Poncet           | D766,437 S      | 9/2016  | DaCosta            |
| 8,137,406 B2 | 3/2012  | Novak et al.     | D766,438 S      | 9/2016  | DaCosta            |
| 8,147,530 B2 | 4/2012  | Strnad et al.    | D766,439 S      | 9/2016  | DaCosta            |
| 8,167,918 B2 | 5/2012  | Strnad et al.    | 9,452,057 B2    | 9/2016  | Dacosta et al.     |
| 8,172,848 B2 | 5/2012  | Tomko et al.     | 9,522,023 B2    | 11/2016 | Haddad et al.      |
| 8,192,441 B2 | 6/2012  | Collazo          | 9,750,538 B2    | 9/2017  | Soffiatti et al.   |
| 8,197,487 B2 | 6/2012  | Poncet et al.    | 9,785,747 B2    | 10/2017 | Geebelen           |
| 8,231,623 B1 | 7/2012  | Jordan           | 9,980,760 B2    | 5/2018  | Dacosta et al.     |
| 8,231,663 B2 | 7/2012  | Kay et al.       | 10,028,750 B2   | 7/2018  | Rose               |
| 8,236,000 B2 | 8/2012  | Ammann et al.    | 10,064,631 B2   | 9/2018  | Dacosta et al.     |
| 8,246,561 B1 | 8/2012  | Agee et al.      | 10,159,499 B2   | 12/2018 | Dacosta et al.     |
| D666,721 S   | 9/2012  | Wright et al.    | 10,292,713 B2   | 5/2019  | Fallin et al.      |
| 8,262,664 B2 | 9/2012  | Justin et al.    | 10,327,829 B2   | 6/2019  | Dacosta et al.     |
| 8,277,459 B2 | 10/2012 | Sand et al.      | 10,376,268 B2   | 8/2019  | Fallin et al.      |
| 8,282,644 B2 | 10/2012 | Edwards          | 10,470,779 B2   | 11/2019 | Fallin et al.      |
| 8,282,645 B2 | 10/2012 | Lawrence et al.  | 10,779,867 B2   | 9/2020  | Penzimer et al.    |
| 8,292,966 B2 | 10/2012 | Morton           | 11,304,705 B2   | 4/2022  | Fallin et al.      |
| 8,303,596 B2 | 11/2012 | Plassky et al.   | 2002/0058944 A1 | 5/2002  | Michelson          |
| 8,313,492 B2 | 11/2012 | Wong et al.      | 2002/0099381 A1 | 7/2002  | Maroney            |
| 8,323,289 B2 | 12/2012 | Re               | 2002/0107519 A1 | 8/2002  | Dixon et al.       |
| 8,337,503 B2 | 12/2012 | Lian             | 2002/0165552 A1 | 11/2002 | Duffner            |
| 8,343,159 B2 | 1/2013  | Bennett          | 2002/0198531 A1 | 12/2002 | Millard et al.     |
| 8,377,105 B2 | 2/2013  | Buescher         | 2004/0010259 A1 | 1/2004  | Keller et al.      |
| D679,395 S   | 4/2013  | Wright et al.    | 2004/0039394 A1 | 2/2004  | Conti et al.       |
| 8,409,209 B2 | 4/2013  | Ammann et al.    | 2004/0097946 A1 | 5/2004  | Dietzel et al.     |
| 8,435,246 B2 | 5/2013  | Fisher et al.    | 2004/0138669 A1 | 7/2004  | Horn               |
| 8,475,462 B2 | 7/2013  | Thomas et al.    | 2005/0004676 A1 | 1/2005  | Schon et al.       |
| 8,496,662 B2 | 7/2013  | Novak et al.     | 2005/0059978 A1 | 3/2005  | Sherry et al.      |
| 8,523,870 B2 | 9/2013  | Green et al.     | 2005/0070909 A1 | 3/2005  | Egger et al.       |
| 8,529,571 B2 | 9/2013  | Horan et al.     | 2005/0075641 A1 | 4/2005  | Singhatat et al.   |
| 8,540,777 B2 | 9/2013  | Ammann et al.    | 2005/0101961 A1 | 5/2005  | Huebner et al.     |
| 8,545,508 B2 | 10/2013 | Collazo          | 2005/0149042 A1 | 7/2005  | Metzger            |
| D694,884 S   | 12/2013 | Mooradian et al. | 2005/0228389 A1 | 10/2005 | Stiernborg         |
| D695,402 S   | 12/2013 | Dacosta et al.   | 2005/0251147 A1 | 11/2005 | Novak              |
| 8,652,142 B2 | 2/2014  | Geissler         | 2005/0267482 A1 | 12/2005 | Hyde, Jr.          |
| 8,657,820 B2 | 2/2014  | Kubiak et al.    | 2005/0273112 A1 | 12/2005 | McNamara           |
| D701,303 S   | 3/2014  | Cook             | 2006/0036257 A1 | 2/2006  | Steffensmeier      |
| 8,672,945 B2 | 3/2014  | Lavallee et al.  | 2006/0129163 A1 | 6/2006  | McGuire            |
| 8,696,716 B2 | 4/2014  | Kartalian et al. | 2006/0206044 A1 | 9/2006  | Simon              |
| 8,702,715 B2 | 4/2014  | Ammann et al.    | 2006/0217733 A1 | 9/2006  | Plassky et al.     |
| D705,929 S   | 5/2014  | Frey             | 2006/0229621 A1 | 10/2006 | Cadmus             |
| 8,715,363 B2 | 5/2014  | Ratron et al.    | 2006/0241607 A1 | 10/2006 | Myerson et al.     |
| 8,728,084 B2 | 5/2014  | Berelsman et al. | 2006/0241608 A1 | 10/2006 | Myerson et al.     |
| 8,758,354 B2 | 6/2014  | Habegger et al.  | 2006/0264961 A1 | 11/2006 | Murray-Brown       |
| 8,764,760 B2 | 7/2014  | Metzger et al.   | 2007/0010818 A1 | 1/2007  | Stone et al.       |
| 8,764,763 B2 | 7/2014  | Wong et al.      | 2007/0123857 A1 | 5/2007  | Deffenbaugh et al. |
| 8,771,279 B2 | 7/2014  | Philippon et al. | 2007/0233138 A1 | 10/2007 | Figueroa et al.    |
| 8,777,948 B2 | 7/2014  | Bernsteiner      | 2007/0265634 A1 | 11/2007 | Weinstein          |
| 8,784,427 B2 | 7/2014  | Fallin et al.    | 2007/0276383 A1 | 11/2007 | Rayhack            |
| 8,784,457 B2 | 7/2014  | Graham           | 2008/0009863 A1 | 1/2008  | Bond et al.        |
| 8,795,286 B2 | 8/2014  | Sand et al.      | 2008/0015603 A1 | 1/2008  | Collazo            |
| 8,801,727 B2 | 8/2014  | Chan et al.      | 2008/0039850 A1 | 2/2008  | Rowley et al.      |
| 8,808,303 B2 | 8/2014  | Stemniski et al. | 2008/0091197 A1 | 4/2008  | Coughlin           |
| 8,828,012 B2 | 9/2014  | May et al.       | 2008/0140081 A1 | 6/2008  | Heavener et al.    |
| 8,858,602 B2 | 10/2014 | Weiner et al.    | 2008/0147073 A1 | 6/2008  | Ammann et al.      |
| 8,882,778 B2 | 11/2014 | Ranft            | 2008/0172054 A1 | 7/2008  | Claypool et al.    |
| 8,882,816 B2 | 11/2014 | Kartalian et al. | 2008/0195215 A1 | 8/2008  | Morton             |
| 8,888,785 B2 | 11/2014 | Ammann et al.    | 2008/0208252 A1 | 8/2008  | Holmes             |
|              |         |                  | 2008/0262500 A1 | 10/2008 | Collazo            |
|              |         |                  | 2008/0269908 A1 | 10/2008 | Warburton          |
|              |         |                  | 2008/0288004 A1 | 11/2008 | Schendel           |
|              |         |                  | 2009/0036893 A1 | 2/2009  | Kartalian et al.   |

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2009/0036931 A1 2/2009 Pech et al.  
 2009/0054899 A1 2/2009 Ammann et al.  
 2009/0093849 A1 4/2009 Grabowski  
 2009/0105767 A1 4/2009 Reiley  
 2009/0112212 A1 4/2009 Murray et al.  
 2009/0118733 A1 5/2009 Orsak et al.  
 2009/0198244 A1 8/2009 Leibel  
 2009/0198279 A1 8/2009 Zhang et al.  
 2009/0222047 A1 9/2009 Graham  
 2009/0254092 A1 10/2009 Albiol Llorach  
 2009/0254126 A1 10/2009 Orbay et al.  
 2009/0287309 A1 11/2009 Walch et al.  
 2010/0069910 A1 3/2010 Hasselman  
 2010/0121334 A1 5/2010 Couture et al.  
 2010/0130981 A1 5/2010 Richards  
 2010/0152782 A1 6/2010 Stone et al.  
 2010/0168799 A1 7/2010 Schumer  
 2010/0185245 A1 7/2010 Paul et al.  
 2010/0249779 A1 9/2010 Hotchkiss et al.  
 2010/0256687 A1 10/2010 Neufeld et al.  
 2010/0318088 A1 12/2010 Warne et al.  
 2010/0324556 A1 12/2010 Tyber et al.  
 2011/0009865 A1 1/2011 Orfaly  
 2011/0093084 A1 4/2011 Morton  
 2011/0118739 A1 5/2011 Tyber et al.  
 2011/0178524 A1 7/2011 Lawrence et al.  
 2011/0245835 A1 10/2011 Dodds et al.  
 2011/0264149 A1 10/2011 Pappalardo et al.  
 2011/0288550 A1 11/2011 Orbay et al.  
 2011/0301648 A1 12/2011 Lofthouse et al.  
 2012/0016426 A1 1/2012 Robinson  
 2012/0065689 A1 3/2012 Prasad et al.  
 2012/0078258 A1 3/2012 Lo et al.  
 2012/0123420 A1 5/2012 Honiball  
 2012/0123484 A1 5/2012 Lietz et al.  
 2012/0130376 A1 5/2012 Loring et al.  
 2012/0130382 A1 5/2012 Tannotti et al.  
 2012/0130383 A1 5/2012 Budoff  
 2012/0184961 A1 7/2012 Johannaber  
 2012/0185056 A1 7/2012 Warburton  
 2012/0191199 A1 7/2012 Raemisch  
 2012/0239045 A1 9/2012 Li  
 2012/0253350 A1 10/2012 Anthony et al.  
 2012/0265301 A1 10/2012 Demers et al.  
 2012/0277745 A1 11/2012 Lizee  
 2012/0303033 A1 11/2012 Weiner et al.  
 2012/0330135 A1 12/2012 Millahn et al.  
 2013/0012949 A1 1/2013 Fallin et al.  
 2013/0035694 A1 2/2013 Grimm et al.  
 2013/0085499 A1 4/2013 Lian  
 2013/0085502 A1 4/2013 Harrold  
 2013/0096563 A1 4/2013 Meade et al.  
 2013/0131821 A1 5/2013 Cachia  
 2013/0150900 A1 6/2013 Haddad et al.  
 2013/0150903 A1 6/2013 Vincent  
 2013/0158556 A1 6/2013 Jones et al.  
 2013/0165936 A1 6/2013 Myers  
 2013/0165938 A1 6/2013 Chow et al.  
 2013/0172942 A1 7/2013 Lewis et al.  
 2013/0184714 A1 7/2013 Kaneyama et al.  
 2013/0190765 A1 7/2013 Harris et al.  
 2013/0190766 A1 7/2013 Harris et al.  
 2013/0204259 A1 8/2013 Zajac  
 2013/0226248 A1 8/2013 Hatch et al.  
 2013/0226252 A1 8/2013 Mayer  
 2013/0231668 A1 9/2013 Olsen et al.  
 2013/0237987 A1 9/2013 Graham  
 2013/0237989 A1 9/2013 Bonutti  
 2013/0267956 A1 10/2013 Terrill et al.  
 2013/0310836 A1 11/2013 Raub et al.  
 2013/0325019 A1 12/2013 Thomas et al.  
 2013/0325076 A1 12/2013 Palmer et al.  
 2013/0331845 A1 12/2013 Horan et al.  
 2013/0338785 A1 12/2013 Wong  
 2014/0005672 A1 1/2014 Edwards et al.

2014/0025127 A1 1/2014 Richter  
 2014/0039501 A1 2/2014 Schickendantz et al.  
 2014/0039561 A1 2/2014 Weiner et al.  
 2014/0046387 A1 2/2014 Waizenegger  
 2014/0074099 A1 3/2014 Vigneron et al.  
 2014/0074101 A1 3/2014 Collazo  
 2014/0094861 A1 4/2014 Fallin  
 2014/0094924 A1 4/2014 Hacking et al.  
 2014/0135775 A1 5/2014 Maxson et al.  
 2014/0163563 A1 6/2014 Reynolds et al.  
 2014/0171953 A1 6/2014 Gonzalez et al.  
 2014/0180342 A1 6/2014 Lowery et al.  
 2014/0188139 A1 7/2014 Fallin et al.  
 2014/0194884 A1 7/2014 Martin et al.  
 2014/0194999 A1 7/2014 Orbay et al.  
 2014/0207144 A1 7/2014 Lee et al.  
 2014/0249537 A1 9/2014 Wong et al.  
 2014/0257308 A1 9/2014 Johannaber  
 2014/0257509 A1 9/2014 Dacosta et al.  
 2014/0276815 A1 9/2014 Riccione  
 2014/0276853 A1 9/2014 Long et al.  
 2014/0277176 A1 9/2014 Buchanan et al.  
 2014/0277214 A1 9/2014 Helenbolt et al.  
 2014/0288562 A1 9/2014 Von Zubern et al.  
 2014/0296995 A1 10/2014 Reiley et al.  
 2014/0303621 A1 10/2014 Gerold et al.  
 2014/0336658 A1 11/2014 Luna et al.  
 2014/0343555 A1 11/2014 Russi et al.  
 2014/0350561 A1 11/2014 Dacosta et al.  
 2015/0032168 A1 1/2015 Orsak et al.  
 2015/0045801 A1 2/2015 Axelson, Jr. et al.  
 2015/0045839 A1 2/2015 Dacosta et al.  
 2015/0051650 A1 2/2015 Verstrecken et al.  
 2015/0057667 A1 2/2015 Ammann et al.  
 2015/0066094 A1 3/2015 Prandi et al.  
 2015/0112446 A1 4/2015 Melamed et al.  
 2015/0119944 A1 4/2015 Geldwert  
 2015/0142064 A1 5/2015 Perez et al.  
 2015/0150608 A1 6/2015 Sammarco  
 2015/0182273 A1 7/2015 Steniski et al.  
 2015/0223851 A1 8/2015 Hill et al.  
 2015/0245858 A1 9/2015 Weiner et al.  
 2016/0015426 A1 1/2016 Dayton  
 2016/0022315 A1 1/2016 Soffiatti et al.  
 2016/0135858 A1 5/2016 Dacosta et al.  
 2016/0151165 A1 6/2016 Fallin et al.  
 2016/0175089 A1 6/2016 Fallin et al.  
 2016/0192950 A1 7/2016 Dayton et al.  
 2016/0199076 A1 7/2016 Fallin et al.  
 2016/0213384 A1 7/2016 Fallin et al.  
 2016/0235414 A1 8/2016 Hatch et al.  
 2016/0242791 A1 8/2016 Fallin et al.  
 2016/0256204 A1 9/2016 Patel et al.  
 2016/0324532 A1 11/2016 Montoya et al.  
 2016/0354127 A1 12/2016 Lundquist et al.  
 2017/0042598 A1 2/2017 Santrock et al.  
 2017/0042599 A1 2/2017 Bays et al.  
 2017/0056031 A1 3/2017 Awtrey et al.  
 2017/0079669 A1 3/2017 Bays et al.  
 2017/0143511 A1 5/2017 Cachia  
 2017/0164989 A1 6/2017 Weiner et al.  
 2018/0132868 A1 5/2018 Dacosta et al.  
 2018/0344334 A1 12/2018 Kim et al.

## FOREIGN PATENT DOCUMENTS

CA 2854997 A1 5/2013  
 CH 695846 A5 9/2006  
 CN 2930668 Y 8/2007  
 CN 201558162 U 8/2010  
 CN 201572172 U 9/2010  
 CN 201586060 U 9/2010  
 CN 201912210 U 8/2011  
 CN 101237835 B 11/2012  
 CN 202801773 U 3/2013  
 CN 103462675 A 12/2013  
 CN 103505276 A 1/2014  
 CN 203458450 U 3/2014  
 CN 103735306 A 4/2014

(56)

## References Cited

## FOREIGN PATENT DOCUMENTS

|    |                 |    |         |
|----|-----------------|----|---------|
| CN | 102860860       | B  | 5/2014  |
| CN | 203576647       | U  | 5/2014  |
| CN | 104490460       | A  | 4/2015  |
| CN | 104510523       | A  | 4/2015  |
| CN | 104523327       | A  | 4/2015  |
| CN | 104546102       | A  | 4/2015  |
| CN | 204379413       | U  | 6/2015  |
| CN | 204410951       | U  | 6/2015  |
| CN | 204428143       | U  | 7/2015  |
| CN | 204428144       | U  | 7/2015  |
| CN | 204428145       | U  | 7/2015  |
| CN | 204446081       | U  | 7/2015  |
| DE | 202006010241    | U1 | 3/2007  |
| DE | 102007053058    | B3 | 4/2009  |
| EP | 685206          | B1 | 9/2000  |
| EP | 1508316         | B1 | 5/2007  |
| EP | 1897509         | B1 | 7/2009  |
| EP | 2124772         | A1 | 12/2009 |
| EP | 2124832         | B1 | 8/2012  |
| EP | 2632349         | A1 | 9/2013  |
| EP | 2665428         | A1 | 11/2013 |
| EP | 2742878         | A1 | 6/2014  |
| EP | 2750617         | A1 | 7/2014  |
| EP | 2849684         | A1 | 3/2015  |
| EP | 2624764         | B1 | 12/2015 |
| EP | 3023068         | A2 | 5/2016  |
| FR | 2362616         | A1 | 3/1978  |
| FR | 2764183         | B1 | 11/1999 |
| FR | 2953120         | B1 | 1/2012  |
| FR | 3030221         | A1 | 6/2016  |
| GB | 2154143         | A  | 9/1985  |
| GB | 2154144         | A  | 9/1985  |
| GB | 2334214         | B  | 1/2003  |
| IN | 200903719       | P1 | 6/2009  |
| IN | 200904479       | P2 | 5/2010  |
| IN | 140/DELNP/2012  | P1 | 2/2013  |
| IN | 2004/KOLNP/2013 | P2 | 11/2013 |
| JP | S635739         | A  | 1/1988  |
| JP | H0531116        | A  | 2/1993  |
| JP | 2004174265      | A  | 6/2004  |
| JP | 2006158972      | A  | 6/2006  |
| JP | 4134243         | B2 | 8/2008  |
| JP | 2008537498      | A  | 9/2008  |
| JP | 4162380         | B2 | 10/2008 |
| JP | 2011092405      | A  | 5/2011  |
| JP | 2011523889      | A  | 8/2011  |
| JP | 4796943         | B2 | 10/2011 |
| JP | 5466647         | B2 | 4/2014  |
| JP | 2014511207      | A  | 5/2014  |
| JP | 2014521384      | A  | 8/2014  |
| JP | 5628875         | B2 | 11/2014 |
| KR | 100904142       | B1 | 6/2009  |
| MD | 756             | Z  | 11/2014 |
| RU | 2098036         | C1 | 12/1997 |
| RU | 2195892         | C2 | 1/2003  |
| RU | 2320287         | C1 | 3/2008  |
| RU | 2321366         | C2 | 4/2008  |
| RU | 2321369         | C1 | 4/2008  |
| RU | 2346663         | C2 | 2/2009  |
| RU | 2412662         | C1 | 2/2011  |
| SU | 1333328         | A2 | 8/1987  |
| WO | 0166022         | A1 | 9/2001  |
| WO | 03075775        | A1 | 9/2003  |
| WO | 2004089227      | A2 | 10/2004 |
| WO | 2008051064      | A1 | 5/2008  |
| WO | 2009029798      | A1 | 3/2009  |
| WO | 2009032101      | A2 | 3/2009  |
| WO | 2011037885      | A1 | 3/2011  |
| WO | 2012029008      | A1 | 3/2012  |
| WO | 2013090392      | A1 | 6/2013  |
| WO | 2013134387      | A1 | 9/2013  |
| WO | 2013169475      | A1 | 11/2013 |
| WO | 2014020561      | A1 | 2/2014  |
| WO | 2014022055      | A1 | 2/2014  |
| WO | 2014035991      | A1 | 3/2014  |

|    |            |    |         |
|----|------------|----|---------|
| WO | 2014085882 | A1 | 6/2014  |
| WO | 2014147099 | A1 | 9/2014  |
| WO | 2014152219 | A2 | 9/2014  |
| WO | 2014152535 | A1 | 9/2014  |
| WO | 2014177783 | A1 | 11/2014 |
| WO | 2014200017 | A1 | 12/2014 |
| WO | 2015094409 | A1 | 6/2015  |
| WO | 2015105880 | A1 | 7/2015  |
| WO | 2015127515 | A2 | 9/2015  |
| WO | 2016134160 | A1 | 8/2016  |

## OTHER PUBLICATIONS

Prior Art Publications, Exhibit A of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 3 pages.

Claim Chart for Fishco, "Making the Lapidus Easy," The Podiatry Institute (Apr. 2014), Exhibit B1 of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 97 pages.

Claim Chart for Fishco, "A Straightforward Guide to the Lapidus Bunionectomy," HMP Global (Sep. 6, 2013), Exhibit B2 of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 67 pages.

Claim Chart for Groves, "Functional Position Joint Sectioning: Pre-Load Method for Lapidus Arthrodesis," Update 2015: Proceedings of the Annual Meeting of the Podiatry Institute, Chpt. 6, pp. 23-29 (Apr. 2015), Exhibit B3 of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 151 pages.

Claim Chart for Mote, "First Metatarsal-Cuneiform Arthrodesis for the Treatment of First Ray Pathology: A Technical Guide," The Journal Foot & Ankle Surgery (Sep. 1, 2009), Exhibit B5 of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 21 pages.

Claim Chart for U.S. Pat. No. 10,376,268 to Fallin et al., entitled "Indexed Tri-Planar Osteotomy Guide and Method," issued Aug. 13, 2019, Exhibit B6 of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 155 pages.

Claim Chart for U.S. Pat. No. 8,282,645 to Lawrence et al., entitled "Metatarsal Bone Implant Cutting Guide," issued Jan. 18, 2010, Exhibit B7 of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 76 pages.

Claim Chart for U.S. Pat. No. 9,452,057 to Dacosta et al., entitled "Bone Implants and Cutting Apparatuses and Methods," issued Apr. 8, 2011, Exhibit B8 of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 110 pages.

Obviousness Chart, Exhibit C of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 153 pages.

"Foot and Ankle Instrument Set," Smith & Nephew, 2013, 2 pages.

"Lapidus Pearls: Gaining Joint Exposure to Decrease Non-Union," Youtube, Retrieved online from <<https://www.youtube.com/watch?v=-jqJyE7pj-Y>>, dated Nov. 2, 2009, 3 pages.

"Reconstructive Surgery of the Foot & Ankle," The Podiatry Institute, Update 2015, Conference Program, May 2015, 28 pages.

"Speed Continuous Active Compression Implant," BioMedical Enterprises, Inc., A120-029 Rev. 3, 2013, 4 pages.

"Visionaire: Patient Matched Cutting Blocks Surgical Procedure," Smith & Nephew, Inc., 2009, 2 pages.

Arthrex, "Comprehensive Foot System," Retrieved online from <[https://www.arthrex.com/resources/animation/8U3iaPvY6kO8bwFAwZF50Q/comprehensive-foot-system?referringTeam=foot\\_and\\_ankle](https://www.arthrex.com/resources/animation/8U3iaPvY6kO8bwFAwZF50Q/comprehensive-foot-system?referringTeam=foot_and_ankle)>, dated Aug. 27, 2013, 3 pages.

Baravarian, "Why the Lapidus Procedure is Ideal for Bunions," Podiatry Today, Retrieved online from <<https://www.hmpglobal-learnhmpglobal.com/site/podipodi/article/5542>>, dated May 2006, 8 pages.

(56)

**References Cited****OTHER PUBLICATIONS**

- Bauer et al., "Offset-V Osteotomy of the First Metatarsal Shaft in Hallux Abducto Valgus," *McGlamry's Comprehensive Textbook of Foot and Ankle Surgery*, Fourth Edition, vol. 1, Chapter 29, 2013, 26 pages.
- Cottom, "Fixation of the Lapidus Arthrodesis with a Plantar Interfragmentary Screw and Medial Low Profile Locking Plate," *The Journal of Foot & Ankle Surgery*, vol. 51, 2012, pp. 517-522.
- Coughlin, "Fixation of the Lapidus Arthrodesis with a Plantar Interfragmentary Screw and Medial Low Profile Locking Plate," *Orthopaedics and Traumatology*, vol. 7, 1999, pp. 133-143.
- Dayton et al., "Observed Changes in Radiographic Measurements of the First Ray after Frontal Plane Rotation of the First Metatarsal in a Cadaveric Foot Model," *The Journal of Foot & Ankle Surgery*, vol. 53, 2014, pp. 274-278.
- Dayton et al., "Relationship of Frontal Plane Rotation of First Metatarsal to Proximal Articular Set Angle and Hallux Alignment in Patients Undergoing Tarsometatarsal Arthrodesis for Hallux Abducto Valgus: A Case Series and Critical Review of the Literature," *The Journal of Foot & Ankle Surgery*, 2013, Article in Press, Mar. 1, 2013, 7 pages.
- Didomenico et al., "Lapidus Bunionectomy: First Metatarsal-Cuneiform Arthrodesis," *McGlamry's Comprehensive Textbook of Foot and Ankle Surgery*, Fourth Edition, vol. 1, Chapter 31, 2013, 24 pages.
- Fallin et al., US Provisional Application Entitled Indexed Tri-Planar Osteotomy Guide and Method, U.S. Appl. No. 62/118,378, filed Feb. 19, 2015, 62 pages.
- Fishco, "A Straightforward Guide To The Lapidus Bunionectomy," *Podiatry Today*, Retrieved online from <<https://www.hmpglobal-learningnetwork.com/site/podiatry/blogged/straightforward-guide-lapidus-bunionectomy>>, dated Sep. 6, 2013, 5 pages.
- Fishco, "Making the Lapidus Easy," *The Podiatry Institute*, Update 2014, Chapter 14, 2014, pp. 91-93.
- Fleming et al., "Results of Modified Lapidus Arthrodesis Procedure Using Medial Eminence as an Interpositional Autograft," *The Journal of Foot & Ankle Surgery*, vol. 50, 2011, pp. 272-275.
- Fuhrmann, "Arthrodesis of the First Tarsometatarsal Joint for Correction of the Advanced Splayfoot Accompanied by a Hallux Valgus," *Operative Orthopaedie und Traumatologie*, No. 2, 2005, pp. 195-210.
- Gerard et al., "The Modified Lapidus Procedure," *Orthopedics*, vol. 31, No. 3, Mar. 2008, 7 pages.
- Giannoudis et al., "Hallux Valgus Correction," *Practical Procedures in Elective Orthopaedic Surgery, Pelvis and Lower Extremity*, Chapter 38, 2012, 22 pages.
- Greiner, "The Jargon of Pedal Movements," *Foot & Ankle International*, vol. 28, No. 1, Jan. 2007, pp. 109-125.
- Groves, "Functional Position Joint Sectioning: Pre-Load Method for Lapidus Arthrodesis," *The Podiatry Institute*, Update 2015, Chapter 6, 2015, pp. 23-29.
- Hardy et al., "Observations on Hallux Valgus," *The Journal of Bone and Joint Surgery*, vol. 33B, No. 3, Aug. 1951, pp. 376-391.
- Holmes, Jr., "Correction of the Intermetatarsal Angle Component of Hallux Valgus Using Fiberwire-Attached Endo-buttons," *Revista Internacional de Ciencias Podologicas*, vol. 6, No. 2, 2012, pp. 73-79.
- Integra, "Integra Large Qwix Positioning and Fixation Screw, Surgical Technique," 2012, 16 pages.
- Kilmartin et al., "Combined rotation scarf and Akin osteotomies for hallux valgus: a patient focused 9 year follow up of 50 patients," *Journal of Foot and Ankle Research*, vol. 3, No. 2, 2010, 12 pages.
- Lee et al., "Technique Tip: Lateral Soft-Tissue Release for Correction of Hallux Valgus Through a Medial Incision Using a Dorsal Flap Over the First Metatarsal," *Foot & Ankle International*, vol. 28, No. 8, Aug. 2007, pp. 949-951.
- Mote et al., "First Metatarsal-Cuneiform Arthrodesis for the Treatment of First Ray Pathology: A Technical Guide," *JFAS Techniques Guide*, vol. 48, No. 5, Sep./Oct. 2009, pp. 593-601.
- Myerson, "Cuneiform-Metatarsal Arthrodesis," *The Foot and Ankle*, Chapter 9, 1997, pp. 107-117.
- Sammarco, "Surgical Strategies: Mau Osteotomy for Correction of Moderate and Severe Hallux Valgus Deformity," *Foot & Ankle International*, vol. 28, No. 7, Jul. 2007, pp. 857-864.
- Schon et al., "Cuneiform-Metatarsal Arthrodesis for Hallux Valgus," *The Foot and Ankle*, Second Edition, Chapter 8, 2002, pp. 99-117.
- Sokoloff, "Lapidus Procedure," *Textbook of Bunion Surgery*, Chapter 15, 1981, pp. 277-287.
- Stamatis et al., "Mini Locking Plate as "Medial Buttress" for Oblique Osteotomy for Hallux Valgus," *Foot & Ankle International*, vol. 31, No. 10, Oct. 2010, pp. 920-922.
- Stewart, "Use for BME Speed Nitinol Staple Fixation for the Lapidus Procedure," date unknown, 1 page.
- Wukich et al., "Hypermobility of the First Tarsometatarsal Joint," *Foot and Ankle Clinics*, vol. 10, No. 1, Mar. 2005, pp. 157-166.
- Dayton et al., "Biwinged Excision for Round Pedal Lesions," *The Journal of Foot and Ankle Surgery*, vol. 35, No. 3, 1996, pp. 244-249.
- Dayton et al., "Medial Incision Approach to the First Metatarsophalangeal Joint," *The Journal of Foot and Ankle Surgery*, vol. 40, No. 6, Nov./Dec. 2001, pp. 414-417.
- Dayton et al., "Reduction of the Intermetatarsal Angle after First Metatarsophalangeal Joint Arthrodesis in Patients with Moderate and Severe Metatarsus Primus Adductus," *The Journal of Foot and Ankle Surgery*, vol. 41, No. 5, Sep./Oct. 2002, pp. 316-319.
- Dayton et al., "Use of the Z Osteotomy for Tailor Bunionectomy," *The Journal of Foot and Ankle Surgery*, vol. 42, No. 3, May/Jun. 2003, pp. 167-169.
- Dayton et al., "Early Weightbearing After First Metatarsophalangeal Joint Arthrodesis: A Retrospective Observational Case Analysis," *The Journal of Foot and Ankle Surgery*, vol. 43, No. 3, May/Jun. 2004, pp. 156-159.
- Claim Chart for Groves Public Use (Mar. 26, 2014), Exhibit B4 of Defendant Fusion Orthopedics LLC's Invalidity Contentions, No. CV-22-00490-PHX-SRB, US District Court for the District of Arizona, Aug. 27, 2022, 161 pages.
- Groves, "Operative Report," St. Tammany Parish Hospital, Date of Procedure, Mar. 26, 2014, 2 pages.
- D'Amico et al., "Motion of the First Ray: Clarification Through Investigation," *Journal of the American Podiatry Association*, vol. 69, No. 1, Jan. 1979, pp. 17-23.
- Okuda et al., "Proximal Metatarsal Osteotomy for Hallux Valgus: Comparison of Outcome for Moderate and Severe Deformities," *Foot and Ankle International*, vol. 29, No. 7, Jul. 2008, pp. 664-670.
- Okuda et al., "The Shape of the Lateral Edge of the First Metatarsal Head as a Risk Factor for Recurrence of Hallux Valgus," *The Journal of Bone and Joint Surgery*, vol. 89, 2007, pp. 2163-2172.
- Mizuno et al., "Detorsion Osteotomy of the First Metatarsal Bone in Hallux Valgus," *Japanese Orthopaedic Association*, Tokyo, 1956; 30:813-819.
- Eustace et al., "Hallux valgus, first metatarsal pronation and collapse of the medial longitudinal arch—a radiological correlation," *Skeletal Radiology*, vol. 23, 1994, pp. 191-194.
- Collan et al., "The biomechanics of the first metatarsal bone in hallux valgus: A preliminary study utilizing a weight bearing extremity CT," *Foot and Ankle Surgery*, vol. 19, 2013, pp. 155-161.
- Le et al., "Tarsometatarsal Arthrodesis," *Operative Techniques in Foot and Ankle Surgery*, Section II, Chapter 40, 2011, pp. 281-285.
- Coetzee et al., "Revision Hallux Valgus Correction," *Operative Techniques in Foot and Ankle Surgery*, Section I, Chapter 15, 2011, pp. 84-96.
- Shurnas et al., "Proximal Metatarsal Opening Wedge Osteotomy," *Operative Techniques in Foot and Ankle Surgery*, Section I, Chapter 13, 2011, pp. 73-78.
- Easley et al., "What is the Best Treatment for Hallux Valgus?," *Evidence-Based Orthopaedics—The Best Answers to Clinical Questions*, Chapter 73, 2009, pp. 479-491.
- Smith et al., "Opening Wedge Osteotomies for Correction of Hallux Valgus: A Review of Wedge Plate Fixation," *Foot and Ankle Specialist*, vol. 2, No. 6, Dec. 2009, pp. 277-282.

(56)

## References Cited

## OTHER PUBLICATIONS

- Weber et al., "Use of the First Ray Splay Test to Assess Transverse Plane Instability Before First Metatarsocuneiform Fusion," *The Journal of Foot and Ankle Surgery*, vol. 45, No. 4, Jul./Aug. 2006, pp. 278-282.
- Sandhu et al., "Digital Arthrodesis With a One-Piece Memory Nitinol Intramedullary Fixation Device: A Retrospective Review," *Foot and Ankle Specialist*, vol. 6, No. 5, Oct. 2013, pp. 364-366.
- Easley et al., "Current Concepts Review: Hallux Valgus Part I: Pathomechanics, Clinical Assessment, and Nonoperative Management," *Foot and Ankle International*, vol. 28, No. 5, May 2007, pp. 654-659.
- Rodriguez et al., "Ilizarov method of fixation for the management of pilon and distal tibial fractures in the compromised diabetic patient: A technique guide," *The Foot and Ankle Journal Online*, vol. 7, No. 2, 2014, 9 pages.
- Feilmeier et al., "Incidence of Surgical Site Infection in the Foot and Ankle with Early Exposure and Showering of Surgical Sites: A Prospective Observation," *The Journal of Foot and Ankle Surgery*, vol. 53, 2014, pp. 173-175.
- Catanese et al., "Measuring Sesamoid Position in Hallux Valgus: When Is the Sesamoid Axial View Necessary," *Foot and Ankle Specialist*, 2014, 3 pages.
- Dayton et al., "Comparison of Complications for Internal and External Fixation for Charcot Reconstruction: A Systematic Review," *The Journal of Foot and Ankle Surgery*, Article in Press, 2015, 4 pages.
- Dayton et al., "A new triplanar paradigm for bunion management," *Lower Extremity Review*, Apr. 2015, 9 pages.
- Dayton et al., "American College of Foot and Ankle Surgeons' Clinical Consensus Statement: Perioperative Prophylactic Antibiotic Use in Clean Elective Foot Surgery," *The Journal of Foot and Ankle Surgery*, Article in Press, 2015, 7 pages.
- Dayton et al., "Complications of Metatarsal Suture Techniques for Bunion Correction: A Systematic Review of the Literature," *The Journal of Foot and Ankle Surgery*, Article in Press, 2015, 3 pages.
- DeCarbo et al., "The Weil Osteotomy: A Refresher," *Techniques in Foot and Ankle Surgery*, vol. 13, No. 4, Dec. 2014, pp. 191-198.
- DeCarbo et al., "Resurfacing Interpositional Arthroplasty for Degenerative Joint Disease of the First Metatarsalphalangeal Joint," *Podiatry Management*, Jan. 2013, pp. 137-142.
- DeCarbo et al., "Locking Plates: Do They Prevent Complications?," *Podiatry Today*, Apr. 2014, 7 pages.
- Easley et al., "Current Concepts Review: Hallux Valgus Part II: Operative Treatment," *Foot and Ankle International*, vol. 28, No. 6, Jun. 2007, pp. 748-758.
- Kim et al., "A Multicenter Retrospective Review of Outcomes for Arthrodesis, Hemi-Metallic Joint Implant, and Resectional Arthroplasty in the Surgical Treatment of End-Stage Hallux Rigidus," *The Journal of Foot and Ankle Surgery*, vol. 51, 2012, pp. 50-56.
- "Accu-Cut Osteotomy Guide System," BioPro, Brochure, Oct. 2018, 2 pages.
- "Acumed Osteotomiesystem Operationstechnik," Acumed, 2014, 19 pages (including 3 pages English translation).
- Albano et al., "Biomechanical Study of Transcortical or Transtrabecular Bone Fixation of Patellar Tendon Graft with Bioabsorbable Pins in ACL Reconstruction in Sheep," *Revista Brasileira de Ortopedia (Rev Bras Ortop.)* vol. 47, No. 1, 2012, pp. 43-49.
- Alvine et al., "Peg and Dowel Fusion of the Proximal Interphalangeal Joint," *Foot & Ankle*, vol. 1, No. 2, 1980, pp. 90-94.
- Anderson et al., "Uncemented STAR Total Ankle Prostheses," *The Journal of Bone and Joint Surgery*, vol. 86(1, Suppl 2), Sep. 2004, pp. 103-111, (Abstract Only).
- Bednarz et al., "Modified Lapidus Procedure for the Treatment of Hypermobile Hallux Valgus," *Foot & Ankle International*, vol. 21, No. 10, Oct. 2000, pp. 816-821.
- Blomer, "Knieendoprothetik - Herstellerische Probleme und technologische Entwicklungen," *Orthopade*, vol. 29, 2000, pp. 688-696, including English Abstract on p. 689.
- Bouaicha et al., "Fixation of Maximal Shift Scarf Osteotomy with Inside-Out Plating: Technique Tip," *Foot & Ankle International*, vol. 32, No. 5, May 2011, pp. 567-569.
- Carr et al., "Correctional Osteotomy for Metatarsus Primus Varus and Hallux Valgus," *The Journal of Bone and Joint Surgery*, vol. 50-A, No. 7, Oct. 1968, pp. 1353-1367.
- Coetzee et al., "The Lapidus Procedure: A Prospective Cohort Outcome Study," *Foot & Ankle International*, vol. 25, No. 8, Aug. 2004, pp. 526-531.
- Dayton et al., "Is Our Current Paradigm for Evaluation and Management of the Bunion Deformity Flawed? A Discussion of Procedure Philosophy Relative to Anatomy," *The Journal of Foot and Ankle Surgery*, vol. 54, 2015, pp. 102-111.
- Dayton et al., "Observed Changes in Radiographic Measurements of the First Ray after Frontal and Transverse Plane Rotation of the Hallux: Does the Hallux Drive the Metatarsal in a Bunion Deformity?," *The Journal of Foot and Ankle Surgery*, vol. 53, 2014, pp. 584-587.
- Dayton et al., "Relationship of Frontal Plane Rotation of First Metatarsal to Proximal Articular Set Angle and Hallux Alignment in Patients Undergoing Tarsometatarsal Arthrodesis for Hallux Abducto Valgus: A Case Series and Critical Review of the Literature," *The Journal of Foot and Ankle Surgery*, vol. 52, No. 3, May/Jun. 2013, pp. 348-354.
- Dayton et al., "Quantitative Analysis of the Degree of Frontal Rotation Required to Anatomically Align the First Metatarsal Phalangeal Joint During Modified Tarsal-Metatarsal Arthrodesis Without Capsular Balancing," *The Journal of Foot and Ankle Surgery*, 2015, pp. 1-6.
- De Geer et al., "A New Measure of Tibial Sesamoid Position in Hallux Valgus in Relation to the Coronal Rotation of the First Metatarsal in CT Scans," *Foot and Ankle International*, Mar. 26, 2015, 9 pages.
- Didomenico et al., "Correction of Frontal Plane Rotation of Sesamoid Apparatus during the Lapidus Procedure: A Novel Approach," *The Journal of Foot and Ankle Surgery*, vol. 53, 2014, pp. 248-251.
- Dobbe et al., "Patient-Tailored Plate for Bone Fixation and Accurate 3D Positioning in Corrective Osteotomy," *Medical and Biological Engineering and Computing*, vol. 51, No. 1-2, Feb. 2013, pp. 19-27, (Abstract Only).
- Doty et al., "Hallux valgus and hypermobility of the first ray: facts and fiction," *International Orthopaedics*, vol. 37, 2013, pp. 1655-1660.
- EBI Extra Small Rail Fixator, Biomet Trauma, retrieved Dec. 19, 2014, from the Internet: <<http://footandanklefixation.com/product/biomet-trauma-ebi-extra-small-rail-fixator>>, 7 pages.
- European Patent Application No. 16837611.9, Extended European Search Report dated Apr. 11, 2019, 8 pages.
- "Futura Forefoot Implant Arthroplasty Products," Tornier, Inc., 2008, 14 pages.
- Galli et al., "Enhanced Lapidus Arthrodesis: Crossed Screw Technique With Middle Cuneiform Fixation Further Reduces Sagittal Mobility," *The Journal of Foot & Ankle Surgery*, vol. 54, vol. 3, May/Jun. 2015, published online: Nov. 21, 2014, pp. 437-440.
- Garthwait, "Accu-Cut System Facilitates Enhanced Precision," *Podiatry Today*, vol. 18, No. 6, Jun. 2005, 6 pages.
- Gonzalez Del Pino et al., "Variable Angle Locking Intercarpal Fusion System for Four-Corner Arthrodesis: Indications and Surgical Technique," *Journal of Wrist Surgery*, vol. 1, No. 1, Aug. 2012, pp. 73-78.
- Gotte, "Entwicklung eines Assistenzrobotersystems für die Knieendoprothetik," *Forschungsberichte, Technische Universität München*, 165, 2002, 11 pages, including partial English Translation.
- Gregg et al., "Plantar plate repair and Weil osteotomy for metatarsophalangeal joint instability," *Foot and Ankle Surgery*, vol. 13, 2007, pp. 116-121.
- Grondal et al., "A Guide Plate for Accurate Positioning of First Metatarsalphalangeal Joint during Fusion," *Operative Orthopädie Und Traumatologie*, vol. 16, No. 2, 2004, pp. 167-178 (Abstract Only).
- "Hat-Trick Lesser Toe Repair System," Smith & Nephew, Brochure, Aug. 2014, 12 pages.

(56)

**References Cited****OTHER PUBLICATIONS**

"Hat-Trick Lesser Toe Repair System, Foot and Ankle Technique Guide, Metatarsal Shortening Osteotomy Surgical Technique," Smith & Nephew, 2014, 16 pages.

Hetherington et al., "Evaluation of surgical experience and the use of an osteotomy guide on the apical angle of an Austin osteotomy," *The Foot*, vol. 18, 2008, pp. 159-164.

Hirao et al., "Computer assisted planning and custom-made surgical guide for malunited pronation deformity after first metatarsophalangeal joint arthrodesis in rheumatoid arthritis: A case report," *Computer Aided Surgery*, vol. 19, Nos. 1-3, 2014, pp. 13-19.

"Hoffmann II Compact External Fixation System," Stryker, Brochure, Literature No. 5075-1-500, 2006, 12 pages.

"Hoffmann II Micro Lengthener," Stryker, Operative Technique, Literature No. 5075-2-002, 2008, 12 pages.

"Hoffmann Small System External Fixator Orthopedic Instruments," Stryker, retrieved Dec. 19, 2014, from the Internet: <[http://www.alibaba.com/product-detail/Stryker-Hoffmann-Small-System-External-Fixator\\_1438850129.html](http://www.alibaba.com/product-detail/Stryker-Hoffmann-Small-System-External-Fixator_1438850129.html)>, 3 pages.

International Patent Application No. PCT/US2016/046892, International Search Report and Written Opinion mailed Dec. 28, 2016, 18 pages.

Kim et al., "A New Measure of Tibial Sesamoid Position in Hallux valgus in Relation to the Coronal Rotation of the First Metatarsal in CT Scans," *Foot and Ankle International*, vol. 36, No. 8, 2015, pp. 944-952.

"Lag Screw Target Bow," Stryker Leibinger GmbH & Co. KG, Germany 2004, 8 pages.

Lapidus, "The Author's Bunion Operation From 1931 to 1959," *Clinical Orthopaedics*, vol. 16, 1960, pp. 119-135.

Lieske et al., "Implantation einer Sprunggelenktotalendo-prothese vom Typ Salto 2," *Operative Orthopädie und Traumatologie*, vol. 26, No. 4, 2014, pp. 401-413, including English Abstract on p. 403.

MAC (Multi Axial Correction) Fixation System, Biomet Trauma, retrieved Dec. 19, 2014, from the Internet: <<http://footandanklefixation.com/product/biomet-trauma-mac-multi-axial-correction-fixation-system>>, 7 pages.

Magin, "Computernavigierter Gelenkersatz am Knie mit dem Orthopilot," *Operative Orthopädie und Traumatologie*, vol. 22, No. 1, 2010, pp. 63-80, including English Abstract on p. 64.

Magin, "Die belastungsstabile Lapidus-Arthrodesese bei Hallux-valgus-Deformität mittels IVP-Plattenfixateur (V-TEK-System)," *Operative Orthopädie und Traumatologie*, vol. 26, No. 2, 2014, pp. 184-195, including English Abstract on p. 186.

Michelangelo Bunion System, Surgical Technique, Instratek Incorporated, publication date unknown, 4 pages.

Mini Joint Distractor, Arthrex, retrieved Dec. 19, 2014, from the Internet: <<http://www.arthrex.com/foot-ankle/mini-joint-distractor/products>>, 2 pages.

MiniRail System, Small Bone Innovations, Surgical Technique, 2010, 24 pages.

Miyake et al., "Three-Dimensional Corrective Osteotomy for Malunited Diaphyseal Forearm Fractures Using Custom-Made Surgical Guides Based on Computer Simulation," *JBJS Essential Surgical Techniques*, vol. 2, No. 4, 2012, 11 pages.

Modular Rail System: External Fixator, Smith & Nephew, Surgical Technique, 2013, 44 pages.

Monnich et al., "A Hand Guided Robotic Planning System for Laser Osteotomy in Surgery," *World Congress on Medical Physics and Biomedical Engineering* vol. 25/6: Surgery, Minimal Invasive Interventions, Endoscopy and Image Guided Therapy, Sep. 7-12, 2009, pp. 59-62, (Abstract Only).

Moore et al., "Effect of Ankle Flexion Angle on Axial Alignment of Total Ankle Replacement," *Foot and Ankle International*, vol. 31, No. 12, Dec. 2010, pp. 1093-1098, (Abstract Only).

Mortier et al., "Axial Rotation of the First Metatarsal Head in a Normal Population and Hallux Valgus Patients," *Orthopaedics and Traumatology: Surgery and Research*, vol. 98, 2012, pp. 677-683.

Nagy et al., "The AO Ulnar Shortening Osteotomy System Indications and Surgical Technique," *Journal of Wrist Surgery*, vol. 3, No. 2, 2014, pp. 91-97.

NexFix from Nexa Orthopedics, MetaFix I from Merete Medical, Inc. and The BioPro Lower Extremities from BioPro, found in *Foot & Ankle International*, vol. 28, No. 1, Jan. 2007, 4 pages.

Odenbring et al., "A guide instrument for high tibial osteotomy," *Acta Orthopaedica Scandinavica*, vol. 60, No. 4, 1989, pp. 449-451.

Okuda et al., "Postoperative Incomplete Reduction of the Sesamoids as a Risk Factor for Recurrence of Hallux Valgus," *The Journal of Bone and Joint Surgery*, vol. 91-A, No. 1, Jul. 2009, pp. 1637-1645.

Osher et al., "Accurate Determination of Relative Metatarsal Protrusion with a Small Intermetatarsal Angle: A Novel Simplified Method," *The Journal of Foot & Ankle Surgery*, vol. 53, No. 5, Sep./Oct. 2014, published online: Jun. 3, 2014, pp. 548-556.

Otsuki et al., "Developing a novel custom cutting guide for curved per-acetabular osteotomy," *International Orthopaedics (SICOT)*, vol. 37, 2013, pp. 1033-1038.

Patel et al., "Modified Lapidus Arthrodesis: Rate of Nonunion in 227 Cases," *The Journal of Foot & Ankle Surgery*, vol. 43, No. 1, Jan./Feb. 2004, pp. 37-42.

"Patient to Patient Precision, Accu-Cut, Osteotomy Guide System," BioPro, *Foot & Ankle International*, vol. 23, No. 8, Aug. 2002, 2 pages.

Peters et al., "Flexor Hallucis Longus Tendon Laceration as a Complication of Total Ankle Arthroplasty," *Foot & Ankle International*, vol. 34, No. 1, 2013, pp. 148-149.

"Prophecy Inbone Preoperative Navigation Guides," Wright Medical Technology, Inc., Nov. 2013, 6 pages.

"RAYHACK Ulnar Shortening Generation II Low-Profile Locking System Surgical Technique," Wright Medical Technology, Inc., Dec. 2013, 20 pages.

Rx-Fix Mini Rail External Fixator, Wright Medical Technology, Brochure, Aug. 15, 2014, 2 pages.

Saltzman et al., "Prospective Controlled Trial of STAR Total Ankle Replacement Versus Ankle Fusion: Initial Results," *Foot & Ankle International*, vol. 30, No. 7, Jul. 2009, pp. 579-596.

Scanlan et al., "Technique Tip: Subtalar Joint Fusion Using a Parallel Guide and Double Screw Fixation," *The Journal of Foot and Ankle Surgery*, vol. 49, Issue 3, May-Jun. 2010, pp. 305-309, (Abstract Only).

Scranton Jr. et al., "Anatomic Variations in the First Ray: Part I. Anatomic Aspects Related to Bunion Surgery," *Clinical Orthopaedics and Related Research*, vol. 151, Sep. 1980, pp. 244-255.

Siddiqui et al., "Fixation of Metatarsal Fracture With Bone Plate in a Dromedary Heifer," *Open Veterinary Journal*, vol. 3, No. 1, 2013, pp. 17-20.

Sidekick Stealth Rearfoot Fixator, Wright Medical Technology, Surgical Technique, Dec. 2, 2013, 20 pages.

Simpson et al., "Computer-Assisted Distraction Osteogenesis by Ilizarov's Method," *International Journal of Medical Robots and Computer Assisted Surgery*, vol. 4, No. 4, Dec. 2008, pp. 310-320, (Abstract Only).

Small Bone External Fixation System, Acumed, Surgical Technique, Effective date Sep. 2014, 8 pages.

"Smith & Nephew scores a HAT-TRICK with its entry into the high-growth hammer toe repair market," *Smith & Nephew*, Jul. 31, 2014, 2 pages.

Stableloc External Fixation System, Acumed, Product Overview, Effective date Sep. 2015, 4 pages.

Stahl et al., "Derotation of Post-Traumatic Femoral Deformities by Closed Intramedullary Sawing," *Injury*, vol. 37, No. 2, Feb. 2006, pp. 145-151, (Abstract Only).

Talbot et al., "Assessing Sesamoid Subluxation: How Good is the AP Radiograph?," *Foot and Ankle International*, vol. 19, No. 8, Aug. 1998, pp. 547-554.

TempFix Spanning the Ankle Joint Half Pin and Transfixing Pin Techniques, Biomet Orthopedics, Surgical Technique, 2012, 16 pages.

Toth et al., "The Effect of First Ray Shortening in the Development of Metatarsalgia in the Second Through Fourth Rays After Metatarsal Osteotomy," *Foot & Ankle International*, vol. 28, No. 1, Jan. 2007, pp. 61-63.

(56)

**References Cited****OTHER PUBLICATIONS**

Tricot et al., "3D-corrective osteotomy using surgical guides for posttraumatic distal humeral deformity," *Acta Orthopaedica Belgica*, vol. 78, No. 4, 2012, pp. 538-542.

Vitek et al., "Die Behandlung des Hallux rigidus mit Cheilektomie und Akin-Moberg-Osteotomie unter Verwendung einer neuen Schnittelehre und eines neuen Schraubensystems," *Orthopädische Praxis*, vol. 44, Nov. 2008, pp. 563-566, including English Abstract on p. 564.

Vitek, "Neue Techniken in der Fußchirurgie Das V-tek-System," ABW Wissenschaftsverlag GmbH, 2009, 11 pages, including English Abstract.

Weber et al., "A Simple System for Navigation of Bone Alignment Osteotomies of the Tibia," *International Congress Series*, vol. 1268, Jan. 2004, pp. 608-613, (Abstract Only).

Weil et al., "Anatomic Plantar Plate Repair Using the Weil Metatarsal Osteotomy Approach," *Foot & Ankle Specialist*, vol. 4, No. 3, 2011, pp. 145-150.

Wendl et al., "Navigation in der Knieendoprothetik," *OP-Journal*, vol. 17, 2002, pp. 22-27, including English Abstract.

Whipple et al., "Zimmer Herbert Whipple Bone Screw System: Surgical Techniques for Fixation of Scaphoid and Other Small Bone Fractures," Zimmer, 2003, 59 pages.

Yakacki et al., "Compression Forces of Internal and External Ankle Fixation Devices with Simulated Bone Resorption," *Foot and Ankle International*, vol. 31, No. 1, Jan. 2010, pp. 76-85, (Abstract Only).

Yasuda et al., "Proximal Supination Osteotomy of the First Metatarsal for Hallux Valgus," *Foot and Ankle International*, vol. 36, No. 6, Jun. 2015, pp. 696-704.

Dayton et al., "Dorsal Suspension Stitch: An Alternative Stabilization After Flexor Tenotomy for Flexible Hammer Digit Syndrome," *The Journal of Foot and Ankle Surgery*, vol. 48, No. 5, Sep./Oct. 2009, pp. 602-605.

Dayton et al., "The Extended Knee Hemilithotomy Position for Gastrocnemius Recession," *The Journal of Foot and Ankle Surgery*, vol. 49, 2010, pp. 214-216.

Wienke et al., "Bone Stimulation For Nonunions: What the Evidence Reveals," *Podiatry Today*, vol. 24, No. 9, Sep. 2011, pp. 52-57.

Dayton et al., "Hallux Varus as Complication of Foot Compartment Syndrome," *The Journal of Foot and Ankle Surgery*, vol. 50, 2011, pp. 504-506.

Dayton et al., "Measurement of Mid-Calcaneal Length on Plain Radiographs: Reliability of a New Method," *Foot and Ankle Specialist*, vol. 4, No. 5, Oct. 2011, pp. 280-283.

Dayton et al., "A User-Friendly Method of Pin Site Management for External Fixators," *Foot and Ankle Specialist*, Sep. 16, 2011, 4 pages.

Dayton et al., "Effectiveness of a Locking Plate in Preserving Midcalcaneal Length and Positional Outcome after Evans Calcaneal Osteotomy: A Retrospective Pilot Study," *The Journal of Foot and Ankle Surgery*, vol. 52, 2013, pp. 710-713.

Dayton et al., "Does Postoperative Showering or Bathing of a Surgical Site Increase the Incidence of Infection? A Systematic Review of the Literature," *The Journal of Foot and Ankle Surgery*, vol. 52, 2013, pp. 612-614.

Dayton et al., "Technique for Minimally Invasive Reduction of Calcaneal Fractures Using Small Bilateral External Fixation," *The Journal of Foot and Ankle Surgery*, Article in Press, 2014, 7 pages.

Dayton et al., "Clarification of the Anatomic Definition of the Bunions Deformity," *The Journal of Foot and Ankle Surgery*, vol. 53, 2014, pp. 160-163.

Dayton et al., "Observed Changes in Radiographic Measurements of the First Ray after Frontal Plane Rotation of the First Metatarsal in a Cadaveric Foot Model," *The Journal of Foot and Ankle Surgery*, Article in Press, 2014, 5 pages.


Dayton et al., "Observed Changes in First Metatarsal and Medial Cuneiform Positions after First Metatarsophalangeal Joint Arthrodesis," *The Journal of Foot and Ankle Surgery*, vol. 53, 2014, pp. 32-35.


Dayton et al., "Reduction of the Intermetatarsal Angle after First Metatarsal Phalangeal Joint Arthrodesis: A Systematic Review," *The Journal of Foot and Ankle Surgery*, Article in Press, 2014, 4 pages.


Feilmeier et al., "Reduction of Intermetatarsal Angle after First Metatarsophalangeal Joint Arthrodesis in Patients with Hallux Valgus," *The Journal of Foot and Ankle Surgery*, vol. 53, 2014, pp. 29-31.


Dayton et al., "Principles of Management of Growth Plate Fractures in the Foot and Ankle," *Clinics in Podiatric Medicine and Surgery, Pediatric Foot Deformities*, Oct. 2013, 17 pages.

Dayton et al., "Observed Changes in Radiographic Measurements of the First Ray after Frontal and Transverse Plane Rotation of the Hallux: Does the Hallux Drive the Metatarsal in a Bunions Deformity?," *The Journal of Foot and Ankle Surgery*, Article in Press, 2014, 4 pages.












**Fig. 5**





Fig. 6A






**Fig. 7**




**Fig. 8**




**Fig. 9A**







**Fig. 9B**








**Fig. 11b**




Fig. 11c




Fig. 12A




Fig. 12B




Fig. 13B




Fig. 13A




**Fig. 14A**




**Fig. 14B**




**Fig. 15A**







**Fig. 15B**











Fig. 19






Fig. 21A







Fig. 21B










Fig. 25




Fig. 26A




Fig. 26B





Fig. 27







**Fig. 29A**




**Fig. 29B**




Fig. 30B





Fig. 30A






Fig. 32




**Fig. 33**




**Fig. 34**




Fig. 35




Fig. 36B





Fig. 36A



# BONE POSITIONING AND PREPARING GUIDE SYSTEMS AND METHODS

## RELATED APPLICATION

This application is a continuation of U.S. patent application Ser. No. 18/183,013, filed Mar. 13, 2023, which is a continuation of U.S. patent application Ser. No. 17/567,879, filed Jan. 3, 2022, now U.S. Pat. No. 11,602,387, issued Mar. 14, 2023, which is a continuation of U.S. patent application Ser. No. 17/353,431, filed Jun. 21, 2021, now U.S. Pat. No. 11,213,333, issued Jan. 4, 2022, which is a continuation of U.S. patent application Ser. No. 16/998,155, filed Aug. 20, 2020, now U.S. Pat. No. 11,039,873, issued Jun. 22, 2021, which is a continuation of U.S. patent application Ser. No. 16/031,855, filed Jul. 10, 2018, now U.S. Pat. No. 10,849,670, issued Dec. 1, 2020, which is a continuation of U.S. patent application Ser. No. 15/452,236, filed Mar. 7, 2017, now U.S. Pat. No. 10,045,807, issued Aug. 14, 2018, which is a continuation of U.S. patent application Ser. No. 14/981,335, filed Dec. 28, 2015, now U.S. Pat. No. 9,622,805, issued Apr. 18, 2017, which claims the benefit of U.S. Provisional Application Ser. No. 62/205,338, filed Aug. 14, 2015. The entire contents of these applications are hereby incorporated by reference.

## TECHNICAL FIELD

This disclosure relates generally to devices and methods for positioning and/or preparing bones.

## BACKGROUND

Bones, such as the bones of a foot, may be anatomically misaligned. In certain circumstances, surgical intervention is required to correctly align the bones to reduce patient discomfort and improve patient quality of life.

## SUMMARY

Embodiments of the present invention include methods for temporarily fixing an orientation of a bone or bones. In general, the method of positioning a bone includes the steps of moving a bone from an anatomically misaligned position to an anatomically aligned position with respect to another bone and preparing an end of the bone and a facing end of another bone. In some embodiments, at least one bone end is prepared after the bone is moved into the aligned position. In some embodiments, the bone is anatomically aligned in more than one plane such that the bone both translates and rotates in response to a moving force.

One embodiment includes a method of correcting a bunion deformity. The method has the steps of moving a first metatarsal from an anatomically misaligned position with respect to a second metatarsal to an anatomically aligned position with respect to the second metatarsal by applying a force to the first metatarsal, the force moving the first metatarsal to correct an alignment in more than one plane. The method can also include preparing an end of the first metatarsal and preparing an opposing end of a medial cuneiform for fusion. Embodiments of the invention also include a bone positioning device and a bone preparation guide, and methods of using such guides.

## BRIEF DESCRIPTION OF THE DRAWINGS

The following drawings are illustrative of particular embodiments of the present invention and, therefore, in no

way limit the scope of the invention. The drawings are not necessarily to scale (unless otherwise stated) and are intended for use in conjunction with the explanations in the following detailed description. Embodiments of the invention will hereinafter be described with respect to the appended drawings, wherein like numerals denote like elements.

FIG. 1 is a side perspective view of a bone positioning guide in accordance with an embodiment of the invention.

FIG. 2 is a side perspective view of a bone engagement member of a bone positioning guide in accordance with an embodiment of the invention.

FIG. 3A is a side perspective view of a tip of a bone positioning guide in accordance with an embodiment of the invention.

FIG. 3B is a side view of a bone positioning guide with a straight tip in accordance with an embodiment of the invention.

FIG. 3C is a side view of a bone positioning guide with a nonlinear tip in accordance with an embodiment of the invention.

FIG. 4 is an end view of an actuator of a bone positioning guide in accordance with an embodiment of the invention.

FIG. 5 is a top plan view of a bone preparing guide in accordance with an embodiment of the invention.

FIG. 6A is a perspective view of a bone preparing guide, a spacer, and a tissue removing instrument location check member in accordance with an embodiment of the invention.

FIG. 6B is a perspective view of another embodiment of a tissue removing instrument check location member engaged with a bone preparing guide.

FIG. 7 is a perspective view of a bone preparing guide engaged with a spacer in accordance with an embodiment of the invention.

FIG. 8 is a perspective view of a bone preparing guide engaged with a tissue removal instrument location check member in accordance with an embodiment of the invention.

FIG. 9A is a front view of a bone positioning guide on a deformed foot in accordance with an embodiment of the invention.

FIG. 9B is a front view of a bone positioning guide on a foot with a corrected alignment in accordance with an embodiment of the invention.

FIG. 10A is a top view of a bone positioning guide on a deformed foot in accordance with an embodiment of the invention.

FIG. 10B is a top view of a bone positioning guide on a foot with a corrected alignment in accordance with an embodiment of the invention.

FIGS. 11A-C depict a sequence of a bone positioning operation using a bone positioning guide on a foot at first, second, and third positions in accordance with an embodiment of the invention.

FIG. 12A is a front view of a foot with a normal first metatarsal position.

FIG. 12B is a front view of a foot with an isolated first metatarsal rotation bunion deformity.

FIG. 13A is a top view of a foot with a normal first metatarsal position.

FIG. 13B is a top view of a foot with an isolated first metatarsal transverse plane bunion deformity.

FIG. 14A is a side view of a foot with a normal first metatarsal position.

FIG. 14B is a side view of a foot with an isolated first metatarsal sagittal plane bunion deformity.

FIG. 15A is a perspective view and an enlarged view of a foot.

3

FIG. 15B is a perspective view of a first metatarsal.

FIG. 16 is a side perspective view of a foot depicting a bone preparation instrument inserted into a joint.

FIG. 17 is a perspective view of a foot depicting a bone positioning guide on the foot prior to an alignment of a first metatarsal.

FIG. 18 is a perspective view of a foot depicting a bone positioning guide on the foot after an alignment of a first metatarsal.

FIG. 19 is a perspective view of a foot depicting a bone positioning guide on the foot after an alignment of a first metatarsal and an insertion of a spacer into a joint space.

FIG. 20 is a perspective view of a foot depicting a bone positioning guide on the foot after an alignment of a first metatarsal and a positioning of a bone preparation guide.

FIG. 21A is a perspective view of a foot depicting a bone positioning guide on the foot after an alignment of a first metatarsal and a positioning of a bone preparation guide with pins.

FIG. 21B is another perspective view of a foot depicting a bone positioning guide on the foot after an alignment of a first metatarsal and a positioning of a bone preparation guide with pins.

FIG. 22 is a perspective view of a foot depicting a bone preparation instrument preparing a bone of the foot guided by a guide surface of a bone preparation guide.

FIG. 23 is a perspective view of a foot depicting a bone positioning guide on the foot and a removal of a bone preparation guide.

FIG. 24 is a perspective view of a foot depicting a bone positioning guide on the foot and pins.

FIG. 25 is a perspective view of a foot depicting a bone positioning guide on the foot and a compression pin.

FIG. 26A is a side perspective view of a foot depicting bone plates across a joint between first and second bones and a compression pin in accordance with an embodiment of the invention.

FIG. 26B is a side perspective view of a foot depicting bone plates across a joint between first and second bones and a compression pin in accordance with an embodiment of the invention.

FIG. 27 is a side perspective view of a foot depicting bone plates across a joint between first and second bones in accordance with an embodiment of the invention.

FIG. 28A and FIG. 28B depict examples of anatomically misaligned metatarsals and metatarsals that have been anatomically aligned using methods and/or instruments in accordance with the invention.

FIG. 29A and FIG. 29B depict examples of anatomically misaligned metatarsals and metatarsals that have been anatomically aligned using methods and/or instruments in accordance with the invention.

FIG. 30A illustrates a portion of a foot having a bunion caused by a misaligned first metatarsal relative to a second metatarsal.

FIG. 30B shows an example base compression that can be caused after the foot of FIG. 30A is anatomically aligned.

FIG. 31 illustrates an example bone positioning operation in which a fulcrum is positioned at an intersection between a first bone and a second bone.

FIG. 32 is a perspective view of one example fulcrum.

FIG. 33 illustrates an example system of different sized fulcrums.

FIG. 34 is a perspective view of another bone positioning guide according to an embodiment of the invention.

4

FIG. 35 illustrates an example configuration of a joint spacer that can allow a bone preparation guide to rotate around the spacer.

FIG. 36A is a perspective view of an example configuration of a bone positioning guide having an opening with circular cross-sectional shape.

FIG. 36B is a perspective view of the example bone positioning guide of FIG. 36A shown with the joint spacer from FIG. 35 inserted into the guide.

#### DETAILED DESCRIPTION

The following detailed description is exemplary in nature and is not intended to limit the scope, applicability, or configuration of the invention in any way. Rather, the following description provides practical illustrations for implementing exemplary embodiments of the present invention. Examples of constructions, materials, and dimensions are provided for selected elements, and all other elements employ that which is known to those of ordinary skill in the field of the invention. Those skilled in the art will recognize that many of the noted examples have a variety of suitable alternatives.

Embodiments of the invention include a bone positioning guide and method of positioning bones in a medical procedure. In an exemplary application, embodiments of the bone positioning guide can be useful during a surgical procedure, such as a bone alignment, osteotomy, fusion procedure, and/or other procedures where one or more bones are to be prepared (e.g., cartilage or bone removal and/or cut). Such a procedure can be performed, for example, on bones (e.g., adjacent bones separated by a joint or different portions of a single bone) in the foot or hand, where bones are relatively smaller compared to bones in other parts of the human anatomy. In one example, a procedure utilizing an embodiment of the bone positioning guide can be performed to correct an alignment between a metatarsal (e.g., a first metatarsal) and a second metatarsal and/or a cuneiform (e.g., a medial, or first, cuneiform), such as in a bunion correction surgery. An example of such a procedure is a Lapidus procedure (also known as a first tarsal-metatarsal fusion). In another example, the procedure can be performed by modifying an alignment of a metatarsal (e.g., a first metatarsal). An example of such a procedure is a basilar metatarsal osteotomy procedure.

FIG. 1 shows a side perspective view of a bone positioning guide 10 in accordance with an embodiment of the invention. The bone positioning guide 10 can be useful for positioning a bone (e.g., orientating and/or translating) during a medical procedure. In some embodiments, the bone positioning guide includes a bone engagement member, a tip, a mechanism to urge the bone engagement member and the tip towards each other (e.g. moving the bone engagement member towards the tip, moving the tip towards the bone engagement member, or moving both simultaneously), and an actuator to actuate the mechanism. When the mechanism is actuated it causes a first bone engaged with the bone engagement member to move to correct an alignment in more than one plane with respect to a second bone in contact with the tip. In some embodiments, the correction in more than one plane includes a correction about an axis in a frontal plane.

In the embodiment of FIG. 1, bone positioning guide 10 includes a main body member 20 and a shaft 30, and the bone engagement member 40 is connected to the shaft and the tip 50 is connected to the main body member. In general, the main body member 20 can be sized and shaped to clear

anatomy or other instrumentation (e.g., pins and guides) while positioned on a patient. In the embodiment of FIG. 1, the main body member **20** includes a generally C-shaped configuration with a first end **60** and a second end **70**. In some embodiments, the main body is sized and configured to engage bones of a human foot. In addition, although bone positioning guide **10** is illustrated as being formed of two components, main body member **20** and shaft **30**, the guide can be fabricated from more components (e.g., 3, 4, or more) that are joined together to form the guide.

A shaft **30** can be movably connected to the main body member **20** proximate its first end **60**. In some embodiments, the shaft **30** includes threads **80** that engage with the main body member **20** such that rotation of the shaft translates the shaft with respect to the main body member. In other embodiments, the shaft can slide within the main body member and can be secured thereto at a desired location with a set screw. In yet other embodiments, the shaft can be moved with respect to the main body by a ratchet mechanism. In the embodiment shown, the shaft moves along an axis that intersects the tip **50**. In other embodiments, such as that described with respect to FIG. 34, the shaft **30** and/or bone engagement member **40** is offset from tip **50**.

As shown in FIG. 2, embodiments of the bone positioning device can have a bone engagement member **40**. In some embodiments, the bone engagement member includes a surface **90** configured to contact a bone, such as a metatarsal or a cuneiform. In the embodiment shown, the surface **90** is concave. Such a surface is adapted to promote surface contact with a generally cylindrical bone, such as a metatarsal. Other embodiments of surface shapes include planar surfaces and V-shaped surfaces. When using a concave or V-shaped bone engagement member **40**, the sidewalls of the concavity or V-shaped groove may be symmetrical or asymmetrical. In a symmetrical configuration, the bottom of the concavity or groove can be centered between upwardly extending sidewalls configured to receive a bone. Each sidewall can extend upwardly to the same height and/or at the same slope. In the asymmetrical configuration, one sidewall can have a different configuration than the opposing sidewall. For example, one of the sidewalls may extend upwardly from the bottom of the concavity or groove to a lower height than the opposing sidewall. As another example, one sidewall may extend upwardly at a different angle than the opposing sidewall. The asymmetrical configuration can be useful for applying a force that is biased laterally instead of only being linear toward tip **50**.

In some embodiments, bone engagement member **40** includes a pin or a clamp. Independent of whether bone engagement member **40** includes such pin or clamp, the bone engagement member can engage an anatomical feature of a bone, such as a ridge (e.g., a medial ridge of a first metatarsal). In such embodiments, the engagement generally prohibits rotational movement of the bone with respect to the bone engagement member. In other embodiments, bone may be allowed to rotate with respect to the bone engagement member.

In the embodiment shown, the bone engagement member **40** is provided on an end of the shaft **30**. In the embodiment of the shaft shown having threads **80**, the bone engagement member **40** can be rotatably coupled to the shaft **30**. In such embodiments, as the shaft is rotated relative to the main body member the bone engagement member **40** may or may not rotate with respect to the main body member even as it translates with respect to the main body member along with the shaft **30** and rotates with respect to the shaft. The bone

engagement member may oscillate about the shaft **30**, but generally does not rotate with respect to bone after contact with the bone.

FIGS. 3A-C depict a tip **50** of bone positioning guide **10**, which can be at a second end **70** of the main body member opposite the first end. The tip **50** can be useful for contacting a bone, generally a bone distinct from a bone contacting the bone engagement member. For example, if the bone engagement member is in contact with a first metatarsal, the tip can be in contact with a metatarsal other than the first metatarsal (e.g., the second, third, fourth, or fifth metatarsal). In some embodiments, the tip is tapered to facilitate percutaneous insertion and contact with bone. The tip can also include a textured surface **100**, such as serrated, roughened, cross-hatched, knurled, etc., to reduce slippage between the tip and bone. In the embodiment shown, the tip further includes a stop **110** to limit a depth of insertion. The shape of the tip can be configured to stably contact bone. For example, FIG. 3B shows a side view of the bone positioning guide with a generally straight tip **50**, while FIG. 3C shows a side view of the bone positioning guide with a nonlinear tip **50** (e.g., a tip that is angled or curved). In some embodiments, the tip is configured to restrict translational movement between it and a bone, but to allow rotational movement between it and the bone.

As shown in FIG. 4, bone positioning guide **10** can also include an actuator (e.g., a knob or a handle) **120** to actuate the mechanism, in this embodiment associated with the shaft. In the embodiment shown, the actuator can be useful for allowing a user to rotate the shaft with respect to the main body member **20**. Also as shown in FIG. 4, the actuator, shaft, and bone engagement member may include a cannulation **130** to allow the placement of a fixation wire (e.g., K-wire) through these components and into contact with or through a bone engaged with the bone engagement member. For example, the fixation wire can be placed into the bone engaged with bone engagement member **40** to fix the position of the bone engagement member with respect to the bone. In another example, the fixation wire can be placed through the bone in contact with the bone engagement member and into an adjacent bone to maintain a bone position of the bone in contact with the bone engagement member and the adjacent bone.

In other embodiments, the mechanism to urge the bone engagement member and the tip towards each other can include a tenaculum or tong structure. In such embodiments, the guide can include a first shaft pivotably connected to a second shaft. A first end of each shaft can include an actuator, such as a handle. A second end of the first shaft can include a bone engagement member, as described above. And a second end of the second shaft can include a tip, as described above. In use, the actuator can be actuated (e.g., squeezed together) to move the bone engagement member and the tip closer together to position bone. Other embodiments of this type may include another set of shafts and another pivoting connection such that the bone engagement member and tip translate towards each other when the actuator is actuated.

In other embodiments, the mechanism to urge the bone engagement member and the tip towards each other can include a rack and pinion structure. In such embodiments, the rack can include a tip, as described above. And the pinion can include a bone engagement member, as described above, and an actuator (e.g., a knob). In use, the actuator can be actuated (e.g., turned about an axis generally perpendicular to a direction of travel) to move the bone engagement member and the tip closer together to position bone.

Embodiments of the bone positioning guide may include any suitable materials. In certain embodiments, the bone positioning guide is fabricated from a radiolucent material such that it is relatively penetrable by X-rays and other forms of radiation, such as thermoplastics and carbon-fiber materials. Such materials are useful for not obstructing visualization of bones using an imaging device when the bone positioning guide is positioned on bones.

Embodiments of the bone positioning guide can be useful in operation for temporarily positioning a bone or bones during a medical procedure. Bone positioning can be useful, for instance, to correct an anatomical misalignment of bones and temporarily maintain an anatomically aligned position, such as in a bone alignment and/or fusion procedure. In some embodiments, the bone positioning guide is capable of reducing an angle between the first metatarsal and the second metatarsal from over 10 degrees (e.g., up to about 35 degrees) to about 10 degrees or less (e.g., to about 1-5 degrees), including to negative angles of about -5 degrees. In some embodiments, the bone positioning guide is also capable of rotating the first metatarsal about its long axis with respect to the medial cuneiform from a rotational angle of over 4 degrees to a rotational angle of less than 4 degrees (e.g., to about 0 to 2 degrees).

In some embodiments, a bone preparation guide may be provided to facilitate the preparation of a bone. The bone preparation guide can be provided with a bone positioning guide, or either device can be provided or used independently. An example of a bone preparation guide **150** is shown in FIG. **5**. In some embodiments, the bone preparation guide **150** includes a body **154** defining a first guide surface **160** to define a first preparing plane and a second guide surface **164** to define a second preparing plane. A tissue removing instrument (e.g., a saw, rotary bur, osteotome, etc., not shown) can be aligned with the surfaces to remove tissue (e.g., remove cartilage or bone and/or make cuts to bone). The first and second guide surfaces **160**, **164** can be spaced from each other by a distance, (e.g., between about 2 millimeters and about 10 millimeters, such as between about 4 and about 7 millimeters). In the embodiment shown, the first and second guide surfaces are parallel, such that cuts to adjacent bones using the guide surfaces will be generally parallel.

In some embodiments, as shown in FIG. **5**, a first facing surface **166** is positioned adjacent the first guide surface **160** and/or a second facing surface **168** is positioned adjacent the second guide surface **164**. In such embodiments, the distance between the first guide surface and the first facing surface defines a first guide slot, and the distance between the second guide surface and the second facing surface defines a second guide slot. Each slot can be sized to receive a tissue removing instrument to prepare the bone ends. The first and second slots may be parallel or skewed. In the illustrated embodiment, the facing surfaces each contain a gap, such that the surface is not a single, continuous surface. In other embodiments, the facing surfaces can be a single, continuous surface lacking any such gap.

An opening **170** can be defined by the body **154** between the first and second guide surfaces. The opening can be an area between the guide surfaces useful for allowing a practitioner to have a visual path to bones during bone preparation and/or to receive instruments. In the embodiment shown, the opening extends across the body and a distance from a surface **172** opposite of the first facing surface **166** to a surface **174** opposite of the second facing surface **168**.

The embodiment shown also includes a first end **176** extending from the body **154** in a first direction and a second end **178** extending from the body in a second direction. The second direction can be different than the first direction (e.g., an opposite direction). As shown, each of the first end and the second end can include at least one fixation aperture **180** configured to receive a fixation pin (not shown in FIG. **5**) to secure the guide to a bone. As shown, such apertures may extend through the end at a vertical or skewed angle relative to a top surface of the guide.

The bone preparation guide **150** can also include a first adjustable stabilization member **182** engaged with the first end **176**. In some embodiments, the bone preparation guide can include a second adjustable stabilization member **184** engaged with the second end **178**. Each of the members can be threaded and engage a threaded aperture defined by the ends. The elevation of each end can be adjusted with respect to a bone by adjusting the stabilization member. In some embodiments, as shown, the stabilization members are cannulated such that they can receive a fixation pin.

As shown in FIGS. **6A** and **7**, the bone preparation guide can also include a spacer **188** extending downward from the body **154** and configured to be placed into a joint. In some embodiments, the spacer **188** is selectively engageable with the body. The spacer can have a first portion **190** configured to extend into a joint space and a second portion **192** engageable with the body **154**. In the embodiment shown, the spacer can be received within opening **170**, such that the spacer extends from the body in between the first and second guide surfaces. Such a spacer can be useful for positioning the body at a desired position with respect to a joint and for properly positioning the guide with respect to bones to be cut in more than one plane (e.g., three planes selected from more than one of a frontal plane, a transverse plane, and a sagittal plane). The distance between the spacer and the first guide surface can define a length of tissue removal (e.g., bone or cartilage to be cut) from a first bone, and the distance between the spacer and the second guide surface can define a length of tissue removal (e.g., bone or cartilage to be cut) from a second bone.

As shown in FIGS. **6A/B** and **8**, the bone preparation guide can also include a tissue removal location check member **194** engageable with the body **154** and configured to extend to a first bone and a second bone. The tissue removal location check member can have a first portion **196** configured to extend into contact with first and second bones and a second portion **198** engageable with the body. In the embodiments shown in FIGS. **6A** and **8**, the tissue removal location check member extends from the body at both the first and second guiding surfaces. In other embodiments, such as the embodiment shown in FIG. **6B**, separate tissue removal location check members are provided for independent insertion into respective slots of the guide. Accordingly, embodiments of tissue removal location check members are useful for allowing a practitioner to see where a tissue removing instrument guided by the surfaces will contact the bone to be prepared.

Embodiments of the bone preparation guide can be useful in operation for guiding a preparation of a bone or bones at a targeted anatomy. Bone preparation can be useful, for instance, to facilitate contact between leading edges of adjacent bones, separated by a joint, or different portions of a single bone, separated by a fracture, such as in a bone alignment and/or fusion procedure.

Embodiments of the present invention also include methods for temporarily fixing an orientation of a bone or bones, for example, prior to or in conjunction with permanently

fixing the orientation of the bone or bones. In general, the method of positioning a bone includes the steps of moving a bone from an anatomically misaligned position to an anatomically aligned position with respect to another bone and preparing an end of the moved bone and a facing end of another bone. In some embodiments, the end of at least one of the moved bone and the other bone is prepared after moving the bone into the aligned position. In certain embodiments, the bone is anatomically aligned in more than one plane with respect to another bone by applying a force to one bone at a single location, such that the bone both translates and rotates in response to the force. In certain embodiments, the moving step can be accomplished with a bone positioning device and/or the preparing step can be accomplished with a bone preparation guide, as described herein.

FIGS. 9A-B depict frontal views of a bone positioning guide **10** on a foot **200** having a first metatarsal **210**, a medial cuneiform **220**, a second metatarsal **292**, and a third metatarsal **294**. FIG. 9A depicts a foot **200** with an uncorrected bunion deformity, while FIG. 9B depicts the foot **200** with an alignment corrected by the bone positioning guide **10**. Solid line **L1** represents the starting location of the bone positioning guide **10** and dotted line **L2** represents the finishing location of the bone positioning guide. As shown, as the bone positioning guide **10** is actuated it rotates with the first metatarsal **210** about an axis extending through the frontal plane as it pushes the first metatarsal **210** laterally in the transverse plane and plantarly in the sagittal plane. Accordingly, in this example, the position of the first metatarsal **210** is corrected with respect to the second metatarsal **292** generally in three planes by actuating a single bone positioning guide **10** to urge a bone engagement member **40** toward a tip **50**. FIG. 10A shows a top view of a foot **200** with an uncorrected bunion deformity, while FIG. 10B shows a top view of the foot **200** with an alignment corrected by the bone positioning guide **10**, emphasizing the rotational correction in the frontal plane and the lateral correction in the transverse plane.

FIGS. 11A-C show three sequential images of a bone positioning guide **10** on a foot **200** positioning a first metatarsal **210** with respect to a second metatarsal **292**. FIG. 11A represents the beginning of the procedure, FIG. 11B the middle, and FIG. 11C the end. The orientation of the pins **270** is useful for visualizing the amount of rotation of the first metatarsal **210** in each image. With respect to FIGS. 11A-C, it can be seen the bone positioning guide **10** and the first metatarsal **210** are rotating in the frontal plane in response to actuation of bone positioning guide **10**. Further, the angle between the first metatarsal **210** and second metatarsal **292** is reduced, as the space that can be seen between the first and second metatarsals in FIG. 11A is eliminated in FIG. 11C.

Each of the three potential planes of deformity will now be described in isolation. FIGS. 12A and 12B show frontal plane views of a foot **200**. In FIG. 12A, the foot **200** is normal, while in FIG. 12B the foot is depicted with an uncorrected bunion deformity showing an isolated axial rotation of the first metatarsal **210**. Solid line **L3** indicates the alignment of the first metatarsal **210** relative to ground, while dotted line **L4** in FIG. 12B indicates the extent of axial rotation in the frontal plane.

FIGS. 13A and 13B show transverse plane views of a foot **200**. In FIG. 13A, the foot **200** is normal, while in FIG. 13B the foot is depicted with an uncorrected bunion deformity showing an isolated transverse plane first metatarsal **210** deviation. Solid line **L5** indicates the alignment of the

second metatarsal **292** and solid line **L6** indicates the proper alignment of the first metatarsal **210** relative to the second metatarsal **292**. The angle between these two lines forms the intermetatarsal angle (IMA). Dotted line **L7** in FIG. 13B indicates the extent of transverse deviation.

FIGS. 14A and 14B show sagittal plane views of a foot **200**. In FIG. 14A, the foot **200** is normal, while in FIG. 14B the foot is depicted with an uncorrected bunion deformity showing an isolated sagittal deviation of the first metatarsal **210**. Solid line **L8** indicates the proper alignment of the first metatarsal **210**, while dotted line **L9** in FIG. 14B indicates the extent of sagittal deviation.

A specific embodiment of a method in accordance with an embodiment of the invention includes the steps of engaging a bone engagement member with a first bone, placing a tip of the bone positioning guide in apposition to a second bone, the second bone being different from the first bone, and moving the bone engagement member with respect to the tip to change the position of the first bone with respect to the second bone in more than one plane. In some embodiments, after alignment, at least one of an end of the first bone and a facing end of a third bone are prepared (e.g., only the end of the first bone or both the end of the first bone and the end of the second bone), optionally using a preparation guide.

In some embodiments, the method includes the step of mobilizing a joint for a corrective procedure. For example, after creating surgical access to the joint and before moving the bones into an aligned position, tissue can be released to allow a bone, such as a metatarsal, to rotate freely. In some embodiments, obstructing bone may be excised (e.g., a dorsolateral flare of the metatarsal base, a plantar flare of the metatarsal base (sometimes referred to as a plantar condyle), part of an end of a metatarsal facing a cuneiform, or osteophyte) to further promote free rotation by creating relatively flat surfaces with respect to a frontal plane. An example of a dorsolateral flare **F** on a first metatarsal **210** of a foot **200** is shown in FIG. 15A. An example of a plantar flare **PF** on a first metatarsal **210** is shown in FIG. 15B. FIG. 15B also depicts a medial ridge **MR**, which, in some embodiments, can be engaged by the bone engaging member of a bone positioning guide.

Embodiments of methods in accordance with the invention can also include steps performed after preparing the ends of the bones. For example, the ends of the bones may be placed in apposition and optionally compressed together and the position of the bones can be fixed with one or more bone fixation devices (e.g., compressing bone screw, bone plate, bone staple, external fixator, intramedullary implant or nail) prior to a closing of the surgical access to the joint.

An exemplary method will now be described with respect to FIGS. 16-27 depicting a foot **200** having a first metatarsal **210**, a medial cuneiform **220**, and a second metatarsal **292**. Note, unless otherwise indicated, the steps described need not be carried out in the order described.

After customary surgical preparation and access, a bone preparation instrument **296** can be inserted into the joint (e.g., first tarsal-metatarsal joint) to release soft tissues and/or excise the plantar flare from the base of the first metatarsal **210**, as shown in FIG. 16. Excising the plantar flare may involve cutting plantar flare off the first metatarsal **210** so the face of the first metatarsal is generally planar. This step helps to mobilize the joint to facilitate a deformity correction. In some embodiments, the dorsal-lateral flare of the first metatarsal may also be excised to create space for the deformity correction (e.g., with respect to rotation of the

## 11

first metatarsal). In certain embodiments, a portion of the metatarsal base facing the medial cuneiform can be removed during this mobilizing step.

An incision can be made and a tip **50** of a bone positioning guide **10** can be inserted on the lateral side of a metatarsal other than the first metatarsal **210**, such as the second metatarsal **292**. As shown in FIG. **17**, the tip can be positioned proximally at a base of the second metatarsal **292** and a third metatarsal **294** interface. A surface of a bone engagement member **40** can be placed on the proximal portion of the first metatarsal **210**. In some embodiments, the bone engagement member engages a medial ridge of the first metatarsal **210**. As shown, the body **20** of the positioning guide can be generally perpendicular to the long axis of the second metatarsal **292**.

As depicted in FIG. **18**, the actuator **120** can be actuated to extend the shaft **30** to reduce the angle (transverse plane angle between the first metatarsal and the second metatarsal) and rotate the first metatarsal about its axis (frontal plane axial rotation). The first metatarsal **210** can be properly positioned with respect to the medial cuneiform **220** by moving the bone engagement member **40** with respect to the tip **50**. In some embodiments, such movement simultaneously pivots the first metatarsal with respect to the cuneiform and rotates the first metatarsal about its longitudinal axis into an anatomically correct position to correct a transverse plane deformity and a frontal plane deformity. In certain embodiments, body **20** rotates in a generally lateral direction during this step. In some embodiments, fixation pins (not shown in FIG. **18**) can be inserted into the bones prior to the positioning step (e.g., freehand or using apertures in the guide as a template), and can be used to impart additional force (transverse, sagittal, and/or frontal plane rotational) to the first metatarsal **210**, if desired. The bone positioning guide **10** can hold the desired position of the first metatarsal **210** with respect to the second metatarsal **292**. After the desired correction is achieved, a fixation wire **298** can be inserted through a cannulation in the shaft **30** and driven into the first metatarsal **210** and the second metatarsal **292** to hold the corrected position.

As depicted in FIG. **19**, a joint spacer **188** can be positioned within the joint between the first metatarsal and the medial cuneiform.

As shown in FIG. **20**, a bone preparation guide **150** can be placed over the joint spacer **188** and engaged with the joint spacer to set a position and orientation of the bone preparation guide relative to the joint. As shown, the bone preparation guide **150** can be positioned proximal to the bone positioning guide **10** in longitudinal alignment with the long axis of the first metatarsal **210** and the medial cuneiform **220**, generally on the dorsal or dorsal-medial surface. In other embodiments, the spacer **188** is positioned after the guide **150** is provisionally placed on the bones. In yet other embodiments, bone preparation guide **150** and joint spacer **188** are placed simultaneously. In still other embodiments, bone preparation guide **150** is placed on the bones without using joint spacer **188** to aid with positioning.

As depicted in FIGS. **21A** and **21B**, one or more fixation pins **270** can be inserted into apertures of the bone preparation guide **150** to secure the guide to the first metatarsal **210** and the medial cuneiform **220**. As shown, some pins **270** can be inserted at an angle or in a converging orientation to help prevent movement of the bone preparation guide **150** during a tissue removing step. As shown, two of the pins **270**, one on the first metatarsal and one on the medial cuneiform, are parallel to allow the bone preparation guide **150** to be removed from the foot without removing all the

## 12

pins. After insertion of the pins **270**, the spacer **188** can optionally be removed in embodiments having a selectively engageable spacer (e.g., a joint spacer **188** that is physically removable from bone preparation guide **150**).

In some embodiments, the location of the intersection of the tissue removing instrument and the bone to be prepared is confirmed before bone preparation. In one embodiment, a tissue removing instrument location check member can be engaged with the preparation guide to visually confirm where a tissue removal instrument will contact the bone. In another embodiment, a tissue removal instrument is engaged with the preparation guide to visually confirm where the instrument will contact the bone. In either embodiment, such visual confirmation can include the use of an imaging device, such as an X-ray. If the position of the preparation guide is correct, additional fixation pins may be inserted through the apertures (e.g., angled apertures) to further fix the position of the preparation guide with respect to the first metatarsal and the medial cuneiform. In some embodiments, the spacer is reattached prior to further bone preparation steps.

In some embodiments, the end of the first metatarsal **210** facing the medial cuneiform **220** can be prepared with a tissue removing instrument **296** guided by a guide surface of bone preparation guide **150** (e.g., inserted through a slot defined by a first guide surface and a first facing surface). In some embodiments, the first metatarsal **210** end preparation is done after the alignment of the bones, e.g., by actuating bone positioning guide **10** before preparing the end of first metatarsal **210**. In other embodiments, the first metatarsal **210** end preparation is done before the alignment of the bones, e.g., by preparing the end of the first metatarsal **210** before actuating bone positioning guide **10**.

In addition, as shown in FIG. **22**, the end of the medial cuneiform **220** facing the first metatarsal **210** can be prepared with the tissue removing instrument **296** guided by a guide surface of bone preparation guide **150** (e.g., inserted through a slot defined by a second guide surface and a second facing surface). In some embodiments, the medial cuneiform **220** end preparation is done after the alignment of the bones. In yet other embodiments, the medial cuneiform **220** end preparation is done before the alignment of the bones. In embodiments that include cutting bone or cartilage, the cuneiform cut and the metatarsal cut can be parallel, conforming cuts. In the specific embodiment shown in FIG. **22**, a saw blade can be inserted through a first slot to cut a portion of the medial cuneiform and the saw blade can be inserted through a second slot to cut a portion of the first metatarsal (e.g., in some embodiments the medial cuneiform can be cut before the first metatarsal). Accordingly, in the embodiment shown, the cuts to both the first metatarsal and the medial cuneiform were preformed after the first metatarsal was positioned.

Any angled/converging pins can be removed and the bone preparation guide **150** can be lifted off the parallel pins **270**, as shown in FIG. **23**. The parallel pins can be referred to as "reference pins" which can serve as a reference in later steps to ensure that the corrected alignment of the first metatarsal **210** has been maintained. The joint spacer can also be removed before, after, or simultaneously with the bone preparation guide. In some embodiments, the bone positioning guide **10** is also removed from the foot.

The tissue (e.g., bone or cartilage slices) from the first metatarsal and the medial cuneiform can be removed from the joint site and the joint surfaces can be fenestrated, if desired. If the bone positioning guide was taken off the foot,

13

it can be put back on, as shown in FIG. 24, before the additional steps discussed below.

After preparation, the ends of the two bones can be placed in apposition and optionally compressed together by provisionally fixating the joint. For example, the two bones may be placed in apposition by placing the cut end of the first metatarsal 210 in abutment with the cut end of the medial cuneiform 220. In some examples, the cut end of the first metatarsal 210 is placed adjacent to, and optionally in contact with, the cut end of the medial cuneiform 220.

As shown in FIG. 25, a compression pin, such as a threaded olive pin 300 can be inserted through the first metatarsal 210 and into the medial cuneiform 220 to provide compression and provisional fixation between the first metatarsal and the medial cuneiform. Additional compression pins can be inserted to provide additional stability. As shown, the parallel reference pins should be aligned during this step. In some embodiments, a practitioner checks for alignment of the parallel reference pins prior to insertion of the compression pin, and, if they are not aligned, adjusts the position of the first metatarsal until desired alignment is achieved.

Although they can be left in place, in some embodiments the parallel reference pins and bone positioning guide can be removed and a bone fixation device (e.g., two bone plates positioned in different planes, as shown) can be applied to stabilize the joint for fusion. FIG. 26A shows a first bone plate 310 positioned on a dorsal-medial side of the first metatarsal and medial cuneiform and a second bone plate 320 positioned on a medial-plantar side of the first metatarsal and the medial cuneiform. In other embodiments, such as the embodiment shown in FIG. 26B, the second bone plate 320 can be a helical bone plate positioned from a medial side of the cuneiform to a plantar side of the first metatarsal across the joint space. The plates can be applied with the insertion of bone screws.

As shown in FIG. 27, the compression pin can be removed and the incision can be closed.

FIGS. 28A/B and 29A/B include examples of anatomically misaligned metatarsals and metatarsals that have been anatomically aligned using methods and/or instruments in accordance with the invention. FIG. 28A shows a left foot pre-operation and post-operation, while FIG. 28B shows a right foot pre-operation and post-operation. As can be seen from a comparison of the pre-operative images to the post-operative images, the patients' intermetatarsal angle (IMA) was significantly reduced. FIGS. 29A and 29B show the correction of an axial rotation in a frontal rotational plane. FIG. 29A shows a pre-operative image and a post-operative image of a right foot. Drawings of a metatarsal 210 are also provided to illustrate the rotation. The rotation of the metatarsal can be seen by the position of sesamoid bones 400, which are depicted as having been rotated under the first metatarsal 210 in the post-operative drawing. FIG. 29B shows pre-operative views of a left foot 200 and a right foot 200. Again, by comparing the location of the sesamoid bones 400 with respect to a reference location, such as ground, the planter surface of the foot, and/or a cuneiform, it can be seen this patient's metatarsal is rotated out of alignment.

Methods in accordance with embodiments of the invention can be useful for temporarily positioning a bone or bones. Bone positioning can be useful, for instance, to correct an anatomical misalignment of bones and temporarily maintain an anatomically aligned position, such as in a bone alignment and/or fusion procedure. In some embodiments, an "anatomically aligned position" means that an

14

angle of a long axis of a first metatarsal relative to a long axis of a second metatarsal is about 10 degrees or less in the transverse plane or sagittal plane. In certain embodiments, anatomical misalignment can be corrected in both the transverse plane and the frontal plane. In the transverse plane, a normal intermetatarsal angle ("IMA") between a first metatarsal and a second metatarsal is less than about 9 degrees. An IMA of between about 9 degrees and about 13 degrees is considered a mild misalignment of the first metatarsal and the second metatarsal. An IMA of greater than about 16 degrees is considered a severe misalignment of the first metatarsal and the second metatarsal. In some embodiments, methods in accordance with the invention are capable of anatomically aligning the bone(s) by reducing the IMA from over 10 degrees to about 10 degrees or less (e.g., to an IMA of about 1-5 degrees), including to negative angles of about -5 degrees or until interference with the second metatarsal, by positioning the first metatarsal at a different angle with respect to the second metatarsal.

With respect to the frontal plane, a normal first metatarsal will be positioned such that its crista prominence is generally perpendicular to the ground and/or its sesamoid bones are generally parallel to the ground and positioned under the metatarsal. This position can be defined as a metatarsal rotation of 0 degrees. In a misaligned first metatarsal, the metatarsal is axially rotated between about 4 degrees to about 30 degrees or more. In some embodiments, methods in accordance with the invention are capable of anatomically aligning the metatarsal by reducing the metatarsal rotation from about 4 degrees or more to less than 4 degrees (e.g., to about 0 to 2 degrees) by rotating the metatarsal with respect to the medial cuneiform.

While various embodiments of bone positioning and preparing guide systems and methods have been described, it should be appreciated that the concepts of the disclosure can be altered in practice, e.g., based on the needs of the clinician, the patient undergoing the bone repositioning procedure, the specific anatomy being treated, and/or the target clinical outcome. As one example, the described systems and techniques may be modified to utilize a fulcrum about which rotation and/or pivoting of one bone relative to another bone occurs via bone positioning guide 10. The fulcrum can establish and/or maintain space between adjacent bones being compressed between bone engagement member 40 and tip 50 of bone positioning guide 10, preventing lateral translation or base shift of the bones during rotation and pivoting.

FIG. 30A illustrates a portion of a foot having a bunion caused by a misaligned first metatarsal 210 relative to second metatarsal 292. FIG. 30B shows the foot of FIG. 30A after being anatomically aligned to correct the misalignment using bone positioning guide 10. As shown, first metatarsal 210 has been rotated counterclockwise in the frontal plane (from the perspective of a patient, clockwise from the perspective of a frontal observer) and also pivoted in the transverse plane (e.g., such that the angle 350 between the first metatarsal 210 and second metatarsal 292 is reduced). Rotation and pivoting of first metatarsal 210 can cause the base 352 of first metatarsal 210 to shift relative to medial cuneiform 220. In general, it is desirable that the offset 354A between first metatarsal 210 and medial cuneiform 220 be reduced to zero (e.g., such that there is substantially no offset) after rotation and pivoting. As shown in the illustrated application of FIG. 30B, however, the base 352 of first metatarsal 210 abutting medial cuneiform 220 has shifted toward second metatarsal 292. This results in a transverse

15

offset **354B** of first metatarsal **210** toward second metatarsal **292**, causing base compression between first metatarsal **210** and second metatarsal **292**.

To help avoid the base shift and offset **354B** observed in FIG. **30B**, a clinician can insert a fulcrum in the notch between first metatarsal **210** and second metatarsal **292** at the base of the metatarsals (e.g., adjacent respective cuneiform) before actuating bone positioning guide **10**. The fulcrum can provide a point about which first metatarsal **210** can rotate and/or pivot while helping minimize or avoid base compression between the first metatarsal and the second metatarsal. In addition, use of the fulcrum may cause first metatarsal **210** and medial cuneiform **220** to be better angled relative to the guide slots of bone preparation guide **150** (once installed), providing a better cut angle through the guide slots then without use of the fulcrum. This can help reduce or eliminate unwanted spring-back, or return positioning, of first metatarsal **210** after removing bone positioning guide **10**.

FIG. **31** illustrates a bone positioning operation in which a fulcrum **356** is positioned at an intersection between a first bone and a second bone, where the first bone is being realigned relative to the second bone. In particular, FIG. **31** illustrates fulcrum **356** being positioned between first metatarsal **210** and second metatarsal **292**. Fulcrum **356** may be positioned distally of bone preparation guide **150** between first metatarsal **210** and second metatarsal **292** as shown in FIG. **31** or, in other applications, proximally of the guide (e.g., at the ends of the first and second metatarsals abutting the medial and intermediate cuneiform bones, respectively).

When used, the clinician can insert fulcrum **356** between first metatarsal **210** and second metatarsal **292** (or other adjacent bones, when not performing a metatarsal realignment) at any time prior to actuating bone positioning guide **10**. In different embodiments, fulcrum **356** can be inserted before or after inserting joint spacer **188** and/or placing bone preparation guide **150** over the joint being operated upon. In one embodiment, the clinician prepares the joint being operated upon to release soft tissues and/or excise the plantar flare from the base of the first metatarsal **210**, as discussed above. Either before or after installing bone positioning guide **10** over adjacent bones, for example with bone engagement member **40** positioned in contact with the medial ridge of the first metatarsal **210** and tip **50** positioned in contact with second metatarsal **292**, the clinician inserts fulcrum **356** at the joint between the first metatarsal and the second metatarsal. The clinician can subsequently actuate bone positioning guide **10** (e.g., rotate knob **120**). In the case of a left foot as shown in FIG. **31**, actuation of bone positioning guide **10** causes the first metatarsal **210** to rotate counterclockwise in the frontal plane (from the perspective of a patient) and also pivot in the transverse plane about the fulcrum. In the case of a right foot (not shown), actuation causes the first metatarsal to rotate clockwise in the frontal plane (from the perspective of a patient) and also pivot in the transverse plane about the fulcrum. Thus, for both feet, actuation of bone positioning guide **10** can supinate the first metatarsal in the frontal plane and pivot the first metatarsal in the transverse plane about fulcrum **356**. While use of fulcrum **356** can minimize or eliminate base compression between adjacent bones being operated upon, in other embodiments as discussed above, the described systems and techniques can be implemented without using the fulcrum.

In instances in which fulcrum **356** is used, any suitable mechanical instrument can be used for the fulcrum. FIG. **32** is a perspective view of one example instrument that can be

16

used as fulcrum **356**. In this embodiment, fulcrum **356** has a generally rectangular shape and tapers in thickness along at least a portion of the length from the trailing end **358** to the leading end **360**. Fulcrum **356** may be sized sufficiently small so that it does not interfere with placement of bone preparation guide **150** on the joint being worked upon. In some embodiments, the clinician is provided a system containing multiple different size fulcrums and allowed to choose the specific sized fulcrum desired for the specific procedure being performed. FIG. **33** illustrates an example kit or system of different sized fulcrums, labeled with exemplary "width×thickness" sizes, that may be provided to a clinician in such an embodiment. In some examples, fulcrum **356** has a width ranging from 5 millimeters to 15 millimeters (e.g., about 6 millimeters to about 10 millimeters) and a thickness ranging 1 millimeter to 12 millimeters (e.g., about 2 millimeters to about 3 millimeters), although fulcrums with different dimensions can be used. While FIGS. **32** and **33** illustrate one example style of fulcrum, other mechanical instruments providing a fulcrum functionality can be used without departing from the scope of the disclosure. For instance, as alternative examples, a surgical pin or screw driver head may be used as fulcrum **356**.

As discussed above, bone positioning guide **10** can have a variety of different configurations, including a configuration in which bone engagement member **40** is laterally offset from tip **50**. FIG. **34** is a perspective view of bone positioning guide **10** showing an example arrangement in which bone engagement member **40** is laterally offset from tip **50**. In this embodiment, the first end **60** of main body member **20** is laterally offset from an axis **362** extending through shaft **30** and a geometric center of bone engagement member **40**. In particular, in the illustrated configuration, tip **50** is offset laterally in the direction of the cuneiform relative to bone engagement member **40**. As a result, when bone positioning guide **10** is actuated, e.g., by rotating knob **120**, a moment can be created by the offset tip. This can cause the end of the first metatarsal **210** adjacent the proximal phalanx to pivot toward the second metatarsal **292** and close angle **350**, e.g., while the opposite end of the first metatarsal adjacent the medial cuneiform pivots away from the second metatarsal. This can also help avoid base compression between the first and second metatarsals.

As discussed above with respect to FIGS. **19** and **20**, a joint spacer **188** can be positioned in a joint between a first metatarsal and a medial cuneiform before placing bone preparation guide **150** over the joint spacer. Bone preparation guide **150** can have an opening **170** (FIG. **5**) sized to receive joint spacer **188**. In some examples, opening **170** of bone preparation guide **150** is size and/or shaped indexed to joint spacer **188** such that there is substantially no, or no, relative movement between the guide and spacer (once bone preparation guide **150** is placed over joint spacer **188**). This arrangement can ensure that bone preparation guide **150** is positioned precisely at the location where guided by joint spacer **188**.

In practice, once bone preparation guide **150** is placed over joint spacer **188**, the guide slots of the bone preparation guide may not be perfectly aligned with the ends of the bones (e.g., first metatarsal **210** and medial cuneiform **220**) to be cut through the guide slots. Accordingly, in other configurations, opening **170** of bone preparation guide **150** may not be sized and/or shaped and/or indexed to joint spacer **188**. In other words, opening **170** of bone preparation guide **150** may have a different cross-sectional size and/or shape than the cross-sectional size and/or shape of joint spacer **188**. In these configurations, bone preparation guide

17

150 may actuate or rotate about an axis extending through the length of joint spacer 188. As a result, after the clinician places bone preparation guide 150 over joint spacer 188, the clinician may rotate bone preparation guide 150 around joint spacer 188 until the guide slots of the bone preparation guide are better aligned with the ends of the bones to be cut (e.g., first metatarsal 210 and medial cuneiform 220). Depending on the configuration of opening 170 of bone preparation guide 150 and the configuration of joint spacer 188, the guide may rotate freely (e.g., 360 degrees) around the joint seeker or within a bounded angular range (e.g., from plus 20 degrees to minus 20 degrees from a normal position).

FIG. 35 illustrates one example configuration of a joint spacer 188 that can allow bone preparation guide 150 to rotate around the seeker. As shown in the illustrated example, joint spacer 188 has a proximal portion 370 having a cylindrical cross-section and a distal portion 372 having a rectangular cross-section. A leading edge of the distal portion 372 is insertable into the joint between the first metatarsal 210 and the medial cuneiform 220. Once bone preparation guide 150 is inserted over joint spacer 188, body 154 of the guide (FIG. 5) may be positioned about the proximal portion 370. This can allow the guide to be rotated around the proximal portion.

In other configurations, opening 170 of bone preparation guide 150 may be size and/or shape indexed to the cross-sectional size and/or shape of joint spacer 188 but still provide relative rotation between the two components. For example, opening 170 may have a circular cross-section sized and shaped to receive proximal portion 370 of joint spacer 188 from FIG. 35. Because both opening 170 of bone preparation guide 150 and proximal portion 370 of joint spacer 188 have circular cross-sections in such an embodiment, the two components may rotate relative to each other. FIG. 36A is a perspective view of an example configuration of bone preparation guide 150 having an opening 170 with circular cross-sectional shape. FIG. 36B is a perspective view of the example bone preparation guide of FIG. 36A shown with joint spacer 188 from FIG. 35 inserted into the guide.

In embodiments where bone preparation guide 150 can rotate relative to joint spacer 188, the bone positioning guide and/or joint spacer may include a locking mechanism that is engageable to lock the rotational angle of the bone preparation guide relative to the joint spacer. For example, bone preparation guide 150 may include a set screw with thumb wheel that can be rotated, causing a distal end of the set screw to bear against or retract away from joint spacer 188. In use, a clinician can rotate bone preparation guide 150 around joint spacer 188 until the guide slots of the bone preparation guide are best aligned with the ends of the bones to be cut (e.g., first metatarsal 210 and medial cuneiform 220). The clinician can then engage the locking mechanism to prevent further rotation of bone preparation guide 150 relative to joint spacer 188 before performing further steps of the procedure.

Embodiments of the invention also include a disposable, sterile kit that includes an embodiment of a bone positioning guide and/or preparation guide described herein. Other components that may be included within the sterile kit include bone fixation devices.

Thus, embodiments of the invention are disclosed. Although the present invention has been described with reference to certain disclosed embodiments, the disclosed embodiments are presented for purposes of illustration, and not limitation, and other embodiments of the invention are possible. One skilled in the art will appreciate that various

18

changes, adaptations, and modifications may be made without departing from the spirit of the invention.

The invention claimed is:

1. An instrumented surgical technique for preparing a tarsal-metatarsal joint for fusion and for repositioning a first metatarsal to correct a bunion deformity, the instrumented surgical technique comprising:

- making an incision on a foot to provide access to a tarsal-metatarsal joint;
- engaging the first metatarsal with a bone engagement member of a bone positioning guide;
- engaging the bone positioning guide with a second metatarsal separated from the first metatarsal by an inter-metatarsal angle;
- cutting an end of the first metatarsal with a tissue removing instrument;
- rotating a knob connected to a threaded shaft of the bone positioning guide to cause the bone engagement member to push the first metatarsal laterally toward the second metatarsal and thereby reduce the intermetatarsal angle between the first metatarsal and the second metatarsal to correct the bunion deformity;
- imparting a force to a pin inserted into the first metatarsal to adjust an alignment of the first metatarsal in a frontal plane to correct the bunion deformity;
- cutting an end of a medial cuneiform with the tissue removing instrument;
- compressing the first metatarsal together with the medial cuneiform; and
- fixating a moved position of the first metatarsal relative to the medial cuneiform for fusion using at least one bone fixation device.

2. The instrumented surgical technique of claim 1, wherein:

- rotating the knob connected to the threaded shaft comprises rotating the knob connected to the threaded shaft after cutting the end of the first metatarsal;
- imparting the force to the pin inserted into the first metatarsal comprises imparting the force to the pin inserted into the first metatarsal after cutting the end of the first metatarsal; and
- cutting the end of the medial cuneiform comprises cutting the end of the medial cuneiform after rotating the knob and after imparting the force to the pin to correct the bunion deformity.

3. The instrumented surgical technique of claim 1, further comprising removing the bone positioning guide from the first metatarsal and the second metatarsal with the moved position of the first metatarsal remaining fixated relative to the medial cuneiform by the at least one bone fixation device.

4. The instrumented surgical technique of claim 1, further comprising, prior to engaging the first metatarsal with the bone engagement member of the bone positioning guide and engaging the bone positioning guide with the second metatarsal, joining at least three components together, including the threaded shaft and the bone engagement member, to form the bone positioning guide.

5. The instrumented surgical technique of claim 1, further comprising making a second incision on the foot to provide access to the second metatarsal, wherein engaging the bone positioning guide with the second metatarsal comprises positioning a bone contact surface of the bone positioning guide in contact with the second metatarsal.

6. The instrumented surgical technique of claim 5, wherein the bone positioning guide comprises a tip defining the bone contact surface, and positioning the bone contact

19

surface of the bone positioning guide in contact with the second metatarsal comprises inserting the tip through the second incision.

7. The instrumented surgical technique of claim 1, wherein imparting the force to the pin inserted into the first metatarsal to adjust the alignment of the first metatarsal in the frontal plane comprises imparting the force to the pin inserted into the first metatarsal to adjust the alignment of the first metatarsal in the frontal plane after rotating the knob connected to the threaded shaft of the bone positioning guide to cause the bone engagement member to push the first metatarsal laterally toward the second metatarsal and thereby reduce the intermetatarsal angle between the first metatarsal and the second metatarsal.

8. The instrumented surgical technique of claim 1, further comprising moving the first metatarsal in a sagittal plane.

9. The instrumented surgical technique of claim 1, wherein:

the tissue removing instrument is a saw blade;  
cutting the end of the first metatarsal comprises guiding the saw blade through a first bone preparation guide cutting slot; and  
cutting the end of the medial cuneiform comprises guiding the saw blade through a second bone preparation guide cutting slot.

10. The instrumented surgical technique of claim 1, wherein the bone positioning guide comprises a cannulation, and further comprising inserting a fixation wire through the cannulation and into the second metatarsal.

11. The instrumented surgical technique of claim 1, wherein the at least one bone fixation device comprises at least one of a screw and a plate.

12. The instrumented surgical technique of claim 1, wherein the at least one bone fixation device comprises an intramedullary implant.

13. The instrumented surgical technique of claim 1, wherein fixating the moved position of the first metatarsal relative to the medial cuneiform for fusion using at least one bone fixation device comprises inserting a compressing bone screw and a plate across the tarsal-metatarsal joint, wherein inserting the plate across the tarsal-metatarsal joint comprises inserting a plurality of bone screws through the bone plate to secure a first end of the bone plate to the medial cuneiform and a second end of the bone plate to the first metatarsal.

14. An instrumented surgical technique for preparing a tarsal-metatarsal joint for fusion and for repositioning a first metatarsal to correct a bunion deformity, the instrumented surgical technique comprising:

making an incision on a foot to provide access to a tarsal-metatarsal joint;  
engaging the first metatarsal with the bone engagement member of a bone positioning guide;  
engaging the bone positioning guide with a second metatarsal separated from the first metatarsal by an intermetatarsal angle;  
cutting an end of the first metatarsal by guiding a saw blade through a first bone preparation guide cutting slot;  
removing a cut portion of the first metatarsal from the tarsal-metatarsal joint;  
after cutting the end of the first metatarsal, rotating a knob connected to a threaded shaft of the bone positioning guide to cause the bone engagement member to push the first metatarsal laterally toward the second metatarsal and thereby reduce the intermetatarsal angle

20

between the first metatarsal and the second metatarsal to correct the bunion deformity;

after cutting the end of the first metatarsal, imparting a force to a pin inserted into the first metatarsal to adjust an alignment of the first metatarsal in a frontal plane to correct the bunion deformity;

after rotating the knob and after imparting the force to the pin to correct the bunion deformity of the first metatarsal, cutting an end of a medial cuneiform by guiding the saw blade through a second bone preparation guide cutting slot;

removing a cut portion of the medial cuneiform from the tarsal-metatarsal joint;

fenestrating a cut end of the first metatarsal;

fenestrating a cut end of the medial cuneiform;

compressing the first metatarsal together with the medial cuneiform;

fixating a moved position of the first metatarsal relative to the medial cuneiform for fusion using at least one bone fixation device; and

removing the bone positioning guide from the first metatarsal and the second metatarsal.

15. The instrumented surgical technique of claim 14, further comprising after cutting the end of the first metatarsal, moving the first metatarsal in a sagittal plane.

16. The instrumented surgical technique of claim 14, further comprising positioning a joint spacer offset from the first bone preparation guide cutting slot into the tarsal-metatarsal joint simultaneous with positioning the first bone preparation guide cutting slot over an end of the first metatarsal to be cut.

17. The instrumented surgical technique of claim 14, further comprising positioning a joint spacer offset from the second bone preparation guide cutting slot into the tarsal-metatarsal joint simultaneous with positioning the second bone preparation guide cutting slot over an end of the medial cuneiform to be cut.

18. The instrumented surgical technique of claim 14, wherein imparting the force to the pin inserted into the first metatarsal to adjust the alignment of the first metatarsal in the frontal plane comprises imparting the force to the pin inserted into the first metatarsal adjust the alignment of the first metatarsal in the frontal plane after rotating the knob connected to the threaded shaft of the bone positioning guide to cause the bone engagement member to push the first metatarsal laterally toward the second metatarsal and thereby reduce the intermetatarsal angle between the first metatarsal and the second metatarsal.

19. The instrumented surgical technique of claim 14, further comprising making a second incision on the foot to provide access to the second metatarsal, wherein:

engaging the bone positioning guide with the second metatarsal comprises positioning a bone contact surface of the bone positioning guide in contact with the second metatarsal; and

rotating the knob connected to a threaded shaft of the bone positioning guide to cause the bone engagement member to push the first metatarsal laterally toward the second metatarsal comprises rotating the knob connected to a threaded shaft of the bone positioning guide to reduce a distance between the bone engagement member and the contact surface.

20. The instrumented surgical technique of claim 19, wherein the bone positioning guide comprises a tip defining the bone contact surface, and positioning the bone contact

## 21

surface of the bone positioning guide in contact with the second metatarsal comprises inserting the tip through the second incision.

21. The instrumented surgical technique of claim 19, wherein:

the bone positioning guide comprises a body, a first leg carrying the bone engagement member, and a second leg defining the bone contact surface; and

engaging the first metatarsal with the bone engagement member and positioning the bone contact surface in contact with the second metatarsal comprises positioning the body extending in a medial-to-lateral direction across the first metatarsal and across the second metatarsal with the first leg positioned on a medial side of the first metatarsal.

22. The instrumented surgical technique of claim 14, wherein the bone positioning guide comprises a cannulation, and further comprising inserting a fixation wire through the cannulation and into the second metatarsal.

23. The instrumented surgical technique of claim 14, wherein the bone positioning guide is formed by joining at least three components together, including the threaded shaft and the bone engagement member, to provide the bone positioning guide.

24. The instrumented surgical technique of claim 14, wherein the at least one bone fixation device comprises at least one of a screw and a plate.

25. The instrumented surgical technique of claim 14, wherein the at least one bone fixation device comprises an intramedullary implant.

26. The instrumented surgical technique of claim 14, wherein fixating the moved position of the first metatarsal relative to the medial cuneiform for fusion using at least one bone fixation device comprises inserting a compressing bone screw and a plate across the tarsal-metatarsal joint, wherein inserting the plate across the tarsal-metatarsal joint comprises inserting a plurality of bone screws through the bone plate to secure a first end of the bone plate to the medial cuneiform and a second end of the bone plate to the first metatarsal.

27. An instrumented surgical technique for correcting a bunion deformity, the instrumented surgical technique comprising:

making an incision on a foot to provide access to a tarsal-metatarsal joint;

engaging the first metatarsal with the bone engagement member of the bone positioning guide;

engaging the bone positioning guide with the second metatarsal separated from the first metatarsal by an intermetatarsal angle;

preparing an end of the first metatarsal for fusion;

rotating a knob connected to a threaded shaft of the bone positioning guide to cause the bone engagement member to push the first metatarsal laterally toward the second metatarsal and thereby reduce the intermetatarsal angle between the first metatarsal and the second metatarsal to correct a bunion deformity;

imparting a force to a pin inserted into the first metatarsal to adjust an alignment of the first metatarsal in a frontal plane to correct the bunion deformity;

preparing an end of a medial cuneiform for fusion; and installing at least one fixation device through the incision to fixate a moved position of the first metatarsal relative to the medial cuneiform.

## 22

28. The instrumented surgical technique of claim 27, wherein:

rotating the knob connected to the threaded shaft comprises rotating the knob connected to the threaded shaft after preparing the end of the first metatarsal;

imparting the force to the pin inserted into the first metatarsal comprises imparting the force to the pin inserted into the first metatarsal after preparing the end of the first metatarsal; and

preparing the end of the medial cuneiform comprises preparing the end of the medial cuneiform after rotating the knob and after imparting the force to the pin to correct the bunion deformity.

29. The instrumented surgical technique of claim 28, further comprising:

after preparing the end of the first metatarsal and after preparing the end of the medial cuneiform but prior to installing the at least one fixation device, compressing a prepared end of the first metatarsal together with a prepared end of the medial cuneiform; and

after installing the at least one fixation device through the incision to fixate the moved position of the first metatarsal relative to the medial cuneiform, removing the bone positioning guide from the first metatarsal and the second metatarsal.

30. An instrumented surgical technique for preparing a tarsal-metatarsal joint for fusion and for repositioning a first metatarsal to correct a bunion deformity, the instrumented surgical technique comprising:

making an incision on a foot to provide access to a tarsal-metatarsal joint;

making a second incision on the foot to provide access to a second metatarsal separated from the first metatarsal by an intermetatarsal angle;

engaging the first metatarsal with the bone engagement member of a bone positioning guide;

positioning a bone contact surface of the bone positioning guide in contact with the second metatarsal;

cutting an end of the first metatarsal by guiding a saw blade through a first bone preparation guide cutting slot;

rotating a knob connected to a threaded shaft of the bone positioning guide to reduce a distance between the bone engagement member and the contact surface, thereby reducing the intermetatarsal angle between the first metatarsal and the second metatarsal to correct the bunion deformity;

imparting a force to a pin inserted into the first metatarsal to adjust an alignment of the first metatarsal in a frontal plane to correct the bunion deformity;

cutting an end of a medial cuneiform by guiding the saw blade through a second bone preparation guide cutting slot;

compressing the first metatarsal together with the medial cuneiform;

fixating a moved position of the first metatarsal relative to the medial cuneiform for fusion using at least one bone fixation device; and

removing the bone positioning guide from the first metatarsal and the second metatarsal,

wherein one or both of the first metatarsal and the medial cuneiform is cut after reducing the intermetatarsal angle between the first metatarsal and the second metatarsal to correct the bunion deformity and after adjusting the alignment of the first metatarsal in the frontal plane to correct the bunion deformity.