

Biology Terms Dictionary

This Biology terms dictionary provides query services for biology and biochemistry terms. Please enter the biology or biochemistry terms you want to search.

Resources

Technical Resource Centers

Bioinformatics Tools

Molecular Biology Tools

Peptide Tools

Protein Tools

GenCRISPR gRNA Design Tool

GenSmart™ Target Enrichment Probe Designer

Learning Center

Research Applications

Reference Databases

Webinars

2020 Webinar Series

Trade In/Trade Up

Search

- List by Alphabet:
- A B C D E F G H I J K L M
- N O P Q R S T U V W X Y Z

scFv-Fc

Introduction

scFv-Fc (single-chain variable fragment fused to the Fc region) is a recombinant antibody format that combines the antigen-binding capabilities of an scFv (single-chain variable fragment) with the effector functions and increased stability provided by the Fc (fragment crystallizable) region of an immunoglobulin, typically IgG. This format offers both the advantages of small antibody fragments, such as better tissue penetration and easy engineering, and the extended half-life and effector functions of full-length antibodies, such as immune activation through Fc receptor binding. scFv-Fc constructs are widely used in therapeutic development, diagnostics, and research, especially in cancer immunotherapy, autoimmune disease treatments, and protein engineering. They facilitate high-affinity target recognition while retaining scalability in recombinant production systems.

Structure of scFv-Fc

An scFv-Fc consists of:

• **scFv Fragment:**

A small antibody fragment composed of the variable regions (V_H and V_L) of the heavy and light chains, connected by a short linker peptide to maintain antigen-binding activity. The scFv offers a compact structure that allows better tissue penetration and binding to cryptic or sterically hindered epitopes.

• **Fc Region:**

The Fc region, typically derived from human IgG1, provides stability, dimerization, and effector functions such as antibody-dependent cellular cytotoxicity (ADCC) and complement-dependent cytotoxicity (CDC). The Fc region also interacts with neonatal Fc receptors (FcRn), extending the antibody's half-life in circulation.

This fusion design retains both the specific antigen-binding affinity of scFv and the biological activity conferred by the Fc region, such as immune effector functions.

The Fc domain mediates interactions with Fcγ receptors (FcγRs) on immune cells, triggering immune responses, such as:

- **Antibody-Dependent Cellular Cytotoxicity (ADCC):** Activation of natural killer (NK) cells to kill targeted cells.
- **Complement-Dependent Cytotoxicity (CDC):** Initiates the complement cascade to lyse target cells.

- **Increased Half-Life via FcRn Recycling**

The Fc region binds to neonatal Fc receptors (FcRn), preventing degradation and recycling the antibody, thereby extending its half-life in circulation.

Advantages of scFv-Fc

- **Increased Stability and Half-Life:**

The Fc region improves the solubility, stability, and half-life of scFv antibodies by preventing rapid clearance from circulation.

- **Effector Functions:**

Unlike scFvs alone, scFv-Fc antibodies can engage immune cells through ADCC and CDC, enhancing therapeutic efficacy.

- **Improved Penetration and Specificity:**

The small size of the scFv component allows better tissue penetration and access to epitopes that may be inaccessible to full-sized antibodies.

- **Scalable Production in Recombinant Systems:**

scFv-Fc fusion antibodies are produced using mammalian systems (e.g., CHO or HEK293 cells) for therapeutic use, ensuring proper folding and glycosylation.

- **Reduced Immunogenicity:**

When human or humanized Fc domains are used, the risk of immune rejection is minimized.

Challenges in scFv-Fc Development

- **Aggregation and Misfolding**

scFv fragments are prone to aggregation, which may compromise stability and reduce expression yields. Careful optimization of linker length and folding conditions is required.

- **Yield and Production Costs**

Mammalian expression systems (e.g., CHO cells) are required for therapeutic-grade scFv-Fc production, which increases production time and costs.

- **Limited Binding Affinity**

Compared to full-length antibodies, some scFv fragments may show reduced affinity or stability. Engineering techniques, such as affinity maturation, are often necessary.

- **Glycosylation Consistency**

Ensuring consistent glycosylation patterns on the Fc domain is crucial for maintaining therapeutic efficacy and regulatory compliance.

Applications of scFv-Fc

1. Cancer Immunotherapy

- scFv-Fc constructs targeting tumor-associated antigens (e.g., HER2, PD-L1) enhance immune responses through ADCC and CDC.
- Bispecific scFv-Fc antibodies, such as T-cell engagers (BiTEs), redirect T-cells to tumor cells by binding both a tumor antigen and a T-cell receptor (CD3).

2. Autoimmune Disease Treatments

- scFv-Fc antibodies targeting pro-inflammatory cytokines, such as TNF-α or IL-6, are used to treat autoimmune conditions like rheumatoid arthritis and Crohn's disease.

3. Diagnostic Applications

- scFv-Fc antibodies are employed in diagnostic assays (e.g., ELISA kits) to detect biomarkers with high specificity and sensitivity.

GenScript Services and Solutions

GenScript provides comprehensive support for the development of scFv-Fc fusion antibodies, including:

- **Custom Antibody Engineering:** GenScript offers scFv screening, humanization, and Fc fusion design to enhance therapeutic properties.
- **Mammalian Expression Services:** High-yield production of scFv-Fc constructs using CHO and HEK293 systems, ensuring proper folding and glycosylation.

These services help accelerate the development of high-quality scFv-Fc antibodies for therapeutic, diagnostic, and research applications.

Conclusion

scFv-Fc fusion constructs represent an important innovation in antibody engineering, offering the targeting precision of scFv fragments along with the effector functions and stability of Fc domains. Their versatility makes them suitable for a wide range of applications, from cancer immunotherapy and autoimmune disease treatments to diagnostics and research tools. With ongoing advancements in antibody design, production technologies, and synthetic biology, scFv-Fc constructs are poised to play a significant role in the next generation of biologics and antibody therapeutics.

Tags: [Protein](#)

Related Biology Tools

GenSmart™ Codon Optimization

GenSmart Optimization is a free online tool for performing codon optimization to improve gene expression. GenScript's patented algorithms are integrated into the tool to optimize the computing capability of high-performance sequence generation.

Learn More

DNA Construct Design Tool

GenSmart™ Design is a free online DNA construct design tool developed by GenScript. GenSmart™ Design has two design modules, the Create Construct module for individual plasmid design and the Create Library module for DNA library design.


Learn More

Codon Frequency Tables

This online tool shows commonly used genetic codon frequency table in expression host organisms including Escherichia coli and other common host organisms.

Learn More

Service and Products



Protein Expression

GenScript recombinant protein



Bacterial Expression

One-stop service from Sequence to

Our website uses cookies to improve your experience. Read our [Privacy Policy](#) to find out more.

ACCEPT & CLOSE

PGR2026-00025-JHU
Ex. 2033 - Page 3

3 of 5

5/18/2026, 11:05 AM