



US010945764B2

(12) **United States Patent**
Dayton et al.

(10) **Patent No.:** **US 10,945,764 B2**

(45) **Date of Patent:** **Mar. 16, 2021**

(54) **BONE POSITIONING AND CUTTING
SYSTEM AND METHOD**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Treace Medical Concepts, Inc.**, Ponte
Vedra, FL (US)

3,664,022 A 5/1972 Small
4,069,824 A 1/1978 Weinstock
4,159,716 A 7/1979 Borchers
4,187,840 A 2/1980 Watanabe

(Continued)

(72) Inventors: **Paul Dayton**, Fort Dodge, IA (US); **F.
Barry Bays**, Collierville, TN (US)

(73) Assignee: **Treace Medical Concepts, Inc.**, Ponte
Vedra, FL (US)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

AU 2009227957 B2 7/2014
CA 2491824 A1 9/2005

(Continued)

(21) Appl. No.: **16/730,424**

OTHER PUBLICATIONS

(22) Filed: **Dec. 30, 2019**

“Accu-Cut Osteotomy Guide System,” BioPro, Brochure, Oct.
2018, 2 pages.

(65) **Prior Publication Data**

US 2020/0155197 A1 May 21, 2020

“Acumed Osteotomiesystem Operationstechnik,” Acumed, 2014,
19 pages (including 3 pages English translation).

Related U.S. Application Data

Albano et al., “Biomechanical Study of Transcortical or Transtrabecular
Bone Fixation of Patellar Tendon Graft with Bioabsorbable Pins in
ACL Reconstruction in Sheep,” Revista Brasileira de Ortopedia
(Rev Bras Ortop.) vol. 47, No. 1, 2012, pp. 43-49.

(Continued)

(60) Continuation of application No. 15/894,702, filed on
Feb. 12, 2018, now Pat. No. 10,555,757, which is a
division of application No. 14/799,981, filed on Jul.
15, 2015, now abandoned.

(60) Provisional application No. 62/024,546, filed on Jul.
15, 2014.

Primary Examiner — Lynnsy M Summitt

Assistant Examiner — Christina Negrelli-rodriguez

(74) *Attorney, Agent, or Firm* — Fredrikson & Byron,
P.A.

(51) **Int. Cl.**

A61B 17/64 (2006.01)

A61B 17/15 (2006.01)

A61B 17/66 (2006.01)

(52) **U.S. Cl.**

CPC **A61B 17/6416** (2013.01); **A61B 17/151**
(2013.01); **A61B 17/66** (2013.01)

(58) **Field of Classification Search**


CPC . A61B 17/64; A61B 17/6416; A61B 17/6425;
A61B 17/6441; A61B 17/645; A61B
17/6458; A61B 17/6466; A61B 17/6491;
A61B 17/66

See application file for complete search history.

(57) **ABSTRACT**

A bone positioning device can include a fixation pin for
attachment to a first bone and a fixation pin for attachment
to a second bone. A first block having an aperture can be
included for slidably receiving a fixation pin, and a second
block having an aperture can be included for slidably
receiving a fixation pin. A multi-axis joint can connect the
first block and the second block, where the multi-axis joint
allows the first second blocks to move with respect to each
other about more than one axis.

26 Claims, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,335,715 A	6/1982	Kirkley	6,248,109 B1	6/2001	Stoffella
4,338,927 A	7/1982	Volkov et al.	6,391,031 B1	5/2002	Toomey
4,349,018 A	9/1982	Chambers	6,478,799 B1	11/2002	Williamson
4,409,973 A	10/1983	Neufeld	6,511,481 B2	1/2003	von Hoffmann et al.
4,440,168 A	4/1984	Warren	6,547,793 B1	4/2003	McGuire
4,501,268 A	2/1985	Comparetto	6,676,662 B1	1/2004	Bagga et al.
4,502,474 A	3/1985	Comparetto	6,719,773 B1	4/2004	Boucher et al.
4,509,511 A	4/1985	Neufeld	6,743,233 B1	6/2004	Baldwin et al.
4,565,191 A	1/1986	Slocum	6,755,838 B2	6/2004	Trnka
4,570,624 A	2/1986	Wu	6,796,986 B2	9/2004	Duffner
4,627,425 A	12/1986	Reese	6,859,661 B2	2/2005	Tuke
4,628,919 A	12/1986	Clyburn	7,018,383 B2	3/2006	McGuire
4,632,102 A	12/1986	Comparetto	7,033,361 B2	4/2006	Collazo
4,664,102 A	5/1987	Comparetto	7,112,204 B2	9/2006	Justin et al.
4,708,133 A	11/1987	Comparetto	7,182,766 B1	2/2007	Mogul
4,736,737 A	4/1988	Fargie et al.	7,241,298 B2	7/2007	Nemec et al.
4,750,481 A	6/1988	Reese	7,282,054 B2	10/2007	Steffensmeier et al.
4,757,810 A	7/1988	Reese	7,377,924 B2	5/2008	Raistrick et al.
4,895,141 A	1/1990	Koeneman et al.	7,465,303 B2	12/2008	Riccione et al.
4,952,214 A	8/1990	Comparetto	7,540,874 B2	6/2009	Trumble et al.
4,959,066 A	9/1990	Dunn et al.	7,572,258 B2	8/2009	Stiernborg
4,978,347 A	12/1990	Illizarov	7,641,660 B2	1/2010	Lakin et al.
4,988,349 A	1/1991	Pennig	D610,257 S	2/2010	Horton
4,995,875 A	2/1991	Coes	7,686,811 B2	3/2010	Byrd et al.
5,021,056 A	6/1991	Hofmann et al.	7,691,108 B2	4/2010	Lavallee
5,035,698 A	7/1991	Comparetto	7,763,026 B2	7/2010	Egger et al.
5,042,983 A	8/1991	Rayhack	D629,900 S	12/2010	Fisher
5,049,149 A	9/1991	Schmidt	7,967,823 B2	6/2011	Ammann et al.
5,053,039 A	10/1991	Hofmann et al.	7,972,338 B2	7/2011	O'Brien
5,078,719 A	1/1992	Schreiber	D646,389 S	10/2011	Claypool et al.
5,112,334 A	5/1992	Alchermes et al.	8,057,478 B2	11/2011	Kuczynski et al.
5,147,364 A	9/1992	Comparetto	8,062,301 B2	11/2011	Ammann et al.
5,176,685 A	1/1993	Rayhack	D651,315 S	12/2011	Bertoni et al.
5,207,676 A	5/1993	Canadell et al.	D651,316 S	12/2011	May et al.
5,246,444 A	9/1993	Schreiber	8,080,010 B2	12/2011	Schulz et al.
5,254,119 A	10/1993	Schreiber	8,083,746 B2	12/2011	Novak
5,312,412 A	5/1994	Whipple	8,123,753 B2	2/2012	Poncet
5,358,504 A	10/1994	Paley et al.	8,137,406 B2	3/2012	Novak et al.
5,364,402 A	11/1994	Mumme et al.	8,147,530 B2	4/2012	Strnad et al.
5,374,271 A	12/1994	Hwang	8,167,918 B2	5/2012	Strnad et al.
5,413,579 A	5/1995	Du Toit	8,172,848 B2	5/2012	Tomko et al.
5,417,694 A	5/1995	Marik et al.	8,192,441 B2	6/2012	Collazo
5,449,360 A	9/1995	Schreiber	8,197,487 B2	6/2012	Poncet et al.
5,470,335 A	11/1995	Du Toit	8,231,623 B1	7/2012	Jordan
5,490,854 A	2/1996	Fisher et al.	8,231,663 B2	7/2012	Kay et al.
5,529,075 A	6/1996	Clark	8,236,000 B2	8/2012	Ammann et al.
5,540,695 A	7/1996	Levy	8,246,561 B1	8/2012	Agee et al.
5,578,038 A	11/1996	Slocum	D666,721 S	9/2012	Wright et al.
5,601,565 A	2/1997	Huebner	8,262,664 B2	9/2012	Justin et al.
5,613,969 A	3/1997	Jenkins, Jr.	8,277,459 B2	10/2012	Sand et al.
5,620,442 A	4/1997	Bailey et al.	8,282,644 B2	10/2012	Edwards
5,620,448 A	4/1997	Puddu	8,282,645 B2	10/2012	Lawrence et al.
5,643,270 A	7/1997	Combs	8,292,966 B2	10/2012	Morton
5,667,510 A	9/1997	Combs	8,303,596 B2	11/2012	Plassky et al.
H1706 H	1/1998	Mason	8,313,492 B2	11/2012	Wong et al.
5,722,978 A	3/1998	Jenkins	8,323,289 B2	12/2012	Re
5,749,875 A	5/1998	Puddu	8,337,503 B2	12/2012	Lian
5,779,709 A	7/1998	Harris et al.	8,343,159 B2	1/2013	Bennett
5,788,695 A	8/1998	Richardson	8,377,105 B2	2/2013	Buescher
5,803,924 A	9/1998	Oni et al.	D679,395 S	4/2013	Wright et al.
5,810,822 A	9/1998	Mortier	8,409,209 B2	4/2013	Ammann et al.
5,843,085 A	12/1998	Graser	8,435,246 B2	5/2013	Fisher et al.
5,893,553 A	4/1999	Pinkous	8,475,462 B2	7/2013	Thomas et al.
5,911,724 A	6/1999	Wehrli	8,496,662 B2	7/2013	Novak et al.
5,935,128 A	8/1999	Carter et al.	8,523,870 B2	9/2013	Green, II et al.
5,941,877 A	8/1999	Viegas et al.	8,529,571 B2	9/2013	Horan et al.
5,951,556 A	9/1999	Faccioli et al.	8,540,777 B2	9/2013	Ammann et al.
5,980,526 A	11/1999	Johnson et al.	8,545,508 B2	10/2013	Collazo
5,984,931 A	11/1999	Greenfield	D694,884 S	12/2013	Mooradian et al.
6,007,535 A	12/1999	Rayhack et al.	D695,402 S	12/2013	Dacosta et al.
6,027,504 A	2/2000	McGuire	8,652,142 B2	2/2014	Geissler
6,030,391 A	2/2000	Brainard et al.	8,657,820 B2	2/2014	Kubiak et al.
6,162,223 A	12/2000	Orsak et al.	D701,303 S	3/2014	Cook
6,171,309 B1	1/2001	Huebner	8,672,945 B2	3/2014	Lavallee et al.
6,203,545 B1	3/2001	Stoffella	8,696,716 B2	4/2014	Kartalian et al.
			8,702,715 B2	4/2014	Ammann et al.
			D705,929 S	5/2014	Frey
			8,715,363 B2	5/2014	Ratron et al.
			8,728,084 B2	5/2014	Berelsman et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

8,758,354 B2	6/2014	Habegger et al.	2008/0039850 A1	2/2008	Rowley et al.
8,764,760 B2	7/2014	Metzger et al.	2008/0091197 A1	4/2008	Coughlin
8,764,763 B2	7/2014	Wong et al.	2008/0140081 A1	6/2008	Heavener et al.
8,771,279 B2	7/2014	Philippon et al.	2008/0147073 A1	6/2008	Ammann et al.
8,777,948 B2	7/2014	Bernsteiner	2008/0172054 A1	7/2008	Claypool et al.
8,784,427 B2	7/2014	Fallin et al.	2008/0195215 A1	8/2008	Morton
8,784,457 B2	7/2014	Graham	2008/0208252 A1	8/2008	Holmes
8,795,286 B2	8/2014	Sand et al.	2008/0262500 A1	10/2008	Collazo
8,801,727 B2	8/2014	Chan et al.	2008/0269908 A1	10/2008	Warburton
8,808,303 B2	8/2014	Stemniski et al.	2008/0288004 A1	11/2008	Schendel
8,828,012 B2	9/2014	May et al.	2009/0036893 A1	2/2009	Kartalian et al.
8,858,602 B2	10/2014	Weiner et al.	2009/0036931 A1	2/2009	Pech et al.
8,882,778 B2	11/2014	Ranft	2009/0054899 A1	2/2009	Ammann et al.
8,882,816 B2	11/2014	Kartalian et al.	2009/0093849 A1	4/2009	Grabowski
8,888,785 B2	11/2014	Ammann et al.	2009/0105767 A1	4/2009	Reiley
D720,456 S	12/2014	Dacosta et al.	2009/0118733 A1	5/2009	Orsak et al.
8,900,247 B2	12/2014	Tseng et al.	2009/0198244 A1	8/2009	Leibel
8,906,026 B2	12/2014	Ammann et al.	2009/0198279 A1	8/2009	Zhang et al.
8,945,132 B2	2/2015	Plassky et al.	2009/0222047 A1	9/2009	Graham
8,998,903 B2	4/2015	Price et al.	2009/0254092 A1	10/2009	Albiol
8,998,904 B2	4/2015	Zeetser et al.	2009/0254126 A1	10/2009	Orbay et al.
9,023,052 B2	5/2015	Lietz et al.	2009/0287309 A1	11/2009	Walch et al.
9,044,250 B2	6/2015	Olsen et al.	2010/0069910 A1	3/2010	Hasselman
9,060,822 B2	6/2015	Lewis et al.	2010/0121334 A1	5/2010	Couture et al.
9,089,376 B2	7/2015	Medoff et al.	2010/0130981 A1	5/2010	Richards
9,101,421 B2	8/2015	Blacklidge	2010/0152782 A1	6/2010	Stone et al.
9,107,715 B2	8/2015	Blitz et al.	2010/0168799 A1	7/2010	Schumer
9,113,920 B2	8/2015	Ammann et al.	2010/0185245 A1	7/2010	Paul et al.
D740,424 S	10/2015	Dacosta et al.	2010/0249779 A1	9/2010	Hotchkiss et al.
D765,844 S	9/2016	DaCosta	2010/0256687 A1	10/2010	Neufeld et al.
D766,434 S	9/2016	DaCosta	2010/0318088 A1	12/2010	Warne et al.
D766,437 S	9/2016	DaCosta	2010/0324556 A1	12/2010	Tyber et al.
D766,438 S	9/2016	DaCosta	2011/0009865 A1	1/2011	Orfaly
D766,439 S	9/2016	DaCosta	2011/0093084 A1	4/2011	Morton
9,522,023 B2	12/2016	Haddad et al.	2011/0118739 A1 *	5/2011	Tyber A61B 17/8685 606/62
9,750,538 B2	9/2017	Soffiatti et al.	2011/0178524 A1	7/2011	Lawrence et al.
9,785,747 B2	10/2017	Geebelen	2011/0245835 A1	10/2011	Dodds et al.
10,028,750 B2	7/2018	Rose	2011/0288550 A1	11/2011	Orbay et al.
10,064,631 B2	9/2018	Dacosta et al.	2011/0301648 A1	12/2011	Lofthouse et al.
10,159,499 B2	12/2018	Dacosta et al.	2012/0016426 A1	1/2012	Robinson
10,292,713 B2	5/2019	Fallin et al.	2012/0065689 A1	3/2012	Prasad et al.
10,327,829 B2	6/2019	Dacosta et al.	2012/0078258 A1	3/2012	Lo et al.
10,470,779 B2	11/2019	Falun et al.	2012/0123420 A1	5/2012	Honiball
2002/0099381 A1	7/2002	Maroney	2012/0123484 A1	5/2012	Lietz et al.
2002/0107519 A1	8/2002	Dixon et al.	2012/0130376 A1	5/2012	Loring et al.
2002/0165552 A1	11/2002	Duffner	2012/0130382 A1	5/2012	Iannotti et al.
2002/0198531 A1	12/2002	Millard et al.	2012/0130383 A1	5/2012	Budoff
2004/0010259 A1	1/2004	Keller et al.	2012/0184961 A1	7/2012	Johannaber
2004/0039394 A1	2/2004	Conti et al.	2012/0185056 A1	7/2012	Warburton
2004/0097946 A1	5/2004	Dietzel et al.	2012/0191199 A1	7/2012	Raemisch
2004/0138669 A1	7/2004	Horn	2012/0239045 A1	9/2012	Li
2005/0004676 A1	1/2005	Schon et al.	2012/0253350 A1	10/2012	Anthony et al.
2005/0059978 A1	3/2005	Sherry et al.	2012/0265301 A1	10/2012	Demers et al.
2005/0070909 A1	3/2005	Egger et al.	2012/0277745 A1	11/2012	Lizee
2005/0075641 A1	4/2005	Singhatat et al.	2012/0330135 A1	12/2012	Millahn et al.
2005/0101961 A1	5/2005	Huebner et al.	2013/0012949 A1	1/2013	Fallin et al.
2005/0149042 A1	7/2005	Metzger	2013/0035694 A1	2/2013	Grimm et al.
2005/0228389 A1	10/2005	Stiernborg	2013/0085499 A1	4/2013	Lian
2005/0251147 A1	11/2005	Novak	2013/0096563 A1	4/2013	Meade et al.
2005/0273112 A1	12/2005	McNamara	2013/0131821 A1	5/2013	Cachia
2006/0129163 A1	6/2006	McGuire	2013/0150903 A1	6/2013	Vincent
2006/0206044 A1 *	9/2006	Simon A61B 17/7216 602/23	2013/0158556 A1	6/2013	Jones et al.
2006/0217733 A1	9/2006	Plassky et al.	2013/0165936 A1	6/2013	Myers
2006/0229621 A1	10/2006	Cadmus	2013/0165938 A1	6/2013	Chow et al.
2006/0241607 A1	10/2006	Myerson et al.	2013/0172942 A1	7/2013	Lewis et al.
2006/0241608 A1	10/2006	Myerson et al.	2013/0184714 A1	7/2013	Kaneyama et al.
2006/0264961 A1	11/2006	Murray-Brown	2013/0190765 A1	7/2013	Harris et al.
2007/0010818 A1	1/2007	Stone et al.	2013/0190766 A1	7/2013	Harris et al.
2007/0123857 A1	5/2007	Deffenbaugh et al.	2013/0204259 A1	8/2013	Zajac
2007/0233138 A1	10/2007	Figuerola et al.	2013/0226248 A1	8/2013	Hatch et al.
2007/0265634 A1	11/2007	Weinstein	2013/0226252 A1	8/2013	Mayer
2007/0276383 A1	11/2007	Rayhack	2013/0231668 A1	9/2013	Olsen et al.
2008/0009863 A1	1/2008	Bond et al.	2013/0237987 A1	9/2013	Graham
2008/0015603 A1	1/2008	Collazo	2013/0237989 A1	9/2013	Bonutti
			2013/0267956 A1	10/2013	Terrill et al.
			2013/0310836 A1	11/2013	Raub et al.
			2013/0325019 A1	12/2013	Thomas et al.
			2013/0325076 A1	12/2013	Palmer et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0331845	A1	12/2013	Horan et al.	CN	203458450	U	3/2014
2013/0338785	A1	12/2013	Wong	CN	102860860	B	5/2014
2014/0005672	A1	1/2014	Edwards et al.	CN	203576647	U	5/2014
2014/0025127	A1	1/2014	Richter	CN	104490460	A	4/2015
2014/0039501	A1	2/2014	Schickendantz et al.	CN	104510523	A	4/2015
2014/0039561	A1	2/2014	Weiner et al.	CN	104523327	A	4/2015
2014/0046387	A1	2/2014	Waizenegger	CN	104546102	A	4/2015
2014/0074099	A1	3/2014	Vigneron et al.	CN	204379413	U	6/2015
2014/0074101	A1	3/2014	Collazo	CN	204410951	U	6/2015
2014/0094861	A1	4/2014	Fallin	CN	204428143	U	7/2015
2014/0094924	A1	4/2014	Hacking et al.	CN	204428144	U	7/2015
2014/0135775	A1	5/2014	Maxson et al.	CN	204428145	U	7/2015
2014/0163563	A1	6/2014	Reynolds et al.	CN	204446081	U	7/2015
2014/0171953	A1	6/2014	Gonzalvez et al.	DE	202006010241	U1	3/2007
2014/0180342	A1	6/2014	Lowery et al.	DE	102007053058	B3	4/2009
2014/0188139	A1	7/2014	Fallin et al.	EP	685206	B1	9/2000
2014/0194884	A1	7/2014	Martin et al.	EP	1508316	B1	5/2007
2014/0194999	A1	7/2014	Orbay et al.	EP	1897509	B1	7/2009
2014/0207144	A1	7/2014	Lee et al.	EP	2124772	A1	12/2009
2014/0249537	A1	9/2014	Vvong et al.	EP	2124832	B1	8/2012
2014/0257308	A1	9/2014	Johannaber	EP	2632349	A1	9/2013
2014/0257509	A1	9/2014	Dacosta et al.	EP	2665428	A1	11/2013
2014/0276815	A1	9/2014	Riccione	EP	2742878	A1	6/2014
2014/0276853	A1	9/2014	Long et al.	EP	2750617	A1	7/2014
2014/0277176	A1	9/2014	Buchanan et al.	EP	2849684	A1	3/2015
2014/0277214	A1	9/2014	Helenbolt et al.	EP	2624764	B1	12/2015
2014/0288562	A1	9/2014	Von Zabern et al.	FR	2362616	A1	3/1978
2014/0296995	A1	10/2014	Reiley et al.	FR	2764183	B1	11/1999
2014/0303621	A1	10/2014	Gerold et al.	FR	2953120	B1	1/2012
2014/0336658	A1	11/2014	Luna et al.	FR	3030221	A1	6/2016
2014/0343555	A1	11/2014	Russi et al.	GB	2154143	A	9/1985
2015/0032168	A1	1/2015	Orsak et al.	GB	2154144	A	9/1985
2015/0045801	A1	2/2015	Axelson, Jr. et al.	GB	2334214	B	1/2003
2015/0045839	A1	2/2015	Dacosta et al.	IN	200903719	P1	6/2009
2015/0051650	A1	2/2015	Verstreken et al.	IN	200904479	P2	5/2010
2015/0057667	A1	2/2015	Ammann et al.	IN	140/DELNP/2012	P1	2/2013
2015/0066094	A1	3/2015	Prandi et al.	IN	2004/KOLNP/2012	P2	11/2013
2015/0112446	A1	4/2015	Melamed et al.	JP	2006158972	A	6/2006
2015/0119944	A1	4/2015	Geldwert	JP	4134243	B2	8/2008
2015/0142064	A1	5/2015	Perez et al.	JP	4162380	B2	10/2008
2015/0150608	A1	6/2015	Sammarco	JP	2011092405	A	5/2011
2015/0182273	A1	7/2015	Stemniski et al.	JP	2011523889	A	8/2011
2015/0223851	A1	8/2015	Hill et al.	JP	4796943	B2	10/2011
2015/0245858	A1	9/2015	Weiner et al.	JP	5466647	B2	4/2014
2016/0022315	A1	1/2016	Soffiatti et al.	JP	2014511207	A	5/2014
2016/0151165	A1	6/2016	Fallin et al.	JP	2014521384	A	8/2014
2016/0175089	A1	6/2016	Fallin et al.	JP	5628875	B2	11/2014
2016/0192950	A1	7/2016	Dayton et al.	KR	100904142	B1	6/2009
2016/0199076	A1	7/2016	Fallin et al.	RU	2098036	C1	12/1997
2016/0213384	A1	7/2016	Fallin et al.	RU	2195892	C2	1/2003
2016/0235414	A1	8/2016	Hatch et al.	RU	2320287	C1	3/2008
2016/0242791	A1	8/2016	Fallin et al.	RU	2321366	C2	4/2008
2016/0256204	A1	9/2016	Patel et al.	RU	2321369	C1	4/2008
2016/0324532	A1	11/2016	Montoya et al.	RU	2346663	C2	2/2009
2016/0354127	A1	12/2016	Lundquist et al.	RU	2412662	C1	2/2011
2017/0042598	A1	2/2017	Santrock et al.	SU	1333328	A2	8/1987
2017/0042599	A1	2/2017	Bays et al.	WO	0166022	A1	9/2001
2017/0079669	A1	3/2017	Bays et al.	WO	03075775	A1	9/2003
2017/0143511	A1	5/2017	Cachia	WO	2004089227	A2	10/2004
2017/0164989	A1	6/2017	Weiner et al.	WO	2008051064	A1	5/2008
2018/0344334	A1	12/2018	Kim et al.	WO	2009029798	A1	3/2009
				WO	2009032101	A2	3/2009
				WO	2011037885	A1	3/2011
				WO	2012029008	A1	3/2012
				WO	2013090392	A1	6/2013
				WO	2013134387	A1	9/2013
				WO	2013169475	A1	11/2013
CA	2854997	A1	5/2013	WO	2014020561	A1	2/2014
CH	695846	A5	9/2006	WO	2014022055	A1	2/2014
CN	2930668	Y	8/2007	WO	2014035991	A1	3/2014
CN	201558162	U	8/2010	WO	2014085882	A1	6/2014
CN	201572172	U	9/2010	WO	2014147099	A1	9/2014
CN	201586060	U	9/2010	WO	2014152219	A2	9/2014
CN	201912210	U	8/2011	WO	2014152535	A1	9/2014
CN	101237835	B	11/2012	WO	2014177783	A1	11/2014
CN	202801773	U	3/2013	WO	2014200017	A1	12/2014
CN	103462675	A	12/2013	WO	2015094409	A1	6/2016
CN	103505276	A	1/2014				

FOREIGN PATENT DOCUMENTS

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2015105880 A1	7/2015
WO	2015127515 A2	9/2015
WO	2016134160 A1	8/2016

OTHER PUBLICATIONS

Anderson et al., "Uncemented STAR Total Ankle Prostheses," *The Journal of Bone and Joint Surgery*, vol. 86(1, Suppl 2), Sep. 2004, pp. 103-111, (Abstract Only).

Blomer, "Knieendoprothetik—Herstellerische Probleme und technologische Entwicklungen," *Orthopäde*, vol. 29, 2000, pp. 688-696, including English Abstract on p. 689.

Bouaicha et al., "Fixation of Maximal Shift Scarf Osteotomy with Inside-Out Plating: Technique Tip," *Foot & Ankle International*, vol. 32, No. 5, May 2011, pp. 567-569.

Dayton et al., "Is Our Current Paradigm for Evaluation and Management of the Bunion Deformity Flawed? A Discussion of Procedure Philosophy Relative to Anatomy," *The Journal of Foot and Ankle Surgery*, vol. 54, 2015, pp. 102-111.

Dayton et al., "Observed Changes in Radiographic Measurements of the First Ray after Frontal and Transverse Plane Rotation of the Hallux: Does the Hallux Drive the Metatarsal in a Bunion Deformity?," *The Journal of Foot and Ankle Surgery*, vol. 53, 2014, pp. 584-587.

Dayton et al., "Relationship Of Frontal Plane Rotation Of First Metatarsal To Proximal Articular Set Angle And Hallux Alignment in Patients Undergoing Tarsometatarsal Arthrodesis For Hallux Abducto Valgus: A Case Series And Critical Review Of The Literature," *The Journal of Foot and Ankle Surgery*, vol. 52, No. 3, May/Jun. 2013, pp. 348-354.

Dayton et al., "Quantitative Analysis of the Degree of Frontal Rotation Required to Anatomically Align the First Metatarsal Phalangeal Joint During Modified Tarsal-Metatarsal Arthrodesis Without Capsular Balancing," *The Journal of Foot and Ankle Surgery*, 2015, pp. 1-6.

De Geer et al., "A New Measure of Tibial Sesamoid Position in Hallux Valgus in Relation to the Coronal Rotation of the First Metatarsal in CT Scans," *Foot and Ankle International*, Mar. 26, 2015, 9 pages.

DiDomenico et al., "Correction of Frontal Plane Rotation of Sesamoid Apparatus during the Lapidus Procedure: A Vowel Approach," *The Journal of Foot and Ankle Surgery*, vol. 53, 2014, pp. 248-251.

Dobbe et al., "Patient-Tailored Plate For Bone Fixation And Accurate 3D Positioning In Corrective Osteotomy," *Medical and Biological Engineering and Computing*, vol. 51, No. 1-2, Feb. 2013, pp. 19-27, (Abstract Only).

EBI Extra Small Rail Fixator, Biomet Trauma, retrieved Dec. 19, 2014, from the Internet: <<http://footandanklefixation.com/product/biomet-trauma-ebi-extra-small-rail-fixator>>, 7 pages.

"Futura Forefoot Implant Arthroplasty Products," Tornier, Inc., 2008, 14 pages.

Garthwait, "Accu-Cut System Facilitates Enhanced Precision," *Podiatry Today*, vol. 18, No. 6, Jun. 2005, 6 pages.

Gonzalez Del Pino et al., "Variable Angle Locking Intercarpal Fusion System for Four-Corner Arthrodesis: Indications and Surgical Technique," *Journal of Wrist Surgery*, vol. 1, No. 1, Aug. 2012, pp. 73-78.

Gotte, "Entwicklung eines Assistenzrobotersystems für die Knieendoprothetik," *Forschungsberichte, Technische Universität München*, 165, 2002, 11 pages, including partial English Translation.

Gregg et al., "Plantar plate repair and Weil osteotomy for metatarsophalangeal joint instability," *Foot and Ankle Surgery*, vol. 13, 2007, pp. 116-121.

Grondal et al., "A Guide Plate for Accurate Positioning of First Metatarsophalangeal Joint during Fusion," *Operative Orthopädie Und Traumatologie*, vol. 16, No. 2, 2004, pp. 167-178 (Abstract Only).

"HAT-TRICK Lesser Toe Repair System," Smith & Nephew, Brochure, Aug. 2014, 12 pages.

"HAT-TRICK Lesser Toe Repair System, Foot and Ankle Technique Guide, Metatarsal Shortening Osteotomy Surgical Technique," Smith & Nephew, 2014, 16 pages.

Hetherington et al., "Evaluation of surgical experience and the use of an osteotomy guide on the apical angle of an Austin osteotomy," *The Foot*, vol. 18, 2008, pp. 159-164.

Hirao et al., "Computer assisted planning and custom-made surgical guide for malunited pronation deformity after first metatarsophalangeal joint arthrodesis in rheumatoid arthritis: A case report," *Computer Aided Surgery*, vol. 19, Nos. 1-3, 2014, pp. 13-19.

"Hoffmann II Compact External Fixation System," Stryker, Brochure, Literature No. 5075-1-500, 2006, 12 pages.

"Hoffmann II Micro Lengthener," Stryker, Operative Technique, Literature No. 5075-2-002, 2008, 12 pages.

"Hoffmann Small System External Fixator Orthopedic Instruments," Stryker, retrieved Dec. 19, 2014, from the Internet: <http://www.alibaba.com/product-detail/Stryker-Hoffmann-Small-System-External-Fixator_1438850129.html>, 3 pages.

Kim et al., "A New Measure of Tibial Sesamoid Position in Hallux Valgus in Relation to the Coronal Rotation of the First Metatarsal in CT Scans," *Foot and Ankle International*, vol. 36, No. 8, 2015, pp. 944-952.

"Lag Screw Target Bow," Stryker Leibinger GmbH & Co. KG, Germany 2004, 8 pages.

Lieske et al., "Implantation einer Sprunggelenktotalendo-prothese vom Typ Salto 2," *Operative Orthopädie und Traumatologie*, vol. 26, No. 4, 2014, pp. 401-413, including English Abstract on p. 403. MAC (Multi Axial Correction) Fixation System, Biomet Trauma, retrieved Dec. 19, 2014, from the Internet: <<http://footandanklefixation.com/product/biomet-trauma-mac-multi-axial-correction-fixation-system>>, 7 pages.

Magin, "Computemavigierter Gelenkersatz am Knie mit dem Orthopilot," *Operative Orthopädie und Traumatologie*, vol. 22, No. 1, 2010, pp. 63-80, including English Abstract on p. 64.

Magin, "Die belastungsstabile Lapidus-Arthrodesis bei Hallux-valgus-Deformität mittels IVP-Plattenfixateur (V-TEK-System)," *Operative Orthopädie und Traumatologie*, vol. 26, No. 2, 2014, pp. 184-195, including English Abstract on p. 186.

Michelangelo Bunion System, Surgical Technique, Instratek Incorporated, publication date unknown, 4 pages.

Mini Joint Distractor, Arthrex, retrieved Dec. 19, 2014, from the Internet: <<http://www.arthrex.com/foot-ankle/mini-joint-distractor/products>>, 2 pages.

MiniRail System, Small Bone Innovations, Surgical Technique, 2010, 24 pages.

Miyake et al., "Three-Dimensional Corrective Osteotomy for Malunited Diaphyseal Forearm Fractures Using Custom-Made Surgical Guides Based on Computer Simulation," *JBJS Essential Surgical Techniques*, vol. 2, No. 4, 2012, 11 pages.

Modular Rail System: External Fixator, Smith & Nephew, Surgical Technique, 2013, 44 pages.

Monnier et al., "A Hand Guided Robotic Planning System for Laser Osteotomy in Surgery," *World Congress on Medical Physics and Biomedical Engineering* vol. 25/6: Surgery, Minimal Invasive Interventions, Endoscopy and Image Guided Therapy, Sep. 7-12, 2009, pp. 59-62, (Abstract Only).

Moore et al., "Effect Of Ankle Flexion Angle On Axial Alignment Of Total Ankle Replacement," *Foot and Ankle International*, vol. 31, No. 12, Dec. 2010, pp. 1093-1098, (Abstract Only).

Mortier et al., "Axial Rotation of the First Metatarsal Head in a Normal Population and Hallux Valgus Patients," *Orthopaedics and Traumatology: Surgery and Research*, vol. 98, 2012, pp. 677-683.

Nagy et al., "The AO Ulnar Shortening Osteotomy System Indications and Surgical Technique," *Journal of Wrist Surgery*, vol. 3, No. 2, 2014, pp. 91-97.

NexFix from Nexa Orthopedics, MetaFix I from Merete Medical, Inc. and The BioPro Lower Extremities from BioPro, bund in Foot & Ankle International Journal, vol. 28, No. 1, Jan. 2007, 4 pages.

Odenbring et al., "A guide instrument for high tibial osteotomy," *Acta Orthopaedica Scandinavica*, vol. 60, No. 4, 1989, pp. 449-451.

(56)

References Cited**OTHER PUBLICATIONS**

- Okuda et al., "Postoperative Incomplete Reduction of the Sesamoids as a Risk Factor for Recurrence of Hallux Valgus," *The Journal of Bone and Joint Surgery*, vol. 91-A, No. 1, Jul. 2009, pp. 1637-1645.
- Otsuki et al., "Developing a novel custom cutting guide for curved per-acetabular osteotomy," *International Orthopaedics (SICOT)*, vol. 37, 2013, pp. 1033-1038.
- "Patient to Patient Precision, Accu-Cut, Osteotomy Guide System," *BioPro, Foot & Ankle International Journal*, vol. 23, No. 8, Aug. 2002, 2 pages.
- Peters et al., "Flexor Hallucis Longus Tendon Laceration as a Complication of Total Ankle Arthroplasty," *Foot & Ankle International*, vol. 34, No. 1, 2013, pp. 148-149.
- "Prophecy Inbone Preoperative Navigation Guides," *Wright Medical Technology, Inc.*, Nov. 2013, 6 pages.
- "Rayhack Ulnar Shortening Generation II Low-Profile Locking System Surgical Technique," *Wright Medical Technology, Inc.*, Dec. 2013, 20 pages.
- Rx-Fix Mini Rail External Fixator, *Wright Medical Technology*, Brochure, Aug. 15, 2014, 2 pages.
- Saltzman et al., "Prospective Controlled Trial of STAR Total Ankle Replacement Versus Ankle Fusion: Initial Results," *Foot & Ankle International*, vol. 30, No. 7, Jul. 2009, pp. 579-596.
- Scanlan et al., "Technique Tip: Subtalar Joint Fusion Using a Parallel Guide and Double Screw Fixation," *The Journal of Foot and Ankle Surgery*, vol. 49, Issue 3, May-Jun. 2010, pp. 305-309, (Abstract Only).
- Scranton Jr. et al., "Anatomic Variations in the First Ray: Part I. Anatomic Aspects Related to Bunions Surgery," *clinical Orthopaedics and Related Research*, vol. 151, Sep. 1980, pp. 244-255.
- Siddiqui et al., "Fixation Of Metatarsal Fracture With Bone Plate In A Dromedary Heifer," *Open Veterinary Journal*, vol. 3, No. 1, 2013, pp. 17-20.
- SIDEKICK STEALTH Rearfoot Fixator, *Wright Medical Technology*, Surgical Technique, Dec. 2, 2013, 20 pages.
- Simpson et al., "Computer-Assisted Distraction Osteogenesis By Ilizarov's Method," *International Journal of Medical Robots and Computer Assisted Surgery*, vol. 4, No. 4, Dec. 2008, pp. 310-320, (Abstract Only).
- Small Bone External Fixation System, *Acumed*, Surgical Technique, Effective date Sep. 2014, 8 pages.
- "Smith & Nephew scores a HAT-TRICK with its entry into the high-growth hammer toe repair market," *Smith & Nephew*, Jul. 31, 2014, 2 pages.
- Stableloc External Fixation System, *Acumed*, Product Overview, Effective date Sep. 2015, 4 pages.
- Stahl et al., "Derotation of Post-Traumatic Femoral Deformities by Closed Intramedullary Sawing," *Injury*, vol. 37, No. 2, Feb. 2006, pp. 145-151, (Abstract Only).
- Talbot et al., "Assessing Sesamoid Subluxation: How Good is the AP Radiograph?," *Foot and Ankle International*, vol. 19, No. 8, Aug. 1998, pp. 547-554.
- TempFix Spanning the Ankle Joint Half Pin and Transfixing Pin Techniques, *Biomet Orthopedics*, Surgical Technique, 2012, 16 pages.
- Tricot et al., "3D-corrective osteotomy using surgical guides for posttraumatic distal humeral deformity," *Acta Orthopaedica Belgica*, vol. 78, No. 4, 2012, pp. 538-542.
- Vitek et al., "Die Behandlung des Hallux rigidus mit Cheilektomie und Akin-Moberg-Osteotomie unter Verwendung einer neuen Schnittlehre und eines neuen Schraubensystems," *Orthopadische Praxis*, vol. 44, Nov. 2008, pp. 563-566, including English Abstract on p. 564.
- Vitek' "Neue Techniken in der Fußchirurgie Das V-tek-System," *ABW Wissenschaftsverlag GmbH*, 2009, 11 pages, including English Abstract.
- Weber et al., "A Simple System For Navigation Of Bone Alignment Osteotomies Of The Tibia," *International Congress Series*, vol. 1268, Jan. 2004, pp. 608-613, (Abstract Only).
- Weil et al., "Anatomic Plantar Plate Repair Using the Weil Metatarsal Osteotomy Approach," *Foot & Ankle Specialist*, vol. 4, No. 3, 2011, pp. 145-150.
- Wendl et al., "Navigation in der Knieendoprothetik," *OP-Journal*, vol. 17, 2002, pp. 22-27, including English Abstract.
- Whipple et al., "Zimmer Herbert Whipple Bone Screw System: Surgical Techniques for Fixation of Scaphoid and Other Small Bone Fractures," *Zimmer*, 2003, 59 pages.
- Yakacki et al., "Compression Forces of Internal and External Ankle Fixation Devices with Simulated Bone Resorption," *Foot and Ankle International*, vol. 31, No. 1, Jan. 2010, pp. 76-85, (Abstract Only).
- Yasuda et al., "Proximal Supination Osteotomy of the First Metatarsal for Hallux Valgus," *Foot and Ankle International*, vol. 36, No. 6, Jun. 2015, pp. 696-704.
- Alvine et al., "Peg and Dowel Fusion of the Proximal Interphalangeal Joint," *Foot & Ankle*, vol. 1, No. 2, 1980, pp. 90-94.
- Bednarz et al., "Modified Lapidus Procedure for the Treatment of Hypermobile Hallux Valgus," *Foot & Ankle International*, vol. 21, No. 10, Oct. 2000, pp. 816-821.
- Carr et al., "Correctional Osteotomy for Metatarsus Primus Varus and Hallux Valgus," *The Journal of Bone and Joint Surgery*, vol. 50-A, No. 7, Oct. 1968, pp. 1353-1367.
- Coetzee et al., "The Lapidus Procedure: A Prospective Cohort Outcome Study," *Foot & Ankle International*, vol. 25, No. 8, Aug. 2004, pp. 526-531.
- Doty et al., "Hallux valgus and hypermobility of the first ray: facts and fiction," *International Orthopaedics*, vol. 37, 2013, pp. 1655-1660.
- Galli et al., "Enhanced Lapidus Arthrodesis: Crossed Screw Technique With Middle Cuneiform Fixation Further Reduces Sagittal Mobility," *The Journal of Foot & Ankle Surgery*, vol. 54, vol. 3, May/Jun. 2015, published online: Nov. 21, 2014, pp. 437-440.
- Lapidus, "The Author's Bunion Operation From 1931 to 1959," *Clinical Orthopaedics*, vol. 16, 1960, pp. 119-135.
- Osher et al., "Accurate Determination of Relative Metatarsal Protrusion with a Small Intermetatarsal Angle: A Novel Simplified Method," *The Journal of Foot & Ankle Surgery*, vol. 53, No. 5, Sep./Oct. 2014, published online: Jun. 3, 2014, pp. 548-556.
- Patel et al., "Modified Lapidus Arthrodesis: Rate of Nonunion in 227 Cases," *The Journal of Foot & Ankle Surgery*, vol. 43, No. 1, Jan./Feb. 2004, pp. 37-42.
- Toth et al., "The Effect of First Ray Shortening in the Development of Metatarsalgia in the Second Through Fourth Rays After Metatarsal Osteotomy," *Foot & Ankle International*, vol. 28, No. 1, Jan. 2007, pp. 61-63.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

1

**BONE POSITIONING AND CUTTING
SYSTEM AND METHOD**

RELATED APPLICATIONS

This application is a continuation application of U.S. patent application Ser. No. 15/894,702, filed Feb. 12, 2018, which is a divisional application of U.S. patent application Ser. No. 14/799,981, filed Jul. 15, 2015, which claims priority to U.S. Provisional Application No. 62/024,546, filed Jul. 15, 2014. The entire contents of each of these applications are hereby incorporated by reference.

TECHNICAL FIELD

This disclosure generally relates to devices and methods for positioning and cutting bones.

BACKGROUND

In various surgical procedures, it can be necessary to cut one or more bones. Success of such surgical procedures may often times be a function of the accuracy of the cut(s) being made to the one or more bones. Accomplishing accurate cuts can be especially complicated where surgical procedures involve cutting one or more bones that are relatively small as compared to bones in other locations of a surgical patient's anatomy. Exemplary surgical procedures involving cuts to one or more relatively small bones can include surgical procedures involving a foot or hand. To help facilitate accurate cuts to one or more bones, it may be useful to position the one or more bones to be cut in a manner that is conducive to a particular cut.

SUMMARY

One embodiment includes a bone positioning device. The embodiment of the bone positioning device can include at least one fixation pin for attachment to a first bone and at least one fixation pin for attachment to a second bone. A first block having at least one aperture can be included for slidably receiving a fixation pin(s), and a second block having at least one aperture can be included for slidably receiving a fixation pin(s). A multi-axis joint can connect the first block and the second block, where the multi-axis joint allows the first and second blocks to move with respect to each other about more than one axis.

Another embodiment includes a method for fixing an orientation of a first bone with respect to a second bone. The embodiment of the method can include attaching at least one fixation pin to a first bone and attaching at least one fixation pin to a second bone. At least one fixation pin can be inserted within a respective aperture of a first block, and at least one fixation pin can be inserted within a respective aperture of a second block. The first block can be positioned along and about the fixation pin(s) and a set screw(s) can be actuated to fix a position of the first block along and about the fixation pin(s), and similarly the second block can be positioned along and about the fixation pin(s) and a set screw(s) can be actuated to fix a position of the second block along and about the fixation pin(s). The position of the first block can be adjusted with respect to the second block about at least a first axis and a second axis. A set screw can be actuated to fix a position about the first axis, and a set screw can be actuated to fix a position about the second axis.

A further embodiment includes a bone cutting guide. The embodiment of the bone cutting guide can include a plate

2

defining a plane, a block having a guiding surface integral with or coupled to the plate, with the guiding surface being parallel to the plane and being spaced laterally therefrom. A handle can also be included extending from the plate.

BRIEF DESCRIPTION OF THE DRAWINGS

The following drawings are illustrative of particular embodiments of the present invention and therefore do not limit the scope of the invention. The drawings are not necessarily to scale (unless so stated) and are intended for use in conjunction with the explanations in the following detailed description. Embodiments of the invention will hereinafter be described in conjunction with the appended drawings, wherein like numerals denote like elements.

FIG. 1 is a perspective view of a bone positioning device according to an embodiment of the invention;

FIG. 2 is a top plan view of the bone positioning device of FIG. 1;

FIG. 3 is a side plan view of the bone positioning device of FIG. 1;

FIG. 4 is a perspective cross-sectional view of the bone positioning device of FIG. 1;

FIG. 5 is a perspective view of a bone positioning device attached to bones in a skewed position according to an embodiment of the invention;

FIG. 6 is a top view of the bone positioning device of FIG. 5;

FIG. 7 is a side view of the bone positioning device of FIG. 5;

FIG. 8 is a side view of the bone positioning device of FIG. 5;

FIG. 9 is a perspective view of a bone cutting guide according to an embodiment of the invention;

FIG. 10 is a perspective view of a bone cutting guide according to an embodiment of the invention in contact with a saw blade; and

FIG. 11 is a side plan view of the bone cutting guide and saw blade of FIG. 10.

DETAILED DESCRIPTION

The following detailed description is exemplary in nature and is not intended to limit the scope, applicability, or configuration of the invention in any way. Rather, the following description provides some practical illustrations for implementing exemplary embodiments of the present invention. Examples of constructions, materials, dimensions, and manufacturing processes are provided for selected elements, and all other elements employ that which is known to those of ordinary skill in the field of the invention. Those skilled in the art will recognize that many of the noted examples have a variety of suitable alternatives.

Embodiments of the invention include a bone positioning device. Embodiments of the bone positioning device can be useful for temporarily fixing bones in a desired position during a surgical procedure, such as a bone alignment, osteotomy, and/or fusion procedure. Such a procedure may be performed, for example, on bones (e.g., adjacent bones separated by a joint or different portions of a single bone) in the foot or hand. In one example, the procedure can be performed to correct an alignment between a metatarsal (e.g., a first metatarsal) and a cuneiform (e.g., a first cuneiform), such as a bunion correction. An example of such a procedure is a Lapidus procedure. In another example, the procedure can be performed by modifying an alignment of a metatarsal

3

(e.g. a first metatarsal). An example of such a procedure is a Basilar metatarsal osteotomy procedure.

As shown in FIGS. 1-4, the bone positioning device 10 can include at least one fixation pin, such as a first fixation pin 20, for attachment to a first bone 24. At least one fixation pin, such as a second fixation pin 30, can be provided for attachment to a second bone 34, such as an adjacent bone separated by a joint or different portions of a single bone. As shown best in FIG. 4, a first block 40 having a first aperture 50 can slidably receive the first fixation pin 20, and a second block 60 having a second aperture 70 can slidably receive the second fixation pin 30. The first and second apertures 50, 70 can allow the first and second blocks 40, 60 to slide along a longitudinal axis of the first and second fixation pins 20, 30, respectively. The first and second apertures 50, 70 can also allow the first and second blocks 40, 60 to rotate about the longitudinal axis of the first and second fixation pins 20, 30, respectively. In some embodiments, each of the first and second fixation pins 20, 30 are generally cylindrical and have a distal portion and a proximal portion, with the distal portion threaded for retention within the respective first or second bone, while the proximal portion is unthreaded for both sliding within the respective first or second aperture and free rotational movement within the respective first or second aperture. In some embodiments, the proximal portion has a uniform diameter, such that it does not contain a flared or "head" portion. In such embodiments, the first and second blocks can be positioned on the first and second fixation pins before or after the pins are engaged with bone.

Again as shown best in FIG. 4, a multi-axis joint 80 can be provided to connect the first block 40 and the second block 60 and located adjacent to a joint 84 between the first and second bones. In some embodiments, the multi-axis joint 80 allows the first block 40 and the second block 60 to move with respect to each other about more than one axis. In certain embodiments, the multi-axis joint 80 allows the first block 40 and the second block 60 to move with respect to each other about the three cardinal planes (i.e., X, Y, and Z axes). In the embodiment shown, the multi-axis joint 80 allows for angulation in all directions and rotation between the first and second blocks. FIGS. 5-8 depict an exemplary embodiment of the bone positioning device 10 attached to first and second bones 24, 34, where the first and second bones are skewed relative to each other. In this particular embodiment, a longitudinal axis of second bone 34 is skewed about 15 degrees relative to a longitudinal axis of first bone 24.

The multi-axis joint can include any suitable structure for allowing desired adjustments about more than one axis, such as desired adjustments about three axes. In some embodiments, with reference to FIG. 4, the multi-axis joint 80 includes a link 90 having a first end 94 rotatably connected to the first block 40 and a second end 98 rotatably connected to the second block 60. Such a multi-axis joint allows for the movement about the various axes discussed above at both the first end and the second end. In the embodiment shown, the first end 94 includes a first ball received within a first socket of the first block 40, and the second end 98 includes a second ball received within a second socket of the second block 60.

Some embodiments of the device allow the relative positions of the first and second bones to be fixed after a desired orientation has been achieved. For example, a first set screw 100 can extend through the first block 40 into the first aperture 50 and be positioned against the first fixation pin 20, for fixation of the first block on a longitudinal axis of the first fixation pin and/or about the longitudinal axis of the first

4

fixation pin. Further, a second set screw 110 can extend through the second block 60 into the second aperture 70 and be positioned against the second fixation pin 30, for fixation of the second block on a longitudinal axis of the second fixation pin and/or about the longitudinal axis of the second fixation pin. In certain embodiments, the first and second set screws are positioned perpendicular to the first and second fixation pins. As shown in FIGS. 1-3, additional set screws 120, 130 extending through the first and second blocks can be positioned opposite of the first and second set screws, respectively. Such oppositely positioned set screws may facilitate use of the bone positioning device on a left foot or a right foot depending on a particular surgical procedure.

Set screws can also be provided to fix positions across the multi-axis joint. In the embodiment shown in FIG. 4, a first end set screw 140 extends through the first block 40 and is positioned against the first end 94 of the link 90. Further, a second end set screw 150 is shown extending through the second block 60 and positioned against the second end 98 of the link 90.

The set screws can include any structure suitable to fix the relative positions of the components described herein. In some embodiments, the set screws have a threaded connection with the blocks. Further, as shown, they can include a recess with a non-circular surface. Such a recess is useful for engagement with a driving tool, such as a hex-driver.

In some embodiments, the device can be used to apply a compression force between two adjacent bones, or different portions of a single bone, while the bones are held in desired alignment and/or to facilitate a desired alignment between the bones. Such a compression force is useful for certain surgical procedures, such as bone fusions. As shown in FIG. 4, in some embodiments the device 10 includes a compression screw 160 operable to exert a compression force between first and second bones 24, 34 connected to first and second fixation pins 20, 30, respectively. In the embodiment shown, the compression screw 160 is generally perpendicular to the fixation pins and is threadingly received within a block and positioned to act against one of the fixation pins.

One of the blocks can be adapted to allow for relative movement to exert the compression force. In the embodiment shown in FIG. 4, one of the blocks (e.g., the first block 40) has a first portion 170 slidably connected to second portion 180. An aperture (e.g., the first aperture 50) extends through the first portion and the second portion. In this embodiment, the first aperture has a first cross-sectional area in the first portion and a second cross-sectional area in the second portion, and the first cross-sectional area is smaller than the second cross-sectional area. The set screw 100 can extend through the first portion 170. The compression screw 160 can extend through the second portion 180. Upon actuation, the compression screw 160 will act against the fixation pin 20 and will pull the second portion 180 of the block 40 away from the fixation pin 20. The force will be transmitted through the multi-axis joint 80 through the other block 60 and fixation pin 30, thereby applying a compression force that tends to press together leading surfaces (e.g., interfacing surfaces) of the first and second bones 24, 34.

Some embodiments include a bone cutting guide. Such a guide can be useful for guiding the cutting of bone, such as after a position of the bone has been fixed by the device described above. Bone cutting may be useful, for example, to facilitate contact between leading edges of adjacent bones or different portions of a single bone, such as in a bone alignment and/or fusion procedure.

An embodiment of a bone cutting guide is shown in FIGS. 9-11. In the embodiment shown, the guide 200 includes a

5

plate **210** that defines a plane, a block **230**, and a handle **240** extending from the block **230**. As shown, the handle extends from the block **230** at an angle of between 30 and 60 degrees (e.g., 45 degrees) with respect to the plane. The plate **210** can include a top edge, a bottom edge opposite of the top edge, and first and second opposite side surfaces. In the embodiment shown in FIG. 9, the block **230** can include a surface **250** parallel to the plate **210** and offset from the plate by a distance (e.g., 1-20 millimeters). As shown in FIGS. 10 and 11, a cutting tool **260**, such as a saw blade, may be placed in apposition to the surface **250** to guide cutting in a plane parallel to the plate and offset from it by a distance (e.g., a distance the surface **250** if offset from the plate **210**).

In use, the bottom edge of the plate **210** can be placed such that it extends into a joint space or resected portion between the first bone **24** and a second bone **34**. The surface **250** can provide a cutting tool guide surface operable to guide a cutting tool to cut a leading edge of a bone in a plane parallel to the plate **210**.

Embodiments of the invention also include methods of temporarily fixing the orientation of a first bone with respect to a second bone, such as during a surgical procedure, using a bone positioning device. In some embodiments, the method includes a step of attaching a first fixation pin slidably and rotatably received within a first aperture of a first block to a first bone and attaching a second fixation pin slidably and rotatably received within a second aperture of a second block to a second bone. The method can also include the steps of positioning the first block along the first fixation pin and actuating a first set screw to fix a position of the first block along the first fixation pin. Likewise, the method can include the steps of positioning the second block along the second fixation pin and actuating a second set screw to fix a position of the second block along the second fixation pin. In some embodiments, the method can include the steps of adjusting the position of the first block with respect to the second block about at least a first axis and a second axis and actuating a third set screw to fix a position about the first axis and actuating a fourth set screw to fix a position about the second axis. In certain embodiments, the method can also include actuating a compression screw to apply a compression force between the first and second bones. It should be noted these steps need not be performed in the order stated, which is merely exemplary. For example, the second fixation pin may be attached to the second bone before the first fixation pin is attached to the first bone, both fixation pins may be attached before either block is adjusted or fixed, etc.

The method may also include steps following the fixing of the position of the bones. Some embodiments of the method also include imaging (e.g., with an X-ray) the first and second bones connected to the first and second blocks to confirm a desirable alignment. Certain embodiments of the method include fusing the first bone and the second bone, such as by attaching a bone connector (e.g., a plate, pin, screw, wire, or staple) to stably connect and fix the first bone and the second bone. Some embodiments also include the step of removing the first fixation pin from the first bone and the second fixation pin from the second bone, such as at a time after the bones have been stabilized and connected with a bone connector.

Some embodiments of the method also include cutting a leading edge of the first or second bone using a cutting guide, such as by positioning a cutting guide proximate the bone (e.g., within a joint between adjacent bones or a resected portion of a single bone) and using the guide to cut a leading edge of the bone in a plane. Such embodiments can

6

also include the step of actuating a compression screw to apply a compression force between the first and second bones after the cutting step.

Thus, embodiments of the invention are disclosed. Although the present invention has been described with reference to certain disclosed embodiments, the disclosed embodiments are presented for purposes of illustration and not limitation and other embodiments of the invention are possible. One skilled in the art will appreciate that various changes, adaptations, and modifications may be made without departing from the spirit of the invention.

What is claimed is:

1. A method of correcting an alignment between bones of a foot, the method comprising:
 - adjusting an alignment of a metatarsal relative to a cuneiform opposing the metatarsal using a bone positioning device to establish a moved position of the metatarsal;
 - aligning a bone cutting guide with a joint between the metatarsal and the cuneiform;
 - after establishing the moved position of the metatarsal, using a guide feature of the bone cutting guide to guide a cutting tool to remove at least one of a portion of the metatarsal and a portion of the cuneiform; and
 - fixing the moved position of the metatarsal relative to the cuneiform with a bone connector.
2. The method of claim 1, wherein the guide feature of the bone cutting guide is offset a distance from the joint between the metatarsal and the cuneiform.
3. The method of claim 2, wherein the distance ranges from 1 millimeter to 20 millimeters.
4. The method of claim 1, wherein using the guide feature of the bone cutting guide to guide the cutting tool comprises placing the cutting tool in apposition to a surface of the bone cutting guide.
5. The method of claim 4, wherein the surface is operable to guide the cutting tool in a plane parallel to the surface.
6. The method of claim 1, wherein the cutting tool is a saw blade.
7. The method of claim 1, wherein adjusting the alignment of the metatarsal relative to the cuneiform opposing the metatarsal using the bone positioning device comprises moving the metatarsal in more than one plane.
8. The method of claim 7, wherein moving the metatarsal in more than one plane comprises moving the metatarsal in an X-plane, a Y-plane, and a Z-plane.
9. The method of claim 1, further comprising compressing the metatarsal and the cuneiform opposing the metatarsal together.
10. The method of claim 1, wherein using the guide feature of the bone cutting guide to guide the cutting tool comprises using the guide feature of the bone cutting guide to guide the cutting tool to remove the portion of the cuneiform.
11. The method of claim 1, wherein using the guide feature of the bone cutting guide to guide the cutting tool comprises using the guide feature of the bone cutting guide to guide the cutting tool to remove the portion of the metatarsal.
12. The method of claim 11, further comprising using the guide feature of the bone cutting guide to guide the cutting tool to remove the portion of the cuneiform.
13. The method of claim 1, wherein the bone connector is configured to cause the metatarsal to fuse to the cuneiform.
14. The method of claim 1, wherein the bone connector comprises a plate.

7

15. The method of claim 1, wherein the bone connector comprises a screw.

16. The method of claim 1, wherein the bone connector comprises a pin.

17. The method of claim 1, wherein the bone connector 5 comprises a wire.

18. The method of claim 1, wherein the bone connector comprises a staple.

19. The method of claim 1, further comprising imaging the metatarsal and the cuneiform to evaluate the moved 10 position of the metatarsal relative to the cuneiform.

20. The method of claim 19, wherein imaging the metatarsal and the cuneiform comprises taking an X-ray image of the metatarsal and the cuneiform.

21. The method of claim 1, further comprising: 15
attaching the bone positioning device to the metatarsal with a first fixation pin, and
attaching the bone positioning device to the cuneiform with a second fixation pin,
the bone positioning device bridging the joint.

22. The method of claim 21, further comprising, after 20
adjusting the alignment of the metatarsal relative to the

8

cuneiform, removing the first fixation pin from the metatarsal and removing the second fixation pin from the cuneiform.

23. The method of claim 1, wherein the metatarsal is a first metatarsal and the cuneiform is a first cuneiform separated from the first metatarsal by the joint.

24. The method of claim 23, wherein aligning the bone cutting guide with the joint comprises positioning the guide feature of the bone cutting guide over at least one of the portion of the first metatarsal to be cut and the portion of the first cuneiform to be cut.

25. The method of claim 24, wherein using the guide feature of the bone cutting guide to guide the cutting tool 15
comprises using the guide feature of the bone cutting guide to guide the cutting tool to remove the portion of the first metatarsal, and further comprising using the guide feature of the bone cutting guide to guide the cutting tool to remove the portion of the first cuneiform.

26. The method of claim 25, wherein the bone connector 20
comprises at least one of a plate, a pin, and a screw.

* * * * *