

EXHIBIT M

Exhibit M**Claim Chart for U.S. Patent No. 11,770,756**


Claim	Exemplary Infringement Analysis
<p>1. A method of operating a device, the method comprising:</p>	<p>The accused products are capable of performing “a method of operating a device.”</p> <p>For example, operating an iPhone to conduct a transaction via Apple Pay satisfies the method recited in claim one.</p> <div data-bbox="380 557 1457 800" style="border: 1px solid black; padding: 10px; margin: 10px 0;"> <p>Use Apple Pay for contactless payments on iPhone</p> <p>With your Apple Cash, credit, and debit cards stored in the Wallet app  on iPhone, you can use Apple Pay for secure, contactless payments in stores, restaurants, and more.</p> </div> <p>https://support.apple.com/guide/iphone/use-apple-pay-for-contactless-payments-iphbd4cf42b4/ios</p> <p>Investigation of both the patent and the Accused Products (and other potentially infringing products) is ongoing. This chart is based on evidence and analysis reasonably accessible at this time. Telcom reserves the right to update and amend the above as the litigation progresses, including in view of discovery provided by the Defendant.</p>
<p>sensing by the device, using a device-based sensor, a parameter that is associated with the device, an environment of the device and/or a user of the device;</p>	<p>The Accused Products use a method that involves “sensing by the device, using a device-based sensor, a parameter that is associated with the device, an environment of the device and/or a user of the device.”</p> <p>For example, using an iPhone to conduct financial transactions via Apple Pay includes sensing, by an iPhone, using a sensor that is part of the iPhone, physiological data associated with a human user of an iPhone. iPhone-based sensors include a camera (for Face ID) or a physical sensor (for Touch ID), which can sense physiological data of the user such as facial geometry or a fingerprint.</p>

Claim	Exemplary Infringement Analysis
	<div data-bbox="380 248 1320 721"> <h3 data-bbox="380 248 926 298">When you use Apple Pay in stores</h3> <p data-bbox="380 315 1320 516">When you use Apple Pay in stores that accept contactless payments, Apple Pay uses Near Field Communication (NFC) technology between your device and the payment terminal. NFC is an industry-standard, contactless technology that's designed to work only across short distances. If your iPhone is on and detects an NFC field, it will present you with your default card. To send your payment information, you must authenticate using Face ID, Touch ID, or your passcode (except in Japan if you designate a Suica card for Express Transit). With Face ID or with Apple Watch, you must double-click the side button when the device is unlocked to activate your default card for payment.</p> <p data-bbox="380 532 1320 704">After you authenticate your transaction, the Secure Element provides your Device Account Number and a transaction-specific dynamic security code to the store's point of sale terminal along with additional information needed to complete the transaction. Again, neither Apple nor your device sends your actual payment card number. Before they approve the payment, your bank, card issuer, or payment network can verify your payment information by checking the dynamic security code to make sure that it's unique and tied to your device.</p> </div> <div data-bbox="380 721 926 760"> <p data-bbox="380 721 926 760">https://support.apple.com/en-us/HT203027</p> </div> <div data-bbox="380 797 1411 1075"> <h3 data-bbox="380 797 667 847">Face ID security</h3> <p data-bbox="380 863 1411 1065">With a simple glance, Face ID securely unlocks supported Apple devices. It provides intuitive and secure authentication enabled by the TrueDepth camera system, which uses advanced technologies to accurately map the geometry of a user's face. Face ID uses neural networks for determining attention, matching, and antispoofing, so a user can unlock their phone with a glance, even with a mask on when using supported devices. Face ID automatically adapts to changes in appearance, and carefully safeguards the privacy and security of a user's biometric data.</p> </div>

Claim	Exemplary Infringement Analysis
	<p>Touch ID security</p> <p>Touch ID is the fingerprint sensing system that makes secure access to supported Apple devices faster and easier. This technology reads fingerprint data from any angle and learns more about a user's fingerprint over time, with the sensor continuing to expand the fingerprint map as additional overlapping nodes are identified with each use.</p> <p>Apple devices with a Touch ID sensor can be unlocked using a fingerprint. Touch ID doesn't replace the need for a device passcode or user password, which is still required after device startup, restart, or logout (on a Mac). In some apps, Touch ID can also be used in place of a device passcode or user password—for example, to unlock password-protected notes in the Notes app, to unlock keychain-protected websites, and to unlock supported app passwords. However, a device passcode or user password is always required in some scenarios (for example, to change an existing device passcode or user password or to remove existing fingerprint enrollments or create new ones).</p> <p>https://support.apple.com/guide/security/face-id-and-touch-id-security-sec067eb0c9e/1/web/1</p> <p>Investigation of both the patent and the Accused Products (and other potentially infringing products) is ongoing. This chart is based on evidence and analysis reasonably accessible at this time. Telcom reserves the right to update and amend the above as the litigation progresses, including in view of discovery provided by the Defendant.</p>
determining by the device a value of the parameter that is sensed; and	<p>The Accused Products use a method that involves “determining by the device a value of the parameter that is sensed.”</p> <p>For example, both Face ID and Touch ID determine whether the sensed physiological data matches a value previously recorded by the phone.</p>

Claim	Exemplary Infringement Analysis
	<div data-bbox="380 256 1320 721"> <h3 data-bbox="380 256 926 305">When you use Apple Pay in stores</h3> <p data-bbox="380 321 1320 516">When you use Apple Pay in stores that accept contactless payments, Apple Pay uses Near Field Communication (NFC) technology between your device and the payment terminal. NFC is an industry-standard, contactless technology that's designed to work only across short distances. If your iPhone is on and detects an NFC field, it will present you with your default card. To send your payment information, you must authenticate using Face ID, Touch ID, or your passcode (except in Japan if you designate a Suica card for Express Transit). With Face ID or with Apple Watch, you must double-click the side button when the device is unlocked to activate your default card for payment.</p> <p data-bbox="380 537 1320 704">After you authenticate your transaction, the Secure Element provides your Device Account Number and a transaction-specific dynamic security code to the store's point of sale terminal along with additional information needed to complete the transaction. Again, neither Apple nor your device sends your actual payment card number. Before they approve the payment, your bank, card issuer, or payment network can verify your payment information by checking the dynamic security code to make sure that it's unique and tied to your device.</p> </div> <p data-bbox="380 727 926 760">https://support.apple.com/en-us/HT203027</p> <div data-bbox="380 802 1413 1075"> <h3 data-bbox="380 802 667 850">Face ID security</h3> <p data-bbox="380 873 1413 1057">With a simple glance, Face ID securely unlocks supported Apple devices. It provides intuitive and secure authentication enabled by the TrueDepth camera system, which uses advanced technologies to accurately map the geometry of a user's face. Face ID uses neural networks for determining attention, matching, and antispoofing, so a user can unlock their phone with a glance, even with a mask on when using supported devices. Face ID automatically adapts to changes in appearance, and carefully safeguards the privacy and security of a user's biometric data.</p> </div>

Claim	Exemplary Infringement Analysis
	<p>Touch ID security</p> <p>Touch ID is the fingerprint sensing system that makes secure access to supported Apple devices faster and easier. This technology reads fingerprint data from any angle and learns more about a user's fingerprint over time, with the sensor continuing to expand the fingerprint map as additional overlapping nodes are identified with each use.</p> <p>Apple devices with a Touch ID sensor can be unlocked using a fingerprint. Touch ID doesn't replace the need for a device passcode or user password, which is still required after device startup, restart, or logout (on a Mac). In some apps, Touch ID can also be used in place of a device passcode or user password—for example, to unlock password-protected notes in the Notes app, to unlock keychain-protected websites, and to unlock supported app passwords. However, a device passcode or user password is always required in some scenarios (for example, to change an existing device passcode or user password or to remove existing fingerprint enrollments or create new ones).</p> <p>https://support.apple.com/guide/security/face-id-and-touch-id-security-sec067eb0c9e/1/web/1</p>

Claim	Exemplary Infringement Analysis
	<div data-bbox="380 251 1304 1271"><h3 data-bbox="388 256 695 297">Set up Touch ID</h3><p data-bbox="388 318 1283 341">Before you can set up Touch ID, you need to create a passcode for your device.* Then follow these steps:</p><ol data-bbox="388 362 1283 516" style="list-style-type: none"><li data-bbox="388 362 999 384">1. Make sure that the Touch ID sensor and your finger are clean and dry.<li data-bbox="388 394 951 417">2. Tap Settings > Touch ID & Passcode, then enter your passcode.<li data-bbox="388 427 1276 449">3. Tap Add a Fingerprint and hold your device as you normally would when touching the Touch ID sensor.<li data-bbox="388 459 1283 516">4. Touch the Touch ID sensor with your finger—but don't press—so the device can begin recognizing your fingerprint. Hold your finger there until you feel a quick vibration, or until you're asked to lift your finger.</div> <p data-bbox="373 1279 884 1312">https://support.apple.com/en-us/102528</p>

Claim	Exemplary Infringement Analysis
	<h2 data-bbox="407 256 802 315">Set up Face ID</h2> <p data-bbox="407 342 1669 451">Make sure that nothing is covering the TrueDepth camera or your face. If something is obstructing your nose or mouth, like glasses or a face mask, you might be asked to temporarily remove these items during setup.</p> <p data-bbox="407 483 1623 553">You can also use Face ID with face masks if you use iPhone 12 or later with iOS 15.4 and later. Face ID works best when your iPhone or iPad is approximately 10–20 inches from your face.</p> <p data-bbox="407 581 625 613">To set up Face ID:</p> <ol data-bbox="407 646 1688 1052" style="list-style-type: none"> 1. Go to Settings, then tap Face ID & Passcode. If asked, enter your passcode. If you didn't set a passcode, you'll be asked to create one to use as an alternate way to verify your identity. 2. Tap Set Up Face ID. 3. Hold your device in portrait orientation, position your face in front of your device, then tap Get Started. 4. Position your face inside the frame and gently move your head to complete the circle. If you're unable to move your head, tap Accessibility Options. 5. When you finish the first Face ID scan, tap Continue. 6. Gently move your head to complete the circle for a second time. 7. Tap Done. <p data-bbox="373 1068 884 1101">https://support.apple.com/en-us/108411</p> <p data-bbox="373 1141 1948 1247">Investigation of both the patent and the Accused Products (and other potentially infringing products) is ongoing. This chart is based on evidence and analysis reasonably accessible at this time. Telcom reserves the right to update and amend the above as the litigation progresses, including in view of discovery provided by the Defendant.</p>
responsive to the value that is determined by the device for	The Accused Products use a method that involves, “responsive to the value that is determined by the device for the parameter that is sensed satisfying a threshold criterion, enabling by the device a number of functions of the device and disabling by the device a function of the device.”


Claim	Exemplary Infringement Analysis
<p>the parameter that is sensed satisfying a threshold criterion, enabling by the device a number of functions of the device and disabling by the device a function of the device;</p>	<p>For example, using an iPhone to conduct financial transactions via Apple Pay by authorizing a user responsive to the value that is determined by the device for the parameter that is sensed satisfying a threshold criterion (unlocking the phone), thereby enabling by the device a number of functions of the device and disabling by the device a function of the device.</p> <div data-bbox="380 394 1413 670"> <p>Face ID security</p> <p>With a simple glance, Face ID securely unlocks supported Apple devices. It provides intuitive and secure authentication enabled by the TrueDepth camera system, which uses advanced technologies to accurately map the geometry of a user's face. Face ID uses neural networks for determining attention, matching, and antispoofing, so a user can unlock their phone with a glance, even with a mask on when using supported devices. Face ID automatically adapts to changes in appearance, and carefully safeguards the privacy and security of a user's biometric data.</p> </div> <div data-bbox="380 678 1430 1141"> <p>Touch ID security</p> <p>Touch ID is the fingerprint sensing system that makes secure access to supported Apple devices faster and easier. This technology reads fingerprint data from any angle and learns more about a user's fingerprint over time, with the sensor continuing to expand the fingerprint map as additional overlapping nodes are identified with each use.</p> <p>Apple devices with a Touch ID sensor can be unlocked using a fingerprint. Touch ID doesn't replace the need for a device passcode or user password, which is still required after device startup, restart, or logout (on a Mac). In some apps, Touch ID can also be used in place of a device passcode or user password—for example, to unlock password-protected notes in the Notes app, to unlock keychain-protected websites, and to unlock supported app passwords. However, a device passcode or user password is always required in some scenarios (for example, to change an existing device passcode or user password or to remove existing fingerprint enrollments or create new ones).</p> </div> <p>https://support.apple.com/guide/security/face-id-and-touch-id-security-sec067eb0c9e/1/web/1</p>

Claim	Exemplary Infringement Analysis
	<div data-bbox="380 253 1325 724"> <h3>When you use Apple Pay in stores</h3> <p>When you use Apple Pay in stores that accept contactless payments, Apple Pay uses Near Field Communication (NFC) technology between your device and the payment terminal. NFC is an industry-standard, contactless technology that's designed to work only across short distances. If your iPhone is on and detects an NFC field, it will present you with your default card. To send your payment information, you must authenticate using Face ID, Touch ID, or your passcode (except in Japan if you designate a Suica card for Express Transit). With Face ID or with Apple Watch, you must double-click the side button when the device is unlocked to activate your default card for payment.</p> <p>After you authenticate your transaction, the Secure Element provides your Device Account Number and a transaction-specific dynamic security code to the store's point of sale terminal along with additional information needed to complete the transaction. Again, neither Apple nor your device sends your actual payment card number. Before they approve the payment, your bank, card issuer, or payment network can verify your payment information by checking the dynamic security code to make sure that it's unique and tied to your device.</p> </div> <div data-bbox="380 724 1325 760"> <p>https://support.apple.com/en-us/HT203027</p> </div> <div data-bbox="380 797 1442 1352"> <h3>Pay with your default card on an iPhone with Face ID</h3> <ol style="list-style-type: none"> 1. Double-click the side button. 2. When your default card appears, glance at iPhone to authenticate with Face ID, or enter your passcode. 3. Hold the top of your iPhone near the card reader until you see Done or a checkmark on the screen. <hr/> <h3>Pay with your default card on an iPhone with Touch ID</h3> <ol style="list-style-type: none"> 1. Rest your finger on Touch ID. 2. Hold the top of your iPhone near the card reader until you see Done or a checkmark on the screen. </div> <div data-bbox="380 1352 1629 1388"> <p>https://support.apple.com/guide/iphone/use-apple-pay-for-contactless-payments-iphbd4cf42b4/ios</p> </div>

Claim	Exemplary Infringement Analysis
	<p>Investigation of both the patent and the Accused Products (and other potentially infringing products) is ongoing. This chart is based on evidence and analysis reasonably accessible at this time. Telcom reserves the right to update and amend the above as the litigation progresses, including in view of discovery provided by the Defendant.</p>
<p>wherein the parameter that is sensed using the device-based sensor, comprises a velocity, an acceleration, a time-of-day, a humidity, a temperature, a height, a level of brightness, a level of darkness, a blood pressure, a heart rate, a blood content, a physiological state and/or a psychological state; and</p>	<p>The Accused Products perform the method above, “wherein the parameter that is sensed using the device-based sensor, comprises a velocity, an acceleration, a time-of-day, a humidity, a temperature, a height, a level of brightness, a level of darkness, a blood pressure, a heart rate, a blood content, a physiological state and/or a psychological state.”</p> <p>For example, iPhones utilizing Apple Pay are authenticated via a parameter that is sensed using the device-based Touch ID or Face ID sensor, comprising a velocity, an acceleration, a time-of-day, a humidity, a temperature, a height, a level of brightness, a level of darkness, a blood pressure, a heart rate, a blood content, a physiological state and/or a psychological state using a physiological state such as an iris or fingerprint.</p> <div data-bbox="380 776 1377 1279" style="border: 1px solid black; padding: 10px; margin: 10px 0;"> <p>When you use Apple Pay in stores</p> <p>When you use Apple Pay in stores that accept contactless payments, Apple Pay uses Near Field Communication (NFC) technology between your device and the payment terminal. NFC is an industry-standard, contactless technology that’s designed to work only across short distances. If your iPhone is on and detects an NFC field, it will present you with your default card. To send your payment information, you must authenticate using Face ID, Touch ID, or your passcode (except in Japan if you designate a Suica card for Express Transit). With Face ID or with Apple Watch, you must double-click the side button when the device is unlocked to activate your default card for payment.</p> <p>After you authenticate your transaction, the Secure Element provides your Device Account Number and a transaction-specific dynamic security code to the store’s point of sale terminal along with additional information needed to complete the transaction. Again, neither Apple nor your device sends your actual payment card number. Before they approve the payment, your bank, card issuer, or payment network can verify your payment information by checking the dynamic security code to make sure that it’s unique and tied to your device.</p> </div> <p>https://support.apple.com/en-us/HT203027</p>

Claim	Exemplary Infringement Analysis
	<div data-bbox="380 253 1136 1065"><h3 data-bbox="415 297 802 342">Pay with your iPhone</h3><ol data-bbox="430 370 1121 1008" style="list-style-type: none"><li data-bbox="430 370 1121 699">1. To use your default card:<ul data-bbox="468 435 1121 699" style="list-style-type: none"><li data-bbox="468 435 1121 602">• If your iPhone has Face ID, double-click the side button. If prompted, authenticate with Face ID or enter your passcode to open Apple Wallet.<li data-bbox="468 623 1121 699">• If your iPhone has Touch ID, double-click the Home button.<li data-bbox="430 743 1121 862">2. To use a different card, tap your default card to see your other cards. Tap a new card and authenticate.<li data-bbox="430 889 1121 1008">3. Hold the top of your iPhone near the contactless reader until Done and a checkmark appear on the display.</div> <p data-bbox="373 1073 926 1105">https://support.apple.com/en-us/HT201239</p>

Claim	Exemplary Infringement Analysis
	<div data-bbox="386 263 667 305"> <h3>Face ID security</h3> </div> <div data-bbox="386 328 1388 509"> <p>With a simple glance, Face ID securely unlocks supported Apple devices. It provides intuitive and secure authentication enabled by the TrueDepth camera system, which uses advanced technologies to accurately map the geometry of a user's face. Face ID uses neural networks for determining attention, matching, and antispoofing, so a user can unlock their phone with a glance, even with a mask on when using supported devices. Face ID automatically adapts to changes in appearance, and carefully safeguards the privacy and security of a user's biometric data.</p> </div> <div data-bbox="386 548 699 591"> <h3>Touch ID security</h3> </div> <div data-bbox="386 613 1402 737"> <p>Touch ID is the fingerprint sensing system that makes secure access to supported Apple devices faster and easier. This technology reads fingerprint data from any angle and learns more about a user's fingerprint over time, with the sensor continuing to expand the fingerprint map as additional overlapping nodes are identified with each use.</p> </div> <div data-bbox="386 760 1423 987"> <p>Apple devices with a Touch ID sensor can be unlocked using a fingerprint. Touch ID doesn't replace the need for a device passcode or user password, which is still required after device startup, restart, or logout (on a Mac). In some apps, Touch ID can also be used in place of a device passcode or user password—for example, to unlock password-protected notes in the Notes app, to unlock keychain-protected websites, and to unlock supported app passwords. However, a device passcode or user password is always required in some scenarios (for example, to change an existing device passcode or user password or to remove existing fingerprint enrollments or create new ones).</p> </div> <div data-bbox="373 1003 1570 1036"> <p>https://support.apple.com/guide/security/face-id-and-touch-id-security-sec067eb0c9e/1/web/1</p> </div> <div data-bbox="373 1075 1948 1182"> <p>Investigation of both the patent and the Accused Products (and other potentially infringing products) is ongoing. This chart is based on evidence and analysis reasonably accessible at this time. Telcom reserves the right to update and amend the above as the litigation progresses, including in view of discovery provided by the Defendant.</p> </div>
wherein the device comprises a smartphone.	<p>The Accused Products perform the method above, “wherein the device comprises a smartphone.”</p> <p>For example, iPhones are smartphones.</p>

Claim	Exemplary Infringement Analysis
	<div data-bbox="380 248 1694 1016"><h2 data-bbox="426 256 1493 326">On an iPhone, iPad, or iPod touch</h2><p data-bbox="426 362 1656 397">To find the software version installed on your device, go to Settings > General > About.</p><p>The screenshot shows the 'About' page of an iPhone. At the top, the status bar displays the time 9:41, signal strength, Wi-Fi, and battery icons. Below the status bar, there is a navigation bar with a blue back arrow and the word 'General', and the title 'About'. The main content area lists the following information: Name (Danny's iPhone), iOS Version (17.4.1), Model Name (iPhone 15 Pro), Model Number (NGK43LL/A), and Serial Number (XY7Q52EGT1). Each item has a right-pointing chevron next to it.</p></div> <p data-bbox="373 1019 884 1052">https://support.apple.com/en-us/109065</p> <p data-bbox="373 1092 1946 1198">Investigation of both the patent and the Accused Products (and other potentially infringing products) is ongoing. This chart is based on evidence and analysis reasonably accessible at this time. Telcom reserves the right to update and amend the above as the litigation progresses, including in view of discovery provided by the Defendant.</p>