

COMBINED DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION

I, a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled TELEVISION/INTERNET TERMINAL USER INTERFACE, the specification of which

- ☐ is attached hereto.
- ☒ was filed on September 15, 1998 as Application No. 09/153,577.
- ☐ was described and claimed in PCT International Application No. _____, filed on _____, and as amended under PCT Article 19 on _____ (if applicable).
- ☐ and was amended on _____ (if applicable).
- ☐ with amendments through _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56. If this is a continuation-in-part application filed under the conditions specified in 35 U.S.C. § 120 which discloses and claims subject matter in addition to that disclosed in the prior copending application, I further acknowledge the duty to disclose material information as defined in 37 CFR § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT International application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	☐ ☐ Yes No

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

_____ (Application No.)	_____ (Filing Date)
----------------------------	------------------------

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or § 365(c) of any PCT International application(s) designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT

International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT International filing date of this application:

09/099,118	6/17/98	Pending
09/099,481	6/17/98	Pending
(Application No.)	(Filing Date)	(Status: patented, pending, abandoned)

The undersigned hereby authorizes the U.S. attorney or agent named herein to accept and follow instructions from _____ as to any action to be taken in the Patent and Trademark Office regarding this application without direct communication between the U.S. attorney or agent and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorney or agent named herein will be so notified by the undersigned.

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application, to file a corresponding international application, and to transact all business in the Patent and Trademark Office connected therewith:

<u>Name</u>	<u>Reg. No.</u>	<u>Name</u>	<u>Reg. No.</u>
Kenneth S. Klarquist	16,445	Stacey C. Slater	36,011
James Campbell	19,978	Garth A. Winn	33,220
James S. Leigh	20,434	Stephen A. Wight	37,759
Arthur L. Whinston	19,155	Joel R. Meyer	37,677
David P. Petersen	28,106	Joseph T. Jakubek	34,190
Richard J. Polley	28,107	Robert F. Scotti	39,830
Ramon A. Klitzke II	30,188	Gregory V. Bean	36,448
William Y. Conwell	31,943	David J. Earp	41,401
Mark L. Becker	31,325	Lisa M Caldwell	P41,653
William D. Noonan	30,878	Michael D. Jones	P41,879
John D. Vandenberg	31,312	Steven D. Yates	P42,242
John W. Stuart	24,540	Kate E. Sako	32,628
Donald L. Stephens Jr.	34,022	Daniel D. Crouse	32,022

Address all telephone calls to William Y. Conwell at telephone number (503) 226-7391.


Address all correspondence to:

KLARQUIST SPARKMAN CAMPBELL
LEIGH & WHINSTON, LLP
One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, OR 97204-2988

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor: Daniel J. Zigmond

Inventor's signature



10/27/98

Date

Residence: Carnation, Washington

Citizenship: United States of America

Post Office address: 5020 Tolt River Rd. NE, Carnation, Washington 98014

Full name of second joint inventor, if any: David R. Anderson

Inventor's signature



10/14/98

Date


Residence: Saratoga, California

Citizenship: United States of America

Post Office address: : 21348 Maria Lane, Saratoga, California 95070

Full name of third joint inventor, if any: Christopher M. White

Inventor's signature



10/14/98

Date


Residence: San Francisco, California

Citizenship: United States of America

Post Office address: 2400 Pacific Avenue, Apt. 709, San Francisco, California 94115

Full name of fourth joint inventor, if any: Jeffrey D. Yaksick

Inventor's signature



10/27/98

Date

Residence: Sunnyvale, California

Citizenship: United States of America

Post Office address: 434 N. Bayview Avenue, Sunnyvale, California 94086

poa.doc - Rev. 9/15/1998

Express Mail Label No. EM295377798US

Attorney's Ref. No. 3382-50875/SAW/WYC/KBR

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Box PATENT APPLICATION
 ASSISTANT COMMISSIONER FOR PATENTS
 Washington, D.C. 20231

Transmitted herewith for filing is the patent application of:

Inventors: Daniel J. Zigmond, David R. Anderson, Christopher M. White, Jeffrey D. Yaksick
 For: TELEVISION/INTERNET TERMINAL USER INTERFACE

Enclosed are:

- [X] 20 pages of specification, 5 pages of claims, an abstract and an unsigned Combined Declaration and Power of Attorney.
 [X] 10 sheet(s) of formal drawings.

CLAIMS AS FILED					
For	Number Filed		Number Extra	Rate	Basic Fee \$790.00
Total claims	24	-20	4	x \$22.00 =	88.00
Independent Claims	6	-3	3	x \$82.00 =	246.00
TOTAL FILING FEE					\$1124.00

DATE OF DEPOSIT: September 15, 1998

One World Trade Center, Suite 1600
 121 S.W. Salmon Street
 Portland, Oregon 97204
 Telephone: (503) 226-7391
 cc: MS Docketing Dept.
 Donna K. Smith
 Docketing Secretary

Respectfully submitted,

KLARQUIST SPARKMAN CAMPBELL
 LEIGH & WHINSTON, LLP

By Stephen A. Wight
 Stephen A. Wight
 Registration No. 37,759

TELEVISION/INTERNET TERMINAL USER INTERFACE

RELATED APPLICATION DATA

This application is a continuation-in-part of applications Ser. No. 09/099,118,
5 filed June 17, 1998, entitled "Communicating Logical Addresses of Resources in a
Data Service Channel of a Video Signal," and Ser. No. 09/099,481, filed June 17,
1998, entitled "Combining Real-Time and Batch Mode Logical Address Links," the
disclosures of which are incorporated by reference.

FIELD OF THE INVENTION

The present invention relates generally to user interfaces for interactive
television which facilitate switching between viewing a television program and
viewing content related to that television program.

BACKGROUND OF THE INVENTION

The Internet is a well-known, global network of cooperatively interconnected
computer networks. The World Wide Web ("WWW" or "Web") portion of the Internet
is a collection of interconnected server computers hosting World Wide Web sites
(referred to as "Web sites") on the Internet. A Web site consists of stored electronic
20 documents ("Web pages" or "Web content") written in a hypertext mark-up language
("HTML") format and containing references to numerous dependent documents.
Web pages can be accessed by a computer user having a connection to the
Internet. There are millions of Web sites on the Internet, providing an enormous
spectrum of content, including content relating to popular television shows, specific
25 episodes, and popular television characters, and other content desirably associated
with a television program by advertisers, producers, or broadcasters (together,
"related content" or "auxiliary data").

A Uniform Resource Locator ("URL") identifies the location of a document on
the Internet. For example, URLs beginning with the prefix "http://www" identify Web
30 sites and content within the Web sites. Internet content, especially Web content, is

frequently identified by URL during television programs or commercial advertisements.

Typically, individuals access the Internet from personal computers by way of software such as an Internet browser, which can be integrated with the operating system of a computer, or packaged as a separate application program. An Internet browser provides a graphical user interface to the Internet by interpreting and displaying Internet content, and supporting user navigation of the Internet.

With the advent of Internet terminals, such as those pioneered by WebTV Networks, Inc., persons without access to a personal computer are also able to access the Internet. Internet terminals work in conjunction with a standard television ("TV") set to display Internet content. Using a user input device such as a remote control or keyboard, a user can navigate the Internet through an Internet terminal. Existing WebTV Internet terminals allow a user alternately to watch TV or browse the Internet. A user cannot simultaneously watch TV and browse the Internet. Further, no graphical user interface facilitates a user switching between watching TV and browsing the Internet for related content.

Alternative mechanisms for packaging related Internet content with a television program have been offered. These mechanisms include encoding related content into a broadcast television signal, for example the Intericast Industry Group's Intericast technology, and encoding a URL into a broadcast television signal, with Internet content subsequently downloaded from the Internet using the URL, for example systems provided by WebTV and ACTV.

The Intericast user interface allows a user to view simultaneously a television program and Internet content. The television program is displayed in a reduced format window. Related content is displayed in a separate window and browsed off-line through a navigation mechanism in a third window. The windows for displaying and navigating Internet content fill a significant portion of the available screen space. In allowing simultaneous viewing of television and Internet content, the Intericast user interface significantly reduces the television viewing space. Further, a viewer of television may find the display of related content in a separate window to

be obtrusive or distracting. The Intercast user interface does not unobtrusively notify a viewer that related Internet content is available for viewing. Moreover, although a viewer desirably is allowed to switch easily between full screen viewing of television and related content, the Intercast user interface does not unobtrusively provide a graphical control panel to enable such seamless switching. In addition, the Intercast user interface does not facilitate a user desirably selecting between displaying related content of interest or displaying no related content at all.

The ACTV user interface synchronously displays a television program and timestamped related content. The television program is displayed in a reduced format window on the display screen, with the related content displayed adjacently. Alternatively, the television program and related content are displayed on separate display screens. In addition, the ACTV user interface includes on a portion of the display screen a control panel with a list of URLs that have been broadcast and received by the ACTV system. The control panel may also display URLs for which content is not synchronously displayed but is nonetheless relevant.

In the ACTV user interface, the control panel and window for displaying Internet content fill a significant portion of the available screen space. Although an alternative design with separate display screens is offered, many viewers do not have two display screens. In addition to significantly reducing the television viewing space for most viewers, the ACTV user interface does not unobtrusively notify a television viewer that related content is available for viewing, or provide an unobtrusive graphical user interface to facilitate seamless switching between full screen viewing of television and related content. Moreover, because the ACTV user interface synchronously displays Internet content, the ACTV user interface does not facilitate a user desirably selecting between displaying related content of interest or displaying no related content at all.

SUMMARY OF THE INVENTION

In accordance with embodiments of the present invention, the above-described and other drawbacks of the prior art are overcome.

A preferred embodiment of the present invention includes a graphical user interface for interactive television viewing of a television program and related content. The graphical user interface enables access to related content without displaying the television program in a reduced format window. The graphical user interface accomplishes this by unobtrusively notifying a television viewer that related content is available for viewing, and upon viewer demand providing an unobtrusive control panel that facilitates switching between television and related content. In this way, a user knowledgeably and desirably distinguishes between related content to be displayed and related content not to be displayed.

In an illustrated embodiment of the present invention, a graphical user interface facilitates a user switching between viewing a television program and viewing related Internet content. While watching a television program, an icon appears on the screen of a display device indicating that a logical address link is available to related content. In one embodiment of the present invention, for example, a WebTV user interface displays a translucent "i" icon in the upper right hand corner of the television screen if a URL for a Web page relating to the viewed television program has been received.

If the user actuates a certain button on a user interface selection device, a panel appears on the screen displaying graphical control objects and a description of the related content. If the user actuates one type of graphical control object, the panel disappears. If the user actuates another type of graphical control object, the logical address link is followed to retrieve the related content, and the related content is displayed. While the related content is being retrieved, the television signal may be displayed in a reduced format and a progress indicator displayed until the related content is displayed.

For example, if the user actuates the "Go" button on a WebTV remote control while the icon is displayed, a translucent panel is displayed. The translucent panel includes a descriptor for the Web page and two control buttons, one for ending the panel display and the other for linking to the Web page. If the linking button is actuated using standard WebTV user interface and control techniques, the Web

page and its dependencies are downloaded, a graphical progress indicator appears on the screen and the television signal is displayed in reduced form. After the Web page is downloaded, it is displayed.

5 In an alternative embodiment of the present invention, the icon signaling the availability of a logical address link is displayed for a fixed period of time on the display screen before disappearing. The graphical user interface may also display an icon only if it has been determined that the icon has not previously been displayed for a particular logical address link to related content. In this way, the icon is not redisplayed for the same logical address link. In addition to signaling the
10 viewer about content available over the Internet, the icon may signal the availability of content stored on a CD-ROM or other accessible mass storage device, or on an intranet server or other network.

The panel can include additional graphical control objects. For example, the panel may include a graphical control object for saving the described logical address
15 link to related content into an archival folder. The archival folder can then be browsed at a later time, and a logical address link within the folder followed. A graphical control object for displaying a list of recently provided logical address links and allowing the user to select and follow a displayed logical address link can likewise be provided. The panel may include a graphical control object for
20 displaying a list of previously retrieved content and browsing the content.

Although retrieved related content is displayed instead of the television program in one embodiment of the present invention, in another embodiment, the television program continues to be displayed along with the retrieved related content.

25 Additional features and advantages of the invention will be made apparent from the following detailed description of an illustrated embodiment, which proceeds with reference to the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a diagram illustrating several client systems connected to a server system.

5 Figure 2 is a diagram illustrating a client system in which an illustrative embodiment of the present invention is employed.

Figure 3 is a block diagram illustrating exemplary functional units of a set-top box according to one embodiment of the present invention.

Figure 4 is a flow diagram illustrating a method of transporting logical address links according to one embodiment of the present invention.

10 Figure 5 is a diagram illustrating a television program displayed on a screen of a display device, according to one embodiment of the present invention.

Figure 6 is a flow diagram illustrating link reception processing according to one embodiment of the present invention.

15 Figure 7 is a diagram illustrating an icon displayed in addition to the television program, signaling to a viewer the availability of a logical address link to related content, according to one embodiment of the present invention.

Figure 8 is a flow diagram illustrating user input processing according to one embodiment of the present invention.

20 Figure 9 is a diagram illustrating a panel displayed in addition to the television program, in response to viewer indication of interest in the related content, according to one embodiment of the present invention.

Figure 10 is a diagram illustrating a television program displayed in a reduced format along with a progress indicator, in response to viewer indication of desire to retrieve the related content, according to one embodiment of the present invention.

25

DETAILED DESCRIPTION OF AN ILLUSTRATED EMBODIMENT

For expository convenience, the present invention is described with reference to an illustrative embodiment, namely a WebTV Internet terminal. It will be recognized, however, that the invention is not so limited.

30

System Overview

Figure 1 illustrates a basic configuration of an Internet system network in which one embodiment of the present invention can be implemented. A number of clients 1 are coupled to a modem pool 2 via direct-dial, bi-directional data connections 29. These connections can be telephone (POTS, i.e., "plain old telephone service"), ISDN (Integrated Services Digital Network), cable, satellite, etc.

The modem pool 2 is coupled through a router, such as that conventionally known in the art, to a number of remote servers 4 via a conventional network infrastructure 3, such as the Internet. The Internet system includes a server 5, which specifically supports the clients 1. The clients 1 each have a connection to the server 5 through the modem pool 2 and the Internet 3.

Embedding of Logical Address Links

Various embodiments of the present invention will be described with reference to logical addresses that are embedded within a broadcast television signal. The logical addresses may provide "links" to Internet, Web, or other local or remote content related or unrelated to a program being broadcast. A form of logical address (also referred to as a resource locator) commonly associated with Web content is a Uniform Resource Locator ("URL"). A URL is a compact string representation of a location used to identify an abstract or physical resource on the Internet. Of course, alternative means of uniquely identifying content may be employed. For example, it is appreciated that keys (e.g., database indices), network addresses (e.g., IP addresses), and other identification mechanisms, alone or in combination, may be employed to uniquely identify a resource. Therefore, while the term URL refers to a specific type of content identifier used in connection with the Web, the terms logical address and/or resource locator are used herein to refer to content/resource identification mechanisms generally.

Links to Internet/Web content provide an easy and powerful way to bring the richness and interactive nature of the Internet to TV. Such links may be used by program producers, program sponsors, networks, local affiliates, and other content

providers to link TV viewers to web content specifically designed to complement what the viewers are watching on TV. Various embodiments of the present invention provide and transmit logical addresses that identify content (e.g., Internet content) within a video signal. For example, content providers can transmit URLs to viewers by inserting URL data, in a predetermined syntax, within line 21 of the vertical blanking interval of an analog television signal. Other known data embedding techniques can also be used.

According to one aspect of the present invention, on receipt of a logical address in a TV signal, an icon or some other visual indication is presented to the viewer to notify the viewer of the availability of Internet content. The viewer can then select the visual indication to view the content concurrently with the TV broadcast or save the logical address for later viewing.

Logical addresses embedded in video may refer to content stored on a CD-ROM or other mass storage device, an Intranet server, or other resource. Additionally, certain aspects of the invention described herein are equally applicable to other TV viewing devices, such as personal computers equipped with TV tuners, and the like. Moreover, while various embodiments of the present invention will be described with reference to an NTSC broadcast video signal, other broadcast TV systems are equivalent for the purpose of the present invention, such as Phase Alternate Lines (PAL), Sequential Couleur Avec Memoire (SECAM), and the proposed High Definition Television (HDTV) standard. Finally, it is appreciated that a variety of other transport mechanisms can be employed, including digital satellite, digital TV, and cable TV.

An Exemplary Client System

Figure 2 illustrates an Internet system client ("client") 1 known in the art. The client 1 includes an electronics unit 10 (hereinafter referred to as "the set-top box 10"), an ordinary television set 12, and a user interface selection device 11. (In an alternative embodiment of the present invention, the set-top box 10 is built into the television set 12 as an integral unit.) In the embodiment depicted, the client 1 uses

the television set 12 as a display device for displaying video data and a graphical user interface. The set-top box 10 is coupled to the television set 12 by a video link 6. The video link 6 is an RF (radio frequency), S-video, composite video, or other known form of video link.

5 The set-top box 10 includes hardware and/or software for receiving and decoding a broadcast video signal 8, and providing video data to the television set via video link 6. The set-top box 10 also includes hardware and/or software for providing the user with a graphical user interface, by which the user can access various Internet services, browse the Web, send e-mail, and otherwise access the
10 Internet.

 User interface selection device 11 allows the user to control the client 1 in browsing the Web, sending e-mail, and performing other Internet-related functions. In an illustrated embodiment, user interface selection device 11 is a hand-held remote control. In alternative embodiments, a wireless keyboard, keyboard, or other
15 input device is operated by the user in order to control the client 1. The set-top box 10 receives commands from user interface selection device 11 via an infrared (IR) communication link. (In alternative embodiments, the link between the user interface selection device 11 and the set-top box 10 may be RF or other known mode of transmission.)

20 Figure 3 is a block diagram further detailing the set-top box 10. As shown, set-top box 10 includes a CPU 21, ROM memory 22, RAM memory 23, an infrared interface 24, a television interface 31, an audio DAC 25, a video encoder 26, a telephone modem 27, an ISDN modem 30, mass storage 28, and an ASIC 20.

 ASIC 20 serves as a bus coupling the other illustrated components, under the
25 control of CPU 21. In some embodiments, ASIC 20 also includes dedicated video processing circuitry that shrinks the size of the displayed television broadcast so as permit display of user interface elements, as more particularly detailed below. (Techniques for shrinking the size of a displayed television signal are known in the art, so are not belabored here.)

The infrared interface 24 receives signals from the remote control 11 and provides corresponding data to the set-top box. The television interface 31 receives broadcast video signals, such as an NTSC video signal, and extracts embedded data. The extracted data, or a portion thereof, can be displayed concurrently with a television program. For example, in one embodiment of the present invention, titles corresponding to logical addresses that have been inserted into a text mode data service or a captioning data channel of line 21 of the VBI are extracted by the TV interface 31 and displayed on the TV 12. An exemplary syntax for transporting logical addresses in line 21 of the VBI is described below.

Read-Only Memory 22 provides storage of program code for implementing application software to be executed by the set-top box 10. Memory 22 may be a programmable ROM (PROM) or any form of erasable PROM (EPROM) or Flash memory. Mass storage device 28 is optional, and can be used to input software or data to the client, or to download software or data received over network connection 29 or data embedded in broadcast signal 8. The mass storage device 28 can include any suitable medium for storing machine-executable instructions, such as magnetic disks, optical disks, and the like.

Syntax and Usage of Logical Address Links

Having described an exemplary environment in which embedded logical addresses may be employed, logical address links, their syntax, and usage will now be discussed. Generally, logical address links, such as TV Crossover Links™, enable seamless integration of television programming and the Internet by allowing Internet content to be associated with a television broadcast. (TV Crossover Links™ is a trademark of WebTV Networks, Inc. of Palo Alto, California.)

In one embodiment, client 1 allows Web content and television programming to be concurrently displayed as described in co-pending patent application number 09/087,354, entitled "Method and Apparatus for Displaying Hypertext Mark-up Language and Video Simultaneously" filed May 29, 1998, assigned to the assignee of the present invention and incorporated herein by reference.

Associations between a television broadcast and Internet content can be performed in real-time or in batch mode. Real-time logical address links are sent to the TV viewer's client system during a television broadcast, e.g. in line 21 of the VBI. In contrast, batch mode logical address links are delivered to the client system in advance of the television broadcast to which they relate. For example, batch mode logical address links can be downloaded from a Web server to the user's client system or delivered on CD-ROM or other computer readable medium. Batch mode logical address links can also be delivered as part of an electronic programming guide (EPG) and may be modified and/or supplemented with real-time logical address links.

While real-time logical address links are valid for a predetermined amount of time after receipt by the client system, batch mode logical address links typically define a time interval. For example, a batch mode logical address link may include a start time and an end time indicating when the link is to be made available to the viewer.

Logical addresses can be transmitted in one of the text service channels of line 21, i.e., First Text Service (T1), Second Text Service (T2), Third Text Service (T3), or Fourth Text Service (T4), or one of the captioning data channels of line 21, i.e., Primary Synchronous Caption Service (CC1), Special Non-synchronous Use Captions (CC2), Secondary Synchronous Caption Service (CC3), or Special Non-synchronous Use Captions (CC4), by using the following encoding format for logical address strings on line 21 of the VBI:

<logical address> [attribute₁:value₁] [attribute₂:value₂] ... [attribute_n:value_n] [checksum]

The logical address (e.g., a URL) is enclosed in angle brackets. One or more pairs of attributes and values may follow the logical address in square brackets. Finally, a checksum follows the n^{th} attribute/value pair in square brackets. It is appreciated that delimiter characters other than angle brackets and square brackets may be employed. However, it is important to avoid employing delimiters that are included

in the URL character set. Additionally, it is preferable that the delimiter be present in both the standard EIA-608 character set and the US-ASCII character set to make logical address links relevant to the widest set of devices.

Exemplary attributes include type and name. The type attribute indicates to what the content relates. For example, the content may be related to the current television program, to the broadcast network, or to one of the commercial sponsors of the current TV program. Table 1 lists exemplary values that may be associated with the type attribute.

<u>Type</u> Attribute Value	Related to
PROGRAM	the current program
NETWORK	the broadcast network
STATION	the local station
SPONSOR	a commercial sponsor of the current program
OPERATOR	the service (e.g., cable or satellite) operator

Table 1: Meaning of Type Attribute Values

The name attribute provides a concise title for the resource identified by the logical address. It is preferable to associate a title with a logical address since the logical address itself doesn't always make clear what the content of the identified resource is. For example, the URL

<http://www.nbc.com/tvcentral/shows/seinfeld/characters/index.html> might identify a web page on NBC's web site that describes frequently appearing characters on the Seinfeld television program. Therefore, for the viewers' convenience, a value such as "Seinfeld Stars" may be associated with the name attribute for this logical address link. Similarly, a web page relating to guest stars, such as the web page

located at <http://www.nbc.com/tvcentral/shows/seinfeld/characters/char2.html>, might be associated with the name "Seinfeld Guest Stars."

Other attributes can be employed as well. For example, a mechanism for purging old links may utilize an attribute that identifies a date or a date/time at which a logical address link expires. In this manner, after the date indicated, logical address links having an expired attribute may be purged from the client's memory.

Importantly, attributes are optional and need not appear in any particular order. For purposes of illustration, exemplary logical address links are listed below (note, however, the checksums have not been calculated):

<<http://www.nbc.com/tvcentral/shows/seinfeld/characters/index.html>> [name:Seinfeld Stars] [A6F1]
<<http://www.tvprogram.com>> [type:program] [name:TV Program] [C8C5]
<<http://advsponsor.net>> [type:sponsor] [name:Special Offer] [BFA0]
<http://madkad_network.com> [type:network] [1128]
<<http://www.coolsite.com>> [6C1D]

It should be appreciated that logical addresses are not limited to URLs, and that URLs are not limited to the "http." scheme. Therefore, the following would also be recognized as valid logical address links:

<mailto:info@advsponsor.net>[type:sponsor][5FDB]
<news:alt.tv.program>[type:program][391B]

A checksum is appended to the end of the logical address link in order to detect data corruption that may occur during receipt or transmission of the logical address link. Preferably, a two byte hexadecimal checksum is employed, such as that produced by the standard TCP/IP checksum algorithm described in Request For Comments (RFC) 719, "Internet Protocol", September 1981. The checksum can be computed by pairing adjacent characters in the string (starting with the first delimiter) to form 16-bit integers. If there are an odd number of characters, the final character is paired with a byte of zeroes. The checksum is computed such that the

one's complement sum of all of the 16-bit integers plus the checksum equals the 16-bit integer with all 1 bits. That is, the checksum is the one's complement of the one's complement sum of the 16-bit integers. In this manner, fewer errors go undetected than in previously suggested 7-bit checksum schemes, with only a negligible increase in the logical address link's overall length.

Various embodiments of the present invention employ transportation and reception of logical address links. Fig. 4 is a flow diagram illustrating an exemplary method of transporting logical address links. In the illustrated method, logical address link data to be inserted by a content provider (e.g., a program producer, broadcaster, affiliate, cable or satellite provider), is inserted into upstream video (the source of video onto which the new data will be encoded). At step 410, upstream video data is received from a previous point in the video signal distribution path. At step 420, a determination is made as to whether or not the current distribution point has one or more logical address links that are to be associated with the current TV program being transmitted. If not, processing continues with step 450. Otherwise, processing proceeds with step 430.

The upstream video may or may not contain previously encoded data, such as logical address links, in line 21 of the VBI. Each content provider, therefore, is a potential re-encoding point along the distribution path. At step 430, the existing data is extracted from the captioning data channel or the text service channel of the video signal. Subject to certain bandwidth limitations, the content provider then embeds one or more logical address links into a captioning or text service packet of the video signal (step 440). Finally, at step 450, the video signal is transmitted to the next downstream receiving device(s). This process may be repeated during video signal processing at each point along the video signal distribution path.

WebTV Television Crossover Link™ User Interface

Referring to Figure 5, a television program 500 is displayed on the television set 12, as discussed above in conjunction with Fig. 2 and 3.

Logical address link receiving devices, such as a set-top box 10, are able to receive and process logical address links embedded in a broadcast video signal. Figure 6 is a flow diagram illustrating logical address link reception processing according to one embodiment of the present invention. At step 610, a broadcast
5 video signal, such as an NTSC video signal, is received. Video data extracted from the broadcast video signal is passed through to the display device, e.g., a TV 12 or other display device, such as a computer monitor, for presentation to the viewer.

Encoded data within a captioning or text service channel of the video signal is extracted at step 620. The system determines whether or not a valid logical address
10 link is present (step 630). A valid logical address link is one that is encoded in a predetermined syntax, such as described earlier, and whose logical address and attribute/value pairs are not corrupted (as determined by a comparison of a checksum generated by the receiving device to the checksum accompanying the logical address link). If a valid logical address link is present, then processing
15 continues with step 640. At step 640, as described below, the viewer is alerted that a logical address link is associated with the TV program currently being viewed. According to various embodiments of the present invention, this alert may be a visual indication, an audible signal, or a combination thereof. For example, an icon may temporarily be displayed in one of the corners of the display area. Additionally,
20 a tone may accompany the icon's initial presentation. Other alert mechanisms are possible. In any event, continued reception and processing of the broadcast video signal and embedded logical address links may be achieved by returning to step 610. Returning to step 630, if no valid logical address link is present in the video signal, then processing loops back to step 610

Referring to Figures 6 and 7, at step 640, an icon 700 is displayed on the
25 television set 12, signaling to the viewer of the television program 500 that a logical address link related to the television program 500 is present. The icon 700 may be translucent (e.g. the video luminance, only, is adjusted to form the icon per known techniques) so as to minimize distraction from the television program 500. Although
30 in Figure 7 the icon 700 is superimposed on the upper right hand corner of the

television program 500, both the appearance and the placement of the icon 700 can be altered without departing from the principles and scope of the present invention.

The display of icon 700 for a particular logical address link ends when the viewer indicates interest in the related content associated with icon 700. Moreover, to prevent an unwanted icon from persisting on the display screen, and to alert the viewer when a new or different logical address link has been received, the display of icon 700 may end after a fixed period of time. In one embodiment, display of the icon 700 lasts at most 15 seconds. In an alternative embodiment, when identical logical address links are repeatedly received by the receiving device 10, the icon 700 is displayed only if it has been determined that the icon 700 was not previously displayed for a particular logical address link. In this way, the icon 700 is not redisplayed for the same logical address link. (The link data may be sent repeatedly during a program to account, e.g., for viewers tuning in after the beginning of the program. Viewers who have been watching since the beginning should not be alerted each time the link data is re-sent.)

In Figure 7, the icon 700 signals the viewer that a logical address link to related HTML content on the Web is available. An icon might alternatively signal the availability of content stored on a CD-ROM or other accessible mass storage device, or on an intranet server or other network.

Fig. 8 is a flow diagram showing how the system responds when the viewer responds to the alert. At step 810, a viewer indication of interest in the related content is received. Typically, a viewer indicates such interest by actuating a control on a user interface selection device 11. For example, on a WebTV remote control, a viewer presses the "Go" button to indicate interest. As is known in the art, a variety of other mechanisms for indicating interest are available for other user interface selection devices.

In response to the viewer indication of interest 810, a translucent panel 900 (Fig. 9) is displayed 820 over the television program 500. The panel 900 includes a descriptor 910 of the related content (e.g. "Seinfeld's Stars," or "Seinfeld Guest Stars," as referenced above), and one or more graphical control objects 920. The

descriptor 910 can be transmitted along with the logical address link (e.g. as a name attribute of a transmitted URL), or can be obtained from another source. (The appearance of panel 900, its position, and contents, can be varied without departing from the scope of the present invention. For example, descriptor 910 can include, or consist entirely of, the raw URL, rather than an associated textual description.)

Panel 900 gives the viewer additional information beyond the mere fact of an alert (provided by the icon 700). If, after receiving this additional information, the user wishes to pursue the associated content, the remote control device 11 can be operated to select and invoke (using known user interface selection/invoke techniques) the "Go to Web Page" graphical control object 920 on the panel 900. If this action is taken, the Fig. 8 flow chart proceeds from step 830 to 840, and transfer of the related content is initiated (e.g. downloading the web page from the Internet is commenced).

In the illustrated embodiment, if the "Go to Web Page" option is selected, the system removes the panel 900 from the screen, shrinks the displayed television image, and introduces a bar-graph status indicator at the bottom margin of the screen to show process in downloading the associated content. This indicator can include a descriptor of the logical address link or related content being retrieved. (In other embodiments, the status indicator can be displayed in translucent form over the full-screen television image, or can be omitted entirely.)

When the associated content is fully downloaded and buffered in RAM memory 23, the television image is replaced by display of the associated (e.g. web) content. (In other embodiments, the associated content does not supplant the television image on the screen, but is displayed, picture-in-a-picture format, within the television image. In still other embodiments, it is the television program that is displayed in a window within a display of the associated content.)

If, after reviewing the additional link information provided by panel 900, the viewer decides not to further pursue the associated content, the "Watch TV" graphical control object 920 can be selected and invoked, thereby returning the screen to the television-only display of Fig. 5.

Control panel 900 can include additional graphical control objects 920 beyond those shown. For example, a graphical control object can be provided for selectably saving the received logical address link into an archival folder. The archival folder can be browsed by the viewer at a later time, and desired logical address links within the archival folder can be followed. (In the WebTV user interface, selection of such a graphical control object saves the then-alerted URL into a "Favorites" folder.)

In addition to selectably adding links to a "Favorites" folder, certain embodiments of the present invention automatically log all logical address links received by the system into a master list. A graphical control object 920 can be operated to display this list, and the viewer can select and follow a link for display. (In the WebTV user interface, a graphical control button 920 labeled "Recent" permits the viewer to peruse and follow URLs logged in the master list.) By this arrangement, a viewer who does not wish to interrupt present viewing of the television program, but desires later to pursue a link, can do so.

The system can similarly list (and cache, if desired) previously-retrieved content, permitting the viewer to browse and quickly retrieve content presented earlier for display. Again, a graphical control object 920 on control panel 900 can call-up such a list.

Returning to Fig. 8, after a linking control object is actuated 830, retrieval operations for the related content addressed by the received logical address link are initiated 840, and the display of panel 900 ends 860. While the steps of Figure 8 illustrate one embodiment of the method of the present invention, the ordering of several steps in Figure 8 can be changed without departing from the principles and scope of the present invention.

To provide a comprehensive disclosure without unduly lengthening this specification, applicants incorporate by reference the following patents and patent applications:

U.S. Patent 5,778,181 to Hidary et al., entitled "Enhanced Video Programming System and Method;"

U.S. Patent 5,745,909 to Perlman et al, entitled "Method and Apparatus for Reducing Flicker When Displaying HTML Images on a Television Monitor;"

U.S. Patent Application 08/755,238, filed November 22, 1996 (and now published as WO 98/23059);

5 U.S. Patent Application 08/755,233, filed November 22, 1996 (and now published as EP 844,788);

U.S. Patent Application 08/754,164, filed November 22, 1996 (and now published as EP 844,768);

10 U.S. Patent Application 08/755,237, filed November 22, 1996 (and now published as EP 844,572);

U.S. Patent Application 08/677,914, filed July 9, 1996 (and now published as WO 98/04088);

U.S. Patent Application 08/677,915, filed July 9, 1996 (and now published as WO 98/01825);

15 U.S. Patent Application 08/660,087, filed June 3, 1996 (and now published as WO EP 812,096); and

U.S. Patent Application 08/660,088, filed June 3, 1996 (and now published as EP 811,940).

20 Having described and illustrated the principles of our invention with reference to a preferred embodiment, it will be recognized that embodiments can be varied in arrangement and detail without departing from such principles.

For example, while the preferred embodiment employs a software-programmed general purpose CPU, in conjunction with an ASIC that performs video processing (e.g. shrinking) functions, in other embodiments such systems can be
25 realized entirely by dedicated hardware.

Similarly, while the invention has been described with reference to an Internet terminal system, such as the WebTV[®] Internet terminal, it is equally applicable in other contexts, e.g. in accessing other stored information in other viewing systems.

While the foregoing disclosure has focused on systems in which the link data is displayed when it is received, in other embodiments this need not be the case. For example, link information can be stored in the set-top box, and the viewer can be alerted thereto (e.g. by icon 700) when certain conditions exist. For example, a link to an NBC program guide can be alerted to the user at the top- and bottom- of every hour, whenever the viewer is tuned to the local NBC affiliate. (Such link data can be transmitted to the set-top box in background fashion, using otherwise-idle bandwidth in the VBI or other auxiliary video channel.)

Although the foregoing embodiments employ the same icon 700 for all alerts, in other embodiments different icons can be used. For example, different icons can be used to distinguish between advertising-related and programming-related content. The alert can also include data about the link, such as the name of the link. While such an arrangement is more obtrusive, some viewers may prefer the provision of added detail without having to invoke the control panel 900.

In view of the wide variety of possible embodiments to which the principles of our invention can be applied, it should be recognized that the detailed embodiments are illustrative only and should not be taken as limiting the scope of our invention. Rather, we claim as our invention all such variations as come within the scope and spirit of the following claims, and equivalents thereto.

045377798

WE CLAIM:

1. A method of displaying a screen of auxiliary data on a screen also used for viewing a television signal, comprising:

displaying the television signal full screen; and

5 reducing the size of the displayed television signal while preparing to display the page of auxiliary data.

2. The method of claim 1 which includes, after said reducing, removing the television signal from the screen, and displaying instead the screen of auxiliary data.

3. The method of claim 1 in which the screen of auxiliary data is a graphical page defined by HTML data.

4. The method of claim 1 in which said reducing leaves a marginal area of the screen unused by display of the television signal, and the method includes displaying progress indicia in said marginal area indicating progress in loading said screen of auxiliary data.

5. The method of claim 1 in which said preparing includes downloading said screen of auxiliary data from a remote computer.

6. A method of operating a screen used to display both television signals and screens of auxiliary data, comprising:

displaying a television signal; and

displaying with the displayed television signal an icon, said icon indicating the availability of an associated screen of auxiliary data.

7. The method of claim 6 which includes displaying said icon for a predetermined period, and thereafter removing the displayed icon from the screen.

8. The method of claim 7 which further includes displaying said icon in response to data conveyed with the television signal.

9. The method of claim 8 which further includes conveying said data M different times during in the television signal, but displaying said icon only N times, where N is less than M, wherein a viewer of the television signal is not unduly disrupted by repeated display of said icon.

10. The method of claim 9 wherein N equals one.

11. The method of claim 6 which includes triggering display of said icon at a predetermined time of day.

12. The method of claim 11 which includes considering a channel of the displayed television signal in determining whether to trigger said display at the predetermined time of day.

13. The method of claim 6 which includes:
viewer-selecting said icon; and
displaying a title of said screen of auxiliary data associated with said icon.

14. The method of claim 13 which includes:
indicating a viewer's desire to view said screen of auxiliary information, and
displaying same.

15. The method of claim 13 which includes displaying, with said title, at least one indicia that can be activated by a viewer to indicate the viewer's desire to view said screen of auxiliary information.

16. A method of operating a screen used to display television signals,
comprising:

displaying a televised advertising message;

displaying with said televised advertising message an icon; and

5 in response to user selection of said icon, displaying additional information
relating to the subject of said advertising message.

17. A method of operating an internet browser associated with a television
receiver, comprising:

10 displaying a television excerpt on a screen, said excerpt having a page of
additional information associated therewith;

alerting a viewer of the television excerpt to the available page of additional
information, and -- in response to a viewer selection -- displaying the page
associated with said alert;

15 compiling a log, said log including data identifying plural pages to which the
viewer was alerted;

in response to a request by said viewer, recalling at least part of said log to
the screen for display;

20 permitting the viewer to select a page from said log for display, said page not
having earlier been displayed to the viewer; and

displaying said selected page on the screen in response to the viewer's
selection from the log;

wherein a user can view a page even if it was not the page to which the
viewer was most recently alerted, and even if it was not earlier selected for viewing.

25

18. The method of claim 17 in which the log additionally stores data
identifying the television excerpt with which each of said pages is associated.

19. A method of operating a screen to display both television programming and a user interface, comprising:

displaying television programming on said screen;

superimposing over said television programming a user interface, said user

5 interface including at least one feature that can be manipulated by a viewer;

wherein the user interface is translucent, so the television programming can be viewed through the superimposed user interface.

20. The method of claim 19 wherein the user interface is formed by changing
10 the luminance of the displayed television programming to display said user interface.

21. A method of operating a screen used to display both television programming and pages of supplementary image data, comprising:

(a) displaying the television programming on the screen;

15 (b) alerting a viewer to the availability of a page of supplementary image data associated with said displayed television programming;

(c) receiving a signal from the viewer indicating an interest in the supplementary image data;

20 (d) responsive to said indication of viewer interest, displaying textual data related to said page of supplementary image data;

(e) receiving a further signal from the viewer indicating a continued interest in the supplementary image data; and

(f) responsive to said further indication of viewer interest, displaying said page of supplementary image data.

25 22. The method of claim 21 in which (d) includes displaying said textual data in conjunction with display of said television programming.

23. The method of claim 21 in which (d) includes displaying a user interface with said textual data, the user interface permitting the viewer to signal said further interest in viewing the supplementary image data.

24. The method of claim 21 in which (f) includes replacing display of the television programming with display of said supplementary image data.

[illegible]

TELEVISION/INTERNET TERMINAL USER INTERFACE

ABSTRACT OF THE DISCLOSURE

A viewer of television programming is alerted to the availability of content
5 related to the programming (e.g. an associated Internet web page) by an icon
momentarily displayed on the screen. Using a remote control, the viewer can select
the icon. A control panel then appears, superimposed over the television image,
and provides additional detail about the related content. By further operating the
remote control, the viewer can select the associated content for viewing, or return to
10 watching the television. Various other features and variations are disclosed.

SECRET




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4

A black and white photograph of a man in a dark jacket and light shirt, looking down at a small object in his hands. He is standing in a room with shelves and a window in the background.

FIGURE 5




FIGURE 6

500

Samsung
Ex. 1012 - Page 37




FIGURE 8

2007.01.26 14:51:50




FIGURE 9




FIGURE 10

COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled TELEVISION/INTERNET TERMINAL USER INTERFACE, the specification of which

☒ is attached hereto.

☐ was filed on _____ as Application No. _____.

☐ was described and claimed in PCT International Application No. _____, filed on _____ (if applicable).

☐ and was amended on _____ (if applicable).

☐ with amendments through _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56. If this is a continuation-in-part application filed under the conditions specified in 35 U.S.C. § 120 which discloses and claims subject matter in addition to that disclosed in the prior copending application, I further acknowledge the duty to disclose material information as defined in 37 CFR § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT International application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed
_____	_____	_____	☐ ☐
(Number)	(Country)	(Day/Month/Year Filed)	Yes No

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

_____	_____
(Application No.)	(Filing Date)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or § 365(c) of any PCT International application(s) designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title

37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT International filing date of this application:

(Application No.)	(Filing Date)	(Status: patented, pending, abandoned)

The undersigned hereby authorizes the U.S. attorney or agent named herein to accept and follow instructions from _____ as to any action to be taken in the Patent and Trademark Office regarding this application without direct communication between the U.S. attorney or agent and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorney or agent named herein will be so notified by the undersigned.

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application, to file a corresponding international application, and to transact all business in the Patent and Trademark Office connected therewith:

Name	Reg. No.	Name	Reg. No.
Kenneth S. Klarquist	16,445	Stacey C. Slater	36,011
James Campbell	19,978	Garth A. Winn	33,220
James S. Leigh	20,434	Stephen A. Wight	37,759
Arthur L. Whinston	19,155	Joel R. Meyer	37,677
David P. Petersen	28,106	Joseph T. Jakubek	34,190
Richard J. Polley	28,107	Robert F. Scotti	39,830
Ramon A. Klitzke II	30,188	Gregory V. Bean	36,448
William Y. Conwell	31,943	David J. Earp	41,401
Mark L. Becker	31,325	Lisa M. Caldwell	41,653
William D. Noonan	30,878	Michael D. Jones	41,879
John D. Vandenberg	31,312	Steven D. Yates	42,242
John W. Stuart	24,540		
Donald L. Stephens Jr.	34,022		

Address all telephone calls to Stephen A. Wight at telephone number (503) 226-7391.

Address all correspondence to:

**KLARQUIST SPARKMAN CAMPBELL
LEIGH & WHINSTON, LLP**
One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, OR 97204-2988

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or

imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of first joint inventor: Daniel J. Zigmond

Inventor's signature _____ Date _____

Residence:

Citizenship:

Post Office address:

Full name of second joint inventor: David R. Anderson

Inventor's signature _____ Date _____

Residence:

Citizenship:

Post Office address:

Full name of third joint inventor: Christopher M. White

Inventor's signature _____ Date _____

Residence:

Citizenship:

Post Office address:

Full name of fourth joint inventor: Jeffrey D. Yaksick

Inventor's signature _____ Date _____

Residence:

Citizenship:

Post Office address: